

CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

CPU List

Below is an alphabetical list of all CPU types that appear in the charts. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you. Results for [Single CPU Systems](#) and [Multiple CPU Systems](#) are listed separately.

Find CPU

 **CPUS**

 High End

High Mid Range

Low Mid Range

Low End

 **Best Value**
(On Market)

Best Value XY Scatter

Best Value (All time)

 **New Desktop**

New Laptop

 **Single Thread**

Systems with Multiple CPUs

Overclocked

Power Performance

CPU Mark by Socket Type

Cross-Platform CPU Performance

 **CPU Mega List**

Search Model

 **Compare** ⁰

Single CPU Systems

Multi CPU Systems

Single CPU Systems

Last updated on the 7th of May 2021

Column

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
Intel Pentium 4 1300MHz	77	3385	NA
VIA Eden 1000MHz	80	3384	NA
Intel Pentium 4 1500MHz	81	3383	NA
Intel Pentium 4 1400MHz	83	3382	NA
Intel Pentium 4 1.60GHz	84	3381	NA
Intel Pentium 4 1.50GHz	86	3380	NA
Intel Pentium 4 1.70GHz	86	3379	NA
ARM Cortex-A7 2 Core 960 MHz	93	3377	NA
VIA Eden 1200MHz	93	3378	NA
VIA Esther 1000MHz	95	3376	NA
Intel Celeron 1.80GHz	96	3375	NA
Intel Pentium III Mobile 866MHz	99	3374	NA
Intel Pentium 4 1700MHz	100	3373	NA
Intel Celeron 1.70GHz	101	3372	NA
VIA Nehemiah	101	3371	NA

★ Common

🏠 CPU Benchmarks ▼

📈 AMD vs Intel Market Share

Year on Year Performance

429,00 zł

329,00 zł

-27%

449,00 zł

5

=

Intel Pentium 4 1.90GHz

CPU Name

Intel Celeron R710 @ 1.60GHz

104
CPU Mark
(higher is better)

3370
Rank
(lower is better)

NA
CPU Value
(higher is better)

VIA C7-M 1200MHz

112

3367

NA

Intel Celeron 1100MHz

113

3366

[7.55](#)

Intel Pentium 4 1800MHz

114

3365

NA

Intel Pentium 4 Mobile 1.80GHz

114

3364

NA

Intel Pentium 4 1.80GHz

115

3363

NA

Intel Pentium 4 Mobile 1.60GHz

116

3361

NA

VIA C7-M 1600MHz

116

3362

NA

Mobile Intel Celeron 1.70GHz

118

3360

NA

Intel Pentium III Mobile 800MHz

119

3359

NA

Mobile Intel Pentium 4 - M 1.80GHz

119

3358

NA

AMD G-T40R

120

3357

NA

Mobile Intel Celeron 1.80GHz

121

3356

NA

Mobile Intel Pentium 4 - M 1.70GHz

121

3355

[0.67](#)

Intel Celeron M 410 @ 1.46GHz

123

3353

NA

Intel Celeron M 900MHz

123

3354

NA

Intel Celeron 2.00GHz

125

3352

NA

Intel Celeron M 443 @ 1.20GHz

125

3351

NA

Intel Core Solo U1400 @ 1.20GHz

130

3349

NA

Mobile Intel Pentium III - M 933MHz

130

3350

NA

Intel Pentium 4 2.40GHz

131

3348

NA

Intel Pentium 4 Mobile 2.00GHz

132

3347

NA

Intel Pentium 4 2.00GHz

133

3345

NA

Mobile Intel Celeron 2.00GHz

133

3346

NA

VIA Esther 1500MHz

135

3344

NA

Intel Pentium 4 Mobile 1.90GHz

136

3343

NA

Mobile Intel Pentium 4 - M 2.00GHz

138

3342

NA

Intel Celeron 1000MHz

139

3339

NA

Intel Celeron 2.20GHz

139

3341

NA

Intel Celeron M 420 @ 1.60GHz

139

3340

NA

Mobile Intel Pentium 4 - M 2.40GHz

139

3338

NA

Intel Core Solo U1300 @ 1.06GHz

141

3337

NA

Intel Pentium M 900MHz

141

3336

NA

Intel Celeron 2.40GHz

143

3335

NA

<u>Intel Celeron 2.60GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>VIA C7-M 6300MHz</u>	145	3332	NA
<u>Mobile Intel Pentium III - M 1200MHz</u>	146	3331	NA
<u>Mobile Intel Celeron 2.20GHz</u>	147	3330	NA
<u>Intel Celeron 2.30GHz</u>	148	3329	NA
<u>Intel Celeron M 1.00GHz</u>	149	3328	7.45
<u>Intel Pentium 4 2.93GHz</u>	150	3326	NA
<u>VIA C7-D 1800MHz</u>	150	3327	NA
<u>Intel Atom E3815 @ 1.46GHz</u>	151	3324	1.95
<u>Intel Pentium 4 2.26GHz</u>	151	3325	NA
<u>Intel Xeon 2.00GHz</u>	152	3323	NA
<u>Intel Atom N435 @ 1.33GHz</u>	153	3322	NA
<u>AMD Athlon 64 2000+</u>	154	3319	NA
<u>Intel Celeron 2.66GHz</u>	154	3320	NA
<u>Intel Pentium 4 3.83GHz</u>	154	3318	NA
<u>Mobile Intel Celeron 2.40GHz</u>	154	3321	NA
<u>Intel Celeron M 440 @ 1.86GHz</u>	155	3316	NA
<u>Intel Pentium M 1200MHz</u>	155	3317	NA
<u>Intel Atom Z520 @ 1.33GHz</u>	156	3314	NA
<u>Intel Pentium III Mobile 1200MHz</u>	156	3313	NA
<u>Intel Pentium M 1000MHz</u>	156	3315	NA
<u>Intel Pentium 4 2.20GHz</u>	157	3312	NA
<u>Intel Pentium 4 2.66GHz</u>	157	3311	NA
<u>Intel Atom Z670 @ 1.50GHz</u>	158	3310	NA
<u>Intel Celeron 1200MHz</u>	159	3309	NA
<u>Intel Celeron 2.70GHz</u>	159	3308	NA
<u>Intel Pentium 4 2.50GHz</u>	160	3307	NA
<u>Intel Pentium III Mobile 1066MHz</u>	160	3306	NA
<u>Intel Atom D410 @ 1.66GHz</u>	162	3303	0.26
<u>Intel Atom N455 @ 1.66GHz</u>	162	3305	NA
<u>Intel Pentium 4 2.53GHz</u>	162	3304	NA
<u>Intel Celeron 2.50GHz</u>	164	3299	NA
<u>Intel Core Solo U1500 @ 1.33GHz</u>	164	3301	NA
<u>Intel Pentium III Mobile 1133MHz</u>	164	3302	NA

<u>CPU Name</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon 2.20GHz</u>	165	3297	NA
<u>VIA Nano L2207@1600MHz</u>	166	3296	NA
<u>Intel Celeron 2.13GHz</u>	167	3295	NA
<u>AMD Athlon XP 1500+</u>	169	3294	NA
<u>Intel Celeron M 430 @ 1.73GHz</u>	169	3292	NA
<u>Mobile AMD Athlon XP-M 1600+</u>	169	3293	NA
<u>Mobile AMD Athlon MP-M 1800+</u>	173	3291	NA
<u>AMD Athlon XP 1600+</u>	174	3289	NA
<u>Intel Celeron 215 @ 1.33GHz</u>	174	3290	NA
<u>Intel Atom N270 @ 1.60GHz</u>	175	3288	NA
<u>AMD Athlon XP 1700+</u>	176	3287	3.44
<u>AMD G-T52R</u>	177	3285	NA
<u>Intel Atom N450 @ 1.66GHz</u>	177	3286	NA
<u>AMD C-30</u>	178	3284	NA
<u>Intel Atom N475 @ 1.83GHz</u>	179	3282	NA
<u>VIA Nano U2250@1300+MHz</u>	179	3283	NA
<u>Intel Xeon 2.40GHz</u>	180	3281	19.73
<u>Intel Atom N280 @ 1.66GHz</u>	181	3280	NA
<u>Intel Celeron 2.26GHz</u>	182	3279	NA
<u>Mobile Intel Pentium 4 2.66GHz</u>	182	3278	NA
<u>AMD Athlon XP1600+</u>	183	3275	NA
<u>Intel Atom Z530 @ 1.60GHz</u>	183	3276	NA
<u>Mobile Intel Celeron 1333MHz</u>	183	3277	NA
<u>AMD Sempron 2200+</u>	184	3274	4.60
<u>AMD V105</u>	184	3273	NA
<u>Intel Pentium M 1.10GHz</u>	184	3272	NA
<u>VIA Nano U3500@1000MHz</u>	184	3271	NA
<u>AMD E-240</u>	188	3268	NA
<u>ARM Cortex-A53 4 Core 1536 MHz</u>	188	3269	NA
<u>Intel Atom N2100 @ 1.60GHz</u>	188	3267	NA
<u>Intel Pentium M 1500MHz</u>	188	3270	NA
<u>Intel Celeron 2.80GHz</u>	190	3266	NA
<u>AMD Athlon 1500+</u>	191	3264	NA

<u>Rockchip RK3229</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Pentium III 1400 @ 1400MHz</u>	193	3261	NA
<u>Intel Pentium M 1600MHz</u>	193	3262	NA
<u>Mobile AMD Athlon XP-M 1800+</u>	193	3260	NA
<u>Intel Core Solo T1350 @ 1.86GHz</u>	194	3259	NA
<u>Intel Pentium III 1400S @ 1400MHz</u>	194	3258	NA
<u>AMD Athlon XP 1800+</u>	195	3255	3.83
<u>AMD Athlon XP 2000+</u>	195	3256	3.31
<u>AMD Sempron 2500+</u>	195	3257	3.25
<u>Intel Pentium M 1.30GHz</u>	196	3253	NA
<u>Mobile AMD Athlon XP-M 2000+</u>	196	3254	NA
<u>AMD Athlon L110</u>	197	3252	NA
<u>Intel Celeron M 1300MHz</u>	197	3251	NA
<u>Intel Pentium M 1300MHz</u>	197	3250	NA
<u>Intel Pentium M 1.20GHz</u>	199	3248	NA
<u>VIA Nano U2500@1200MHz</u>	199	3249	NA
<u>AMD Athlon XP 1900+</u>	203	3247	4.44
<u>AMD Sempron 2400+</u>	205	3246	15.74
<u>Intel Celeron M 1.30GHz</u>	205	3244	NA
<u>Mobile Intel Pentium 4 2.80GHz</u>	205	3245	NA
<u>AMD Sempron 2300+</u>	207	3243	4.60
<u>Intel Pentium M 1400MHz</u>	208	3242	NA
<u>Intel Celeron 220 @ 1.20GHz</u>	209	3241	NA
<u>AMD Athlon XP 2100+</u>	210	3238	3.30
<u>Intel Atom 230 @ 1.60GHz</u>	210	3237	NA
<u>Intel Celeron 807UE @ 1.00GHz</u>	210	3240	NA
<u>Intel Core Solo T1300 @ 1.66GHz</u>	210	3239	NA
<u>Intel Celeron 723 @ 1.20GHz</u>	213	3236	NA
<u>AMD Athlon XP 2200+</u>	214	3235	2.52
<u>Intel Pentium M 1.73GHz</u>	214	3234	NA
<u>Intel Pentium 4 2.60GHz</u>	215	3233	NA
<u>Intel Celeron M 1.50GHz</u>	216	3232	NA
<u>Intel Celeron M 1500MHz</u>	217	3231	NA
<u>Intel Core Duo U2500 @ 1.20GHz</u>	220	3229	NA

<u>Mobile Intel Pentium 4 3.06GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Atom D425 @ 1.80GHz</u>	222	3227	0.22
<u>Intel Atom N470 @ 1.83GHz</u>	224	3226	NA
<u>Intel Celeron M 1.60GHz</u>	224	3225	NA
<u>Intel Pentium M 1.40GHz</u>	225	3224	NA
<u>Mobile AMD Athlon XP-M 2400+</u>	225	3223	NA
<u>Mobile AMD Athlon XP-M 2500+</u>	226	3222	NA
<u>MT6735M</u>	226	3221	NA
<u>Intel Celeron M 520 @ 1.60GHz</u>	227	3219	NA
<u>Intel Pentium M 2.26GHz</u>	227	3220	NA
<u>Intel Pentium M 1.60GHz</u>	229	3218	NA
<u>Intel Celeron 2.93GHz</u>	230	3215	NA
<u>Intel Celeron M 450 @ 2.00GHz</u>	230	3216	NA
<u>Intel Pentium 4 2.80GHz</u>	230	3217	NA
<u>AMD Athlon XP 2500+</u>	231	3214	NA
<u>AMD Sempron 3500+</u>	232	3213	9.28
<u>Intel Celeron D 347 @ 3.06GHz</u>	232	3211	NA
<u>Mobile Intel Pentium 4 3.20GHz</u>	232	3212	NA
<u>AMD Sempron 2800+</u>	233	3209	7.78
<u>ARM Cortex-A7 4 Core 900 MHz</u>	233	3210	NA
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	233	3207	NA
<u>Mobile AMD Athlon 4 2400+</u>	233	3208	NA
<u>AMD Athlon XP 2400+</u>	234	3205	2.93
<u>Intel Celeron 3.06GHz</u>	234	3206	NA
<u>Intel Pentium M 1700MHz</u>	237	3202	NA
<u>Mobile AMD Athlon XP-M 2200+</u>	237	3203	NA
<u>Mobile AMD Sempron 2800+</u>	237	3204	NA
<u>Intel Pentium M 1.86GHz</u>	238	3199	NA
<u>Mobile AMD Athlon XP-M 2800+</u>	238	3201	NA
<u>Mobile AMD Athlon XP-M 3000+</u>	238	3200	NA
<u>Intel Pentium M 1.70GHz</u>	239	3197	NA
<u>Intel Pentium SU2700 @ 1.30GHz</u>	239	3198	NA
<u>Intel Pentium M 1.50GHz</u>	240	3196	NA
<u>Mobile AMD Athlon 2500+</u>	241	3195	NA

<u>Mobile AMD Athlon XP-M 2600+</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>AMD Athlon 64 2600+</u>	243	3192	NA
<u>AMD Athlon XP2400+</u>	243	3191	NA
<u>Mobile AMD Sempron 3200+</u>	245	3190	NA
<u>AMD Turion 64 Mobile MT-30</u>	246	3189	NA
<u>AMD GX-210JA SOC</u>	248	3188	NA
<u>Intel Pentium 4 3.06GHz</u>	249	3187	NA
<u>AMD Sempron LE-1150</u>	251	3185	16.82
<u>Intel Celeron D 356 @ 3.33GHz</u>	251	3186	NA
<u>Intel Celeron M 1.70GHz</u>	252	3183	NA
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	252	3184	NA
<u>AMD Sempron 2600+</u>	253	3182	7.23
<u>Intel Core Solo T1400 @ 1.83GHz</u>	253	3181	NA
<u>AMD Turion 64 Mobile ML-28</u>	254	3179	NA
<u>VIA Nano L2007@1600MHz</u>	254	3180	NA
<u>Intel Core Duo U2400 @ 1.06GHz</u>	255	3178	NA
<u>AMD Athlon XP 2700+</u>	256	3176	3.02
<u>Intel Atom E3826 @ 1.46GHz</u>	256	3177	NA
<u>Mobile AMD Sempron 2600+</u>	256	3174	NA
<u>QCT APQ8064 AWIFI</u>	256	3175	NA
<u>AMD Sempron SI-40</u>	257	3173	21.40
<u>AMD Athlon XP 2800+</u>	260	3171	NA
<u>Intel Xeon 2.80GHz</u>	260	3172	NA
<u>Qualcomm Technologies, Inc MSM8909</u>	261	3170	NA
<u>AMD Athlon XP 3000+</u>	262	3168	3.29
<u>AMD Sempron SI-42</u>	262	3169	8.73
<u>AMD Z-60 APU</u>	262	3167	NA
<u>AMD G-T40E</u>	263	3166	NA
<u>Intel Celeron 3.33GHz</u>	263	3164	NA
<u>Intel Celeron 743 @ 1.30GHz</u>	263	3163	NA
<u>VIA Eden C1050@1.06GHz</u>	263	3165	NA
<u>Qualcomm MSM8226</u>	265	3162	NA
<u>AMD C-50</u>	266	3161	NA
<u>AMD Sempron 210U</u>	267	3158	NA

 CPU Benchmarks

<u>Intel Celeron 3.20GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>AMD Athlon TF-20</u>	268	3156	NA
<u>AMD Sempron 3000+</u>	268	3157	7.66
<u>Intel Celeron 430 @ 1.80GHz</u>	269	3155	4.48
<u>Mobile AMD Sempron 3000+</u>	269	3154	NA
<u>ARM Cortex-A7 4 Core 1200 MHz</u>	270	3151	NA
<u>Intel Pentium M 2.00GHz</u>	270	3153	NA
<u>VIA Nano U2250 (1.6GHz Capable)</u>	270	3152	NA
<u>Intel Pentium M 2.13GHz</u>	271	3150	NA
<u>AMD Athlon 2650e</u>	274	3149	14.43
<u>Intel Atom D2500 @ 1.86GHz</u>	275	3148	NA
<u>AMD Athlon XP 2900+</u>	276	3147	NA
<u>AMD Turion 64 Mobile ML-30</u>	277	3145	NA
<u>AMD Turion 64 Mobile ML-34</u>	277	3146	NA
<u>Mobile AMD Sempron 3100+</u>	277	3144	NA
<u>Intel Celeron 420 @ 1.60GHz</u>	278	3143	21.40
<u>AMD Turion 64 Mobile MT-34</u>	279	3141	NA
<u>VIA Nano L2100@1800MHz</u>	279	3142	NA
<u>Intel Pentium M 1.80GHz</u>	280	3140	NA
<u>AMD Athlon XP 3200+</u>	281	3139	NA
<u>AMD Athlon XP 3100+</u>	282	3138	NA
<u>MediaTek MT8735B</u>	282	3137	NA
<u>Intel Celeron D 352 @ 3.20GHz</u>	283	3136	NA
<u>AMD Turion 64 Mobile ML-32</u>	285	3135	NA
<u>ARM Cortex-A53 4 Core 0 MHz</u>	285	3134	NA
<u>AMD Athlon Neo MV-40</u>	286	3132	NA
<u>AMD Turion 64 Mobile MT-32</u>	286	3133	NA
<u>Intel Celeron 530 @ 1.73GHz</u>	287	3130	22.09
<u>Intel Pentium 4 3.20GHz</u>	287	3131	NA
<u>AMD Sempron 3200+</u>	288	3129	2.31
<u>Spreadtrum SC7731e</u>	288	3128	NA
<u>Qualcomm Technologies, Inc APQ8009</u>	289	3127	NA
<u>Mobile AMD Sempron 3500+</u>	290	3126	NA
<u>AMD Athlon 2800+</u>	291	3125	2.65

AMD Athlon 64 3800+	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
Intel Pentium M 2.10GHz	292	3124	NA
Qualcomm Technologies, Inc MSM8216	292	3123	NA
AMD C-60	293	3120	NA
Mobile AMD Sempron 3300+	294	3118	NA

 CPU Benchmarks

▼

Qualcomm MSM8626	294	3117	NA
Qualcomm MSM8926	294	3119	NA
AMD Athlon 64 2800+	295	3116	2.95
Intel Pentium 4 3.46GHz	295	3115	NA
Intel Celeron 540 @ 1.86GHz	296	3114	NA
Unisoc SC7731e	297	3113	NA
AMD Athlon II Neo K145	298	3112	NA
AMD Sempron 3100+	298	3111	4.58
AMD Sempron M120	298	3110	NA
AMD C-70 APU	300	3109	NA
UNIVERSAL3475	300	3108	NA
AMD Athlon II Neo K125	302	3107	NA
Intel Pentium 4 3.40GHz	302	3105	NA
Mobile AMD Sempron 3600+	302	3106	NA
AMD Athlon 64 3000+	303	3104	15.13
AMD C-60 APU	307	3103	NA
Intel Celeron M 530 @ 1.73GHz	307	3102	NA
AMD Z-01	308	3101	NA
Qualcomm Technologies, Inc APQ8017	309	3100	NA
Samsung GrandPrimePlus LTE CIS rev04 board based o	312	3099	NA
Intel Celeron D 420 @ 1.60GHz	313	3095	NA
Intel Core Duo T2050 @ 1.60GHz	313	3097	NA
Intel Pentium 4 3.80GHz	313	3098	NA
Mobile AMD Athlon 64 4000+	313	3096	NA
AMD Sempron 3300+	315	3094	15.74
AMD Sempron LE-1100	315	3091	9.02
AMD Turion 64 Mobile MT-37	315	3093	NA
VIA Eden X2 U4200 @ 1.0+ GHz	315	3092	NA
AMD Opteron 144	316	3088	10.55

<u>Intel Atom N550 @ 1.50GHz</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>AMD Turion 64 Mobile ML-37</u>	318	3087	12.22
<u>Intel Pentium 4 3.00GHz</u>	319	3086	NA
<u>Intel Pentium 4 3.60GHz</u>	320	3084	NA
<u>Rockchip RK3326</u>	320	3085	NA

<u>AMD Athlon 64 4000+</u>	321	3082	3.22
<u>Mobile AMD Sempron 3400+</u>	321	3083	NA
<u>Intel Atom N2600 @ 1.60GHz</u>	323	3079	NA
<u>Intel Core Duo T2300 @ 1.66GHz</u>	323	3080	NA
<u>MT6735P</u>	323	3081	NA
<u>Mobile AMD Athlon 64 3200+</u>	326	3078	NA
<u>Intel Pentium T2060 @ 1.60GHz</u>	328	3077	NA
<u>Qualcomm Technologies, Inc APQ8016</u>	329	3076	NA
<u>ARM Cortex-A53 4 Core 1200 MHz</u>	331	3075	NA
<u>AMD Athlon 64 3200+</u>	332	3074	2.21
<u>Qualcomm MSM8228</u>	332	3073	NA
<u>AMD Athlon 2850e</u>	333	3072	NA
<u>Mobile AMD Athlon 64 3400+</u>	333	3071	NA
<u>AMD Turion 64 Mobile MK-36</u>	334	3070	NA
<u>Intel Atom N570 @ 1.66GHz</u>	335	3069	3.89
<u>Intel Celeron N2805 @ 1.46GHz</u>	335	3068	NA
<u>Mobile AMD Sempron 3800+</u>	335	3067	NA
<u>AMD Turion 64 Mobile ML-40</u>	336	3066	NA
<u>AMD V160</u>	337	3064	NA
<u>ARM Cortex-A7 4 Core 1368 MHz</u>	337	3065	NA
<u>AMD Athlon TF-36</u>	338	3061	NA
<u>AMD Sempron M100</u>	338	3062	28.18
<u>MediaTek MT6739WA</u>	338	3063	NA
<u>Intel 2.80GHz</u>	341	3060	NA
<u>AMD Athlon II Neo K325 Dual-Core</u>	343	3059	13.21
<u>Intel Celeron 570 @ 2.26GHz</u>	344	3058	NA
<u>Mobile Intel Pentium 4 3.33GHz</u>	344	3057	NA
<u>Qualcomm MSM8928</u>	344	3056	NA
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	345	3055	NA

<u>AMD Opteron 146</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>ARM Cortex-A53 4 Core 1152 MHz</u>	348	3052	NA
<u>Intel Core Duo L2400 @ 1.66GHz</u>	348	3051	NA
<u>Intel Pentium T2080 @ 1.73GHz</u>	348	3050	2.18
<u>Intel Core Duo T2400 @ 1.83GHz</u>	349	3049	21.81
<u>AMD Sempron LE-1250</u>	354	3048	3.54
<u>Mobile AMD Athlon 64 3700+</u>	356	3044	NA
<u>Qualcomm Technologies, Inc QCM2150</u>	356	3046	NA
<u>Rockchip RK3328</u>	356	3045	NA
<u>Samsung Exynos 7570</u>	356	3047	NA
<u>AMD Athlon II 170u</u>	357	3043	14.86
<u>AMD Athlon X2 Dual Core 3250e</u>	357	3042	NA
<u>AMD Athlon II 160u</u>	358	3041	11.93
<u>AMD Sempron LE-1200</u>	358	3040	23.96
<u>AMD E-300 APU</u>	359	3039	NA
<u>AMD Sempron 3800+</u>	360	3038	24.03
<u>AMD Turion 64 Mobile MK-38</u>	362	3034	NA
<u>AMD V120</u>	362	3036	NA
<u>ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz</u>	362	3037	NA
<u>Manta</u>	362	3035	NA
<u>MediaTek MT8167B</u>	362	3033	NA
<u>MT8765WB</u>	363	3032	NA
<u>AMD Sempron 3600+</u>	364	3031	24.24
<u>Intel Core Duo T2350 @ 1.86GHz</u>	364	3030	NA
<u>Intel Celeron 550 @ 2.00GHz</u>	365	3028	6.64
<u>Intel Celeron 560 @ 2.13GHz</u>	365	3029	5.21
<u>AMD Athlon 64 3500+</u>	366	3026	4.58
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	366	3027	NA
<u>Intel Celeron 440 @ 2.00GHz</u>	368	3025	7.37
<u>Intel Atom 330 @ 1.60GHz</u>	371	3023	NA
<u>Intel Celeron 827E @ 1.40GHz</u>	371	3024	NA
<u>AMD V140</u>	372	3021	7.45
<u>Intel Celeron D 360 @ 3.46GHz</u>	372	3022	NA
<u>Intel Pentium D 805 @ 2.66GHz</u>	374	3020	NA

 CPU Benchmarks

<u>AMD Athlon 64 3300+</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Atom Z2760 @ 1.80GHz</u>	375	3017	NA
<u>Intel Xeon 3.40GHz</u>	375	3019	NA
<u>MT8735</u>	375	3015	NA
<u>Qualcomm Technologies, Inc MSM8916</u>	378	3014	NA

<u>AMD Athlon X2 Dual Core L310</u>	379	3013	NA
<u>Intel Pentium T2130 @ 1.86GHz</u>	382	3012	NA
<u>AMD E1-1200 APU</u>	383	3011	NA
<u>AMD Turion 64 Mobile ML-44</u>	384	3010	NA
<u>AMD Turion 64 X2 Mobile TL-52</u>	384	3009	NA
<u>Intel Atom D510 @ 1.66GHz</u>	385	3008	3.96
<u>Intel Atom E3825 @ 1.33GHz</u>	385	3007	5.47
<u>Intel Pentium 4 3.73GHz</u>	385	3005	NA
<u>MediaTek MT6737M</u>	385	3006	NA
<u>Intel Core Duo L2300 @ 1.50GHz</u>	387	3003	NA
<u>Qualcomm Technologies, Inc MSM8920</u>	387	3004	NA
<u>AMD E1-1500 APU</u>	390	3002	NA
<u>Unisoc SC9832e</u>	391	3001	NA
<u>AMD Opteron 148</u>	392	2999	NA
<u>Intel Celeron 807 @ 1.50GHz</u>	392	3000	NA
<u>AMD Opteron 150</u>	393	2997	9.82
<u>Intel Xeon 3.80GHz</u>	393	2998	0.46
<u>VIA Nano X2 U4025 @ 1.2 GHz</u>	393	2996	NA
<u>AMD Athlon 64 3700+</u>	394	2995	4.38
<u>Intel Core Duo T2450 @ 2.00GHz</u>	395	2994	NA
<u>Intel Celeron 900 @ 2.20GHz</u>	396	2993	20.84
<u>QCT APQ8064 MAKO</u>	399	2992	NA
<u>AMD Geode NX 2400+</u>	400	2990	NA
<u>AMD Sempron LE-1300</u>	400	2991	14.81
<u>AMD Turion 64 Mobile ML-42</u>	400	2989	NA
<u>Intel Core i7-2630UM @ 1.60GHz</u>	400	2987	NA
<u>MediaTek MT6739WW</u>	400	2988	NA
<u>AMD E-350 APU</u>	401	2986	NA
<u>Intel Xeon 3.60GHz</u>	403	2985	0.47

 CPU Benchmarks

<u>AMD Athlon 64 FX-55</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>Intel Atom D2550 @ 1.86GHz</u>	405	2982	NA
<u>ARM Cortex-A53 4 Core 1512 MHz</u>	406	2981	NA
<u>ARM Cortex-A53 4 Core 1296 MHz</u>	408	2980	NA
<u>Intel Atom N2800 @ 1.86GHz</u>	408	2979	NA
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	409	2978	NA
<u>AMD Athlon 1640B</u>	412	2977	<u>8.23</u>
<u>AMD Athlon LE-1600</u>	412	2976	<u>19.63</u>
<u>AMD E1-2100 APU</u>	412	2974	NA
<u>Intel Core Duo T2500 @ 2.00GHz</u>	412	2975	<u>3.44</u>
<u>AMD E-350</u>	415	2972	NA
<u>Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</u>	415	2973	NA
<u>AMD Athlon LE-1660</u>	416	2970	NA
<u>AMD G-T48E</u>	416	2971	NA
<u>AMD Athlon LE-1620</u>	421	2969	<u>23.40</u>
<u>AMD E-450 APU</u>	422	2968	NA
<u>Intel Celeron SU2300 @ 1.20GHz</u>	422	2967	NA
<u>Intel Atom D525 @ 1.80GHz</u>	423	2966	NA
<u>Intel Xeon 3.00GHz</u>	425	2965	NA
<u>Intel Celeron G440 @ 1.60GHz</u>	426	2964	<u>8.52</u>
<u>AMD Athlon Neo X2 Dual Core 6850e</u>	428	2962	NA
<u>AMD Opteron 152</u>	428	2963	NA
<u>MediaTek MT6737</u>	429	2961	NA
<u>AMD Athlon LE-1640</u>	430	2960	<u>4.78</u>
<u>Generic DT based system</u>	430	2959	NA
<u>Intel Pentium T2310 @ 1.46GHz</u>	430	2958	NA
<u>AMD Turion Neo X2 Dual Core L625</u>	431	2957	NA
<u>Intel Atom D2560 @ 2.00GHz</u>	433	2956	NA
<u>Intel Celeron 450 @ 2.20GHz</u>	433	2955	<u>32.11</u>
<u>AMD Athlon II Neo N36L Dual-Core</u>	436	2954	NA
<u>MediaTek MT6762V/CN</u>	437	2953	NA
<u>Intel Atom D2701 @ 2.13GHz</u>	438	2952	NA
<u>Intel Pentium U5400 @ 1.20GHz</u>	439	2951	NA

 CPU Benchmarks

<u>AMD A4-1250 APU</u>	440	2949	NA
CPU Name	CPU Mark	Rank	CPU Value
Intel Celeron N2820 @ 2.12GHz	(higher is better)	(lower is better)	(higher is better)
<u>ARM Cortex-A53 4 Core 1400 MHz</u>	444	2946	NA
<u>Intel Celeron 925 @ 2.30GHz</u>	444	2947	NA
<u>AMD A4-1200 APU</u>	445	2945	NA
<u>Sony Mobile fusion3</u>	446	2944	NA
<u>Intel Celeron N2807 @ 1.58GHz</u>	447	2943	NA
<u>QCT APQ8064 DEB</u>	447	2942	NA
<u>AMD Turion 64 X2 Mobile TL-50</u>	448	2941	23.61
<u>SAMSUNG JF</u>	448	2940	NA
<u>Intel Core Duo T2600 @ 2.16GHz</u>	449	2939	NA
<u>AMD Opteron 254</u>	451	2938	NA
<u>AMD Turion 64 X2 Mobile TL-56</u>	453	2937	6.93
<u>AMD G-T56N</u>	454	2936	NA
<u>Intel Pentium T2370 @ 1.73GHz</u>	455	2935	12.99
<u>Intel Celeron 847 @ 1.10GHz</u>	456	2934	1.45
<u>AMD Opteron 154</u>	457	2933	NA
<u>QCT APQ8064 FLO</u>	457	2932	NA
<u>AMD E2-1800 APU</u>	459	2930	NA
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	459	2931	NA
<u>AMD Athlon 64 X2 Dual Core TK-53</u>	463	2928	1.57
<u>AMD Athlon 64 X2 Dual Core TK-55</u>	463	2929	8.02
<u>AMD Athlon 64 FX-59</u>	465	2926	NA
<u>AMD Athlon 64 X2 QL-60</u>	465	2925	NA
<u>AMD E-350D APU</u>	465	2927	NA
<u>Intel Celeron N2810 @ 2.00GHz</u>	465	2923	3.32
<u>Qualcomm APQ8084</u>	465	2924	NA
<u>MediaTek MT8163</u>	467	2921	NA
<u>Qualcomm Technologies, Inc MSM8917</u>	467	2922	NA
<u>Intel Pentium Extreme Edition 955 @ 3.46GHz</u>	469	2920	15.02
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	471	2919	NA
<u>Intel Pentium D 915 @ 2.80GHz</u>	472	2918	NA
<u>AMD Sempron 140</u>	473	2916	39.61
<u>Intel Celeron U3400 @ 1.07GHz</u>	473	2917	NA

 CPU Benchmarks

<u>AMD E1-2200 APU</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel T1400 @ 1.73GHz</u>	475	2913	31.70
<u>AMD Athlon Neo X2 Dual Core L325</u>	476	2911	NA
<u>Intel Core2 Duo L7100 @ 1.20GHz</u>	476	2912	NA
<u>Intel Celeron N2815 @ 1.86GHz</u>	477	2910	NA
<u>Intel Xeon 3.20GHz</u>	478	2909	NA
<u>AMD Sempron 145</u>	480	2907	6.00
<u>Intel Celeron G465 @ 1.90GHz</u>	480	2908	12.00
<u>Intel Atom D2700 @ 2.13GHz</u>	481	2906	NA
<u>Intel Celeron G460 @ 1.80GHz</u>	483	2905	8.78
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	483	2904	5.37
<u>AMD Athlon 64 3100+</u>	484	2903	NA
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	485	2902	NA
<u>Intel Celeron N2806 @ 1.60GHz</u>	486	2901	NA
<u>AMD Athlon Neo X2 Dual Core L335</u>	487	2900	NA
<u>AMD E2-2000 APU</u>	488	2897	NA
<u>Intel Atom Z3770D @ 1.49GHz</u>	488	2898	NA
<u>Intel Pentium T2330 @ 1.60GHz</u>	488	2899	NA
<u>Intel Celeron E1200 @ 1.60GHz</u>	492	2896	5.48
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	496	2895	NA
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	497	2894	3.75
<u>AMD Sempron 150</u>	498	2892	33.32
<u>Intel Core Duo T2700 @ 2.33GHz</u>	498	2891	NA
<u>Intel Pentium D 940 @ 3.20GHz</u>	498	2893	NA
<u>AMD Athlon 64 X2 Dual-Core TK-53</u>	502	2889	NA
<u>Intel Core2 Duo T5500 @ 1.66GHz</u>	502	2890	NA
<u>Intel Celeron N3010 @ 1.04GHz</u>	505	2888	NA
<u>Intel Pentium E2140 @ 1.60GHz</u>	508	2886	5.65
<u>Rockchip RK3288 (Flattened Device Tree)</u>	508	2887	NA
<u>Intel Celeron N2808 @ 1.58GHz</u>	509	2884	NA
<u>Intel Core2 Duo U7300 @ 1.30GHz</u>	509	2885	NA
<u>Intel Atom Z3736F @ 1.33GHz</u>	511	2883	NA
<u>MediaTek MT6737T</u>	511	2882	NA
<u>MediaTek MT8168A</u>	512	2881	NA

 CPU Benchmarks

<u>Intel Pentium D 830 @ 3.00GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Atom E3827 @ 1.74GHz</u>	515	2879	NA
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	516	2877	NA
<u>Intel T2050 @ 2.00GHz</u>	516	2876	NA
<u>AMD Athlon 64 FX-57</u>	517	2875	NA

<u>MediaTek MT6735</u>	517	2874	NA
<u>Intel Celeron T1600 @ 1.66GHz</u>	520	2873	26.01
<u>AMD Athlon 64 X2 QL-62</u>	522	2872	NA
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	524	2871	10.48
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	525	2870	7.21
<u>AMD Sempron 130</u>	526	2869	17.55
<u>AMD Athlon II Neo K345 Dual-Core</u>	527	2868	NA
<u>Intel Atom Z3735F @ 1.33GHz</u>	529	2867	1.06
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	530	2865	10.61
<u>ARM Cortex-A53 4 Core 1800 MHz</u>	530	2866	NA
<u>AMD Athlon 64 X2 Dual Core 3400+</u>	531	2862	NA
<u>AMD Opteron 165</u>	531	2864	0.97
<u>Celeron Dual-Core T3100 @ 1.90GHz</u>	531	2863	16.59
<u>AMD Sempron Dual Core 2100</u>	533	2861	14.04
<u>Intel Atom Z3735G @ 1.33GHz</u>	534	2860	NA
<u>Intel Core2 Duo T5450 @ 1.66GHz</u>	535	2859	NA
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	536	2858	NA
<u>Intel Core2 Duo E4300 @ 1.80GHz</u>	537	2857	3.36
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	539	2856	NA
<u>Intel Atom Z3735D @ 1.33GHz</u>	540	2855	NA
<u>AMD E1-6010 APU</u>	544	2852	NA
<u>Intel Core2 Duo SU9400 @ 1.40GHz</u>	544	2853	NA
<u>Intel Pentium T2390 @ 1.86GHz</u>	544	2854	NA
<u>Intel Core2 Duo E6300 @ 1.86GHz</u>	546	2851	42.01
<u>AMD E1-6015 APU</u>	547	2850	NA
<u>Intel Celeron @ 1.30GHz</u>	548	2848	NA
<u>Intel T1500 @ 1.86GHz</u>	548	2849	NA
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	550	2847	NA
<u>AMD Sempron Dual Core 2300</u>	555	2846	13.22

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Atom Z3735E @ 1.33GHz</u>	559	2843	NA
<u>AMD Athlon Dual Core 4050e</u>	559	2842	3.73
<u>Intel Celeron N2830 @ 2.16GHz</u>	560	2841	NA
<u>Intel Celeron U3600 @ 1.20GHz</u>	561	2839	22.46

<u>MT6761V/WAB</u>	561	2840	NA
<u>Intel Celeron 867 @ 1.30GHz</u>	562	2838	18.72
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	562	2837	NA
<u>AMD Sempron Dual Core 2200</u>	563	2836	14.09
<u>AMD Athlon X2 Dual Core 6850e</u>	564	2835	NA
<u>AMD E1-7010 APU</u>	565	2834	NA
<u>AMD Turion II Neo K625 Dual-Core</u>	565	2833	NA
<u>AMD Athlon 64 X2 3800+</u>	566	2832	NA
<u>Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tree</u>	566	2831	NA
<u>AMD Sempron 2650 APU</u>	568	2830	11.39
<u>Intel Celeron 857 @ 1.20GHz</u>	569	2828	NA
<u>Intel Pentium T2410 @ 2.00GHz</u>	569	2829	NA
<u>AMD Athlon X2 Dual Core BE-2300</u>	570	2826	9.50
<u>AMD GX-212JC SOC</u>	570	2827	NA
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	572	2825	NA
<u>AMD Athlon 64 X2 Dual Core BE-2350</u>	573	2823	NA
<u>Intel Celeron J1800 @ 2.41GHz</u>	573	2824	NA
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	575	2821	NA
<u>MT6761V/CAB</u>	575	2822	NA
<u>Intel Celeron 1019Y @ 1.00GHz</u>	576	2820	NA
<u>AMD Athlon 64 X2 Dual-Core TK-42</u>	577	2819	NA
<u>AMD Turion 64 X2 Mobile TL-58</u>	577	2818	NA
<u>Intel Celeron N3050 @ 1.60GHz</u>	581	2817	3.41
<u>MT8766A</u>	581	2816	NA
<u>AMD Athlon 64 X2 QL-67</u>	582	2814	NA
<u>Intel Xeon MV 3.20GHz</u>	582	2815	NA
<u>Intel Atom C2338 @ 1.74GHz</u>	584	2813	NA
<u>Intel Celeron 847E @ 1.10GHz</u>	584	2812	NA

<u>Intel Celeron N2840 @ 2.16GHz</u>	584	2811	NA
CPU Name	CPU Mark	Rank	CPU Value
Intel Atom Z3745D @ 1.33GHz	(higher is better)	(lower is better)	(higher is better)

 CPU Benchmarks ▼

<u>AMD Turion Dual-Core RM-74</u>	588	2808	NA
<u>AMD Turion II Neo N40L Dual-Core</u>	588	2807	NA
<u>AMD E1-2500 APU</u>	589	2805	NA

<u>MediaTek MT6761V/WBB</u>	589	2806	NA
<u>AMD Athlon X2 Dual Core BE-2350</u>	591	2804	NA
<u>AMD Opteron 1212</u>	593	2803	2.04
<u>AMD Athlon 64 X2 Dual Core BE-2300</u>	594	2802	NA
<u>Intel Celeron J1750 @ 2.41GHz</u>	595	2801	NA
<u>Intel Atom S1260 @ 2.00GHz</u>	596	2800	9.31
<u>Qualcomm MSM8917</u>	599	2799	NA
<u>AMD E1 Micro-6200T APU</u>	600	2797	NA
<u>Intel Atom Z3740 @ 1.33GHz</u>	600	2796	NA
<u>Intel Xeon 5110 @ 1.60GHz</u>	600	2798	17.14
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	602	2795	40.29
<u>AMD Turion X2 Dual Core L510</u>	603	2794	NA
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	603	2793	NA
<u>Rockchip RK3288</u>	603	2792	NA
<u>AMD Athlon II X2 250u</u>	604	2791	24.22
<u>AMD Turion 64 X2 Mobile TL-60</u>	607	2788	38.08
<u>Intel Core2 Duo L7700 @ 1.80GHz</u>	607	2789	NA
<u>Intel Pentium T3400 @ 2.16GHz</u>	607	2790	6.74
<u>AMD Athlon 64 X2 QL-65</u>	609	2787	20.40
<u>AMD Athlon II Dual-Core M300</u>	610	2786	NA
<u>Intel Pentium E2160 @ 1.80GHz</u>	613	2784	39.55
<u>Qualcomm MSM8974PRO-AC</u>	613	2785	NA
<u>Intel Atom Z3740D @ 1.33GHz</u>	614	2783	NA
<u>Intel Pentium 967 @ 1.30GHz</u>	614	2782	NA
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	615	2781	NA
<u>AMD Athlon 64 X2 Dual-Core TK-57</u>	620	2780	NA
<u>AMD Athlon 64 X2 Dual Core 4000+</u>	621	2778	NA
<u>AMD Athlon 64 X2 QL-64</u>	621	2779	NA
<u>Intel Atom Z3745 @ 1.33GHz</u>	621	2777	20.72

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Pentium 957 @ 1.20GHz</u>	625	2772	NA
<u>ARM Cortex-A72 2 Core 0 MHz</u>	625	2774	NA
<u>Intel Atom C2358 @ 1.74GHz</u>	625	2773	<u>52.07</u>
<u>Samsung EXYNOS5420</u>	625	2771	NA
<u>AMD Turion 64 X2 Mobile TL-66</u>	627	2770	<u>7.04</u>
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	628	2769	<u>41.91</u>
<u>Qualcomm MSM8974PRO-AA</u>	629	2768	NA
<u>Intel Pentium 987 @ 1.50GHz</u>	630	2767	NA
<u>Qualcomm MSM8974</u>	633	2766	NA
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	634	2764	NA
<u>Intel Core2 Duo T5600 @ 1.83GHz</u>	634	2765	NA
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	635	2763	NA
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	635	2762	NA
<u>Rockchip (Device Tree)</u>	636	2761	NA
<u>Intel Pentium 2129Y @ 1.10GHz</u>	638	2760	<u>4.76</u>
<u>AMD Athlon 64 X2 QL-66</u>	641	2759	NA
<u>AMD Athlon Dual Core 4450B</u>	643	2758	<u>20.73</u>
<u>Intel Celeron 877 @ 1.40GHz</u>	643	2757	NA
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	644	2756	<u>2.87</u>
<u>Intel Celeron N3000 @ 1.04GHz</u>	645	2755	NA
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	646	2754	<u>43.17</u>
<u>AMD Opteron 170</u>	648	2753	NA
<u>AMD Turion Dual-Core RM-72</u>	649	2752	<u>21.63</u>
<u>Intel Celeron E1500 @ 2.20GHz</u>	649	2751	<u>33.02</u>
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	650	2750	NA
<u>AMD Athlon 64 X2 Dual Core 4200+</u>	651	2749	<u>5.92</u>
<u>AMD Athlon II P320 Dual-Core</u>	651	2748	<u>32.62</u>
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	654	2747	NA
<u>Intel Core2 Duo E4400 @ 2.00GHz</u>	656	2746	<u>13.11</u>
<u>Qualcomm MSM8974PRO-AB</u>	656	2745	NA
<u>AMD E2-3000M APU</u>	659	2743	<u>15.34</u>
<u>AMD Turion Dual-Core RM-75</u>	659	2744	<u>23.99</u>
<u>AMD Athlon 64 X2 Dual Core 3600+</u>	660	2742	<u>9.67</u>

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Celeron J3060 @ 1.60GHz</u>	665	2738	NA
<u>AMD Athlon II N330 Dual-Core</u>	665	2739	4.43
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	666	2736	NA
<u>Intel Core i3-330UM @ 1.20GHz</u>	666	2737	NA

<u>Intel Celeron B800 @ 1.50GHz</u>	669	2735	26.76
<u>Athlon Dual Core 4050e</u>	670	2734	NA
<u>Intel Celeron E1400 @ 2.00GHz</u>	671	2733	47.91
<u>Intel Celeron B815 @ 1.60GHz</u>	672	2730	NA
<u>Intel Celeron N2910 @ 1.60GHz</u>	672	2731	NA
<u>Intel Pentium E2180 @ 2.00GHz</u>	672	2732	13.44
<u>Intel Celeron N3060 @ 1.60GHz</u>	674	2729	2.19
<u>AMD Athlon II X2 270u</u>	675	2728	9.98
<u>AMD Athlon II Dual-Core M340</u>	676	2727	NA
<u>AMD Athlon 64 X2 Dual Core 4400+</u>	679	2724	2.27
<u>AMD Athlon II Dual-Core M320</u>	679	2726	22.62
<u>AMD Athlon II P340 Dual-Core</u>	679	2723	17.01
<u>ARM Cortex-A72 4 Core 2000 MHz</u>	679	2725	NA
<u>Intel Core2 Duo L7800 @ 2.00GHz</u>	680	2722	NA
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	680	2721	68.10
<u>AMD A4-3330MX APU</u>	681	2719	NA
<u>Athlon Dual Core 4450e</u>	681	2720	NA
<u>AMD Opteron 175</u>	682	2718	NA
<u>AMD Turion II Neo K685 Dual-Core</u>	684	2717	NA
<u>Intel Pentium D 950 @ 3.40GHz</u>	685	2716	NA
<u>AMD A4-3300M APU</u>	686	2715	22.86
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	687	2714	45.80
<u>AMD Athlon X2 Dual Core BE-2400</u>	688	2713	NA
<u>Intel Celeron P4505 @ 1.87GHz</u>	689	2712	NA
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	691	2710	NA
<u>Intel Celeron G470 @ 2.00GHz</u>	691	2711	19.67
<u>AMD Turion 64 X2 Mobile TL-64</u>	692	2709	17.58
<u>AC8257V/WAB</u>	693	2708	NA
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	694	2707	18.01

<u>AMD Opteron 185</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>AMD Opteron 1214</u>	696	2704	<u>5.99</u>
<u>ARM Cortex-A72 4 Core 1500 MHz</u>	697	2702	NA
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	697	2703	<u>12.91</u>
<u>Intel Core2 Duo T6400 @ 2.00GHz</u>	699	2700	<u>46.63</u>
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	699	2701	<u>3.47</u>
<u>Intel Celeron P4600 @ 2.00GHz</u>	700	2699	NA
<u>Intel Core2 Duo T5900 @ 2.20GHz</u>	701	2698	NA
<u>Intel Pentium E2210 @ 2.20GHz</u>	702	2696	NA
<u>Rockchip RK3368</u>	702	2697	NA
<u>AMD Athlon 64 X2 Dual Core 4800+</u>	704	2695	<u>4.69</u>
<u>Intel Atom E3840 @ 1.91GHz</u>	704	2693	NA
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	704	2694	NA
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	705	2692	<u>25.36</u>
<u>Intel Atom Z3580 @ 1.33GHz</u>	707	2691	NA
<u>AMD Turion X2 Dual-Core Mobile RM-75</u>	708	2690	NA
<u>Intel Core i3-380UM @ 1.33GHz</u>	708	2689	NA
<u>AMD Athlon 64 FX-60 Dual Core</u>	709	2688	NA
<u>Intel Celeron E1600 @ 2.40GHz</u>	712	2687	NA
<u>Qualcomm Technologies, Inc MSM8929</u>	714	2686	NA
<u>Intel Pentium T4200 @ 2.00GHz</u>	716	2685	<u>59.71</u>
<u>MT6795</u>	717	2684	NA
<u>AMD Athlon II P360 Dual-Core</u>	718	2683	<u>35.99</u>
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	720	2681	<u>37.91</u>
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	720	2682	<u>6.54</u>
<u>AMD Athlon Dual Core 4450e</u>	721	2680	<u>49.82</u>
<u>Qualcomm Technologies, Inc MSM8939</u>	722	2679	NA
<u>AMD Turion II Neo N54L Dual-Core</u>	724	2677	NA
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	724	2678	<u>36.20</u>
<u>AMD E2-3000 APU</u>	726	2676	NA
<u>AMD Athlon Dual Core 4850B</u>	727	2673	NA
<u>AMD Opteron 1216 HE</u>	727	2675	NA
<u>Intel Celeron 887 @ 1.50GHz</u>	727	2674	NA
<u>Intel Xeon 5150 @ 2.66GHz</u>	728	2672	<u>23.50</u>

<u>MediaTek MT6761V/WE</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	730	2670	16.22
<u>Intel Celeron 2961Y @ 1.10GHz</u>	732	2668	NA
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	733	2667	18.34
<u>AMD Athlon 5200 Dual-Core</u>	734	2666	5.64
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	734	2665	0.73
<u>AMD Athlon Dual Core 4850e</u>	735	2664	18.85
<u>Athlon 64 Dual Core 3800+</u>	736	2663	NA
<u>AMD Athlon Dual Core 5600B</u>	737	2661	NA
<u>Intel Core2 Duo SL9400 @ 1.86GHz</u>	737	2662	2.91
<u>AMD Turion 64 X2 Mobile TL-62</u>	738	2660	25.44
<u>Intel Core2 Duo E6420 @ 2.13GHz</u>	742	2659	3.91
<u>Intel Pentium D 960 @ 3.60GHz</u>	743	2658	NA
<u>AMD GX-217GA SOC</u>	744	2657	NA
<u>AMD Opteron 180</u>	746	2655	6.22
<u>Intel Atom Z3770 @ 1.46GHz</u>	746	2656	4.99
<u>Intel Core2 Duo P7570 @ 2.26GHz</u>	747	2653	NA
<u>Intel Pentium E2200 @ 2.20GHz</u>	747	2654	13.83
<u>Dual-Core AMD Opteron 1220 SE</u>	748	2652	NA
<u>Intel Celeron 1047UE @ 1.40GHz</u>	748	2651	NA
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	749	2650	39.65
<u>Intel Core2 Duo E4500 @ 2.20GHz</u>	750	2649	10.53
<u>Intel Pentium T4500 @ 2.30GHz</u>	752	2648	25.10
<u>AMD GX-218GL SOC</u>	754	2647	NA
<u>Intel Atom Z3775 @ 1.46GHz</u>	755	2646	1.51
<u>Intel Core i5-470UM @ 1.33GHz</u>	755	2645	NA
<u>Intel Core2 Duo T7600 @ 2.33GHz</u>	758	2644	7.58
<u>AMD Athlon 64 X2 Dual Core 5000+</u>	759	2643	2.29
<u>AMD Athlon Dual Core 5050e</u>	759	2642	12.65
<u>Intel Pentium T4400 @ 2.20GHz</u>	759	2641	NA
<u>AMD Opteron 270</u>	761	2640	3.04
<u>Intel Core2 Duo E4600 @ 2.40GHz</u>	763	2639	4.83
<u>Intel Xeon 5120 @ 1.86GHz</u>	763	2638	0.47
<u>AMD Opteron 280</u>	765	2637	2.00

 CPU Benchmarks ▼

<u>AMD A4-4120C</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>AMD Athlon II N350 Dual-Core</u>	767	2634	NA
<u>Athlon Dual Core 4850e</u>	769	2633	NA
<u>Intel Xeon 5130 @ 2.00GHz</u>	769	2631	15.70
<u>SAMSUNG Exynos7580</u>	769	2632	NA
<u>Intel Pentium T4300 @ 2.10GHz</u>	770	2630	7.78
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	773	2629	19.32
<u>VIA QuadCore L4700 @ 1.2+ GHz</u>	773	2628	NA
<u>Intel Celeron B810 @ 1.60GHz</u>	775	2627	9.69
<u>Intel Celeron B820 @ 1.70GHz</u>	776	2626	26.48
<u>Qualcomm APQ 8084 (Flattened Device Tree)</u>	776	2625	NA
<u>AMD Opteron 1216</u>	781	2624	14.23
<u>AMD A6-4455M APU</u>	783	2623	NA
<u>AMD Turion II Dual-Core Mobile M520</u>	783	2622	11.33
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	783	2621	NA
<u>AMD A4-3310MX APU</u>	785	2617	NA
<u>Intel Celeron 1007U @ 1.50GHz</u>	785	2620	4.24
<u>Intel Celeron 2955U @ 1.40GHz</u>	785	2618	NA
<u>Intel Celeron B830 @ 1.80GHz</u>	785	2619	15.70
<u>Celeron Dual-Core T3500 @ 2.10GHz</u>	786	2616	NA
<u>MediaTek MT8166B</u>	787	2615	NA
<u>AMD Athlon 7450 Dual-Core</u>	789	2613	NA
<u>Intel Pentium 997 @ 1.60GHz</u>	789	2611	NA
<u>Intel Xeon 3040 @ 1.86GHz</u>	789	2612	31.52
<u>MT8766B</u>	789	2614	NA
<u>AMD Turion II P520 Dual-Core</u>	790	2609	NA
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	790	2610	NA
<u>AMD Athlon 64 X2 Dual Core 5200+</u>	793	2608	13.22
<u>Intel Celeron 1017U @ 1.60GHz</u>	793	2607	NA
<u>Intel Pentium E2220 @ 2.40GHz</u>	793	2606	14.42
<u>Intel Atom Z3775D @ 1.49GHz</u>	794	2605	NA
<u>Intel Core2 Duo E6400 @ 2.13GHz</u>	795	2604	39.98
<u>AMD Athlon 5000 Dual-Core</u>	796	2603	7.24
<u>AMD Athlon Dual Core 5200B</u>	796	2602	NA

 CPU Benchmarks

<u>AMD Athlon 64 X2 Dual Core 5800+</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>AMD Athlon64 X2 Dual Core 4600+</u>	803	2598	NA
<u>Intel Core2 Duo E4700 @ 2.60GHz</u>	803	2599	29.76
<u>Intel Xeon E5503 @ 2.00GHz</u>	804	2597	2.80
<u>Intel Celeron E3300 @ 2.50GHz</u>	805	2596	13.88
<u>AMD Opteron 1214 HE</u>	806	2595	NA
<u>AMD A4-3305M APU</u>	807	2594	38.78
<u>AMD E2-9000e</u>	807	2593	NA
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	807	2592	18.78
<u>Intel Core2 Duo E6540 @ 2.33GHz</u>	808	2590	NA
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	808	2591	6.22
<u>Intel Celeron 2957U @ 1.40GHz</u>	809	2589	NA
<u>AMD Turion II Dual-Core Mobile M500</u>	810	2588	NA
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	814	2587	NA
<u>AMD A4-4355M APU</u>	816	2586	NA
<u>Intel Celeron P4500 @ 1.87GHz</u>	816	2585	NA
<u>Intel Celeron E3400 @ 2.60GHz</u>	817	2584	28.17
<u>AMD Turion II P560 Dual-Core</u>	818	2583	NA
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	822	2582	2.77
<u>BCM2711</u>	823	2580	NA
<u>Intel Pentium B940 @ 2.00GHz</u>	823	2581	27.48
<u>Intel Core i3-2357M @ 1.30GHz</u>	824	2579	NA
<u>AMD Athlon Dual Core 5400B</u>	826	2577	NA
<u>AMD Sempron X2 180</u>	826	2578	11.90
<u>Intel Xeon 3065 @ 2.33GHz</u>	827	2576	39.58
<u>Intel Pentium P6000 @ 1.87GHz</u>	828	2574	NA
<u>Qualcomm Technologies, Inc MSM8940</u>	828	2575	NA
<u>Intel Core i3-2367M @ 1.40GHz</u>	829	2573	NA
<u>Intel Atom x5-Z8300 @ 1.44GHz</u>	832	2572	6.26
<u>AMD Athlon Dual Core 5000B</u>	835	2571	8.79
<u>Intel Core i5-430UM @ 1.20GHz</u>	836	2569	NA
<u>Intel Pentium P6100 @ 2.00GHz</u>	836	2570	29.39
<u>AMD A4-3320M APU</u>	837	2568	21.46
<u>Intel Xeon E5502 @ 1.87GHz</u>	837	2567	8.81

 CPU Benchmarks

<u>Intel Xeon E5205 @ 1.86GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Pentium E5200 @ 2.50GHz</u>	840	2564	16.82
<u>AMD TurionX2 Ultra DualCore Mobile ZM-85</u>	841	2562	NA
<u>Intel Xeon 3050 @ 2.13GHz</u>	841	2563	5.32
<u>MT6761V/CBB</u>	846	2561	NA
<u>Intel Pentium 3560Y @ 1.20GHz</u>	849	2560	NA
<u>Athlon 64 Dual Core 5000+</u>	850	2559	NA
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	854	2557	17.36
<u>Intel Pentium N3510 @ 1.99GHz</u>	854	2556	NA
<u>Samsung Exynos 7870</u>	854	2558	NA
<u>AMD Turion II N530 Dual-Core</u>	855	2554	28.51
<u>Intel Pentium P6200 @ 2.13GHz</u>	855	2555	19.03
<u>Intel Xeon 5140 @ 2.33GHz</u>	857	2553	23.16
<u>AMD Athlon 7550 Dual-Core</u>	859	2552	57.47
<u>Intel Celeron E3200 @ 2.40GHz</u>	860	2551	43.02
<u>AMD Turion 64 X2 Mobile TL-68</u>	861	2550	9.56
<u>Intel Core i3-2365M @ 1.40GHz</u>	861	2549	NA
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	864	2548	NA
<u>Intel Core2 Duo E6550 @ 2.33GHz</u>	864	2547	5.08
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	865	2546	NA
<u>Intel Core2 Duo E6600 @ 2.40GHz</u>	866	2545	8.83
<u>AMD Athlon II X2 4450e</u>	867	2544	NA
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	870	2543	2.91
<u>AMD Athlon II X2 240</u>	872	2541	34.94
<u>Intel Core i3-2377M @ 1.50GHz</u>	872	2542	NA
<u>Athlon 64 Dual Core 5600+</u>	875	2540	NA
<u>AMD Athlon 64 X2 Dual Core 5400+</u>	876	2539	16.52
<u>AMD Turion II N550 Dual-Core</u>	877	2537	NA
<u>ARM Cortex-A72 4 Core 2200 MHz</u>	877	2538	NA
<u>Qualcomm Technologies, Inc SDM429</u>	877	2536	NA
<u>AMD Sempron X2 190</u>	879	2535	10.53
<u>AMD Phenom X2 Dual-Core GP-7730</u>	884	2533	NA
<u>AMD Turion II P540 Dual-Core</u>	884	2534	17.70
<u>MT8168B</u>	886	2532	NA

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Xeon 5133 @ 2.20GHz</u>			
<u>AMD A4-9120e</u>	894	2529	NA
<u>Intel Pentium G620T @ 2.20GHz</u>	896	2527	<u>11.21</u>
<u>Qualcomm MSM8994</u>	896	2528	NA
<u>AMD Athlon 64 X2 Dual Core 5600+</u>	899	2524	<u>8.39</u>
<u>AMD Athlon II N370 Dual-Core</u>	899	2526	NA
<u>Intel Pentium E5300 @ 2.60GHz</u>	899	2525	<u>15.11</u>
<u>Intel Celeron N2920 @ 1.86GHz</u>	901	2521	NA
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	901	2522	<u>25.77</u>
<u>Intel Xeon 3.73GHz</u>	901	2523	NA
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	903	2519	<u>15.85</u>
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	903	2520	<u>8.29</u>
<u>Intel Core i3-2375M @ 1.50GHz</u>	907	2518	NA
<u>AMD Opteron 2220 SE</u>	909	2517	<u>36.35</u>
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	909	2516	NA
<u>MediaTek MT6753</u>	909	2515	NA
<u>AMD Opteron 1218</u>	910	2514	NA
<u>AMD Turion II Dual-Core Mobile M540</u>	912	2513	NA
<u>Intel Pentium E5400 @ 2.70GHz</u>	912	2512	<u>12.17</u>
<u>Intel Xeon 5148 @ 2.33GHz</u>	912	2511	<u>45.62</u>
<u>AMD E2-9000</u>	915	2510	NA
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	915	2509	<u>3.98</u>
<u>AMD Athlon 7750 Dual-Core</u>	916	2508	<u>11.45</u>
<u>AMD Athlon X2 240</u>	921	2507	NA
<u>AMD Athlon 64 X2 Dual Core 6000+</u>	922	2506	<u>23.95</u>
<u>AMD E2-9030</u>	922	2505	NA
<u>AMD Turion II Ultra Dual-Core Mobile M600</u>	923	2504	<u>34.51</u>
<u>Intel Atom x5-Z8350 @ 1.44GHz</u>	924	2503	<u>43.99</u>
<u>Samsung EXYNOS5433</u>	925	2502	NA
<u>Qualcomm MSM8996</u>	926	2501	NA
<u>Intel Core i5-520UM @ 1.07GHz</u>	928	2499	NA
<u>Intel Xeon L3406 @ 2.27GHz</u>	928	2500	<u>3.35</u>
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	929	2498	<u>77.73</u>
<u>AMD Sempron X2 198 Dual-Core</u>	930	2496	NA

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Celeron B840 @ 1.90GHz</u>	930	2494	NA
<u>AMD Phenom II P650 Dual-Core</u>	933	2494	26.66
<u>Intel Celeron 3205U @ 1.50GHz</u>	935	2493	3.26
<u>Intel Celeron E3500 @ 2.70GHz</u>	935	2492	44.54
<u>AMD Athlon X2 255</u>	938	2491	NA
<u>Intel Xeon 3060 @ 2.40GHz</u>	939	2490	40.84
<u>Intel Celeron J1850 @ 1.99GHz</u>	942	2489	NA
<u>AMD Athlon 64 FX-62 Dual Core</u>	943	2488	NA
<u>VIA Eden X4 C4250 @ 1.2+GHz</u>	944	2487	NA
<u>AMD Athlon II X2 215</u>	947	2485	32.69
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	947	2486	20.81
<u>Intel Core2 Duo SP9400 @ 2.40GHz</u>	948	2484	3.34
<u>AMD Opteron 290</u>	952	2483	7.05
<u>AMD R-260H APU</u>	954	2482	NA
<u>AMD Athlon 7850 Dual-Core</u>	956	2480	13.84
<u>AMD Opteron 285</u>	956	2481	38.30
<u>ARM Cortex-A57 4 Core 1479 MHz</u>	956	2479	NA
<u>AMD A6-9220e</u>	959	2478	NA
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	959	2477	0.96
<u>Intel Atom C2538 @ 2.40GHz</u>	960	2475	9.23
<u>MediaTek MT6750</u>	960	2476	NA
<u>AMD A4-3300 APU</u>	961	2474	53.36
<u>AMD Phenom X3 8550</u>	961	2472	5.66
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	961	2473	19.61
<u>AMD Athlon II X2 240e</u>	962	2471	40.27
<u>Intel Xeon 5160 @ 3.00GHz</u>	963	2470	22.14
<u>Intel Core i7-620UM @ 1.07GHz</u>	964	2468	NA
<u>Intel Pentium E6300 @ 2.80GHz</u>	964	2469	16.83
<u>AMD Phenom II N640 Dual-Core</u>	965	2467	17.57
<u>AMD GX-412HC</u>	966	2466	NA
<u>Intel Pentium B950 @ 2.10GHz</u>	966	2465	NA
<u>AMD Athlon 64 X2 Dual Core 6400+</u>	967	2463	3.87
<u>Intel Pentium P6300 @ 2.27GHz</u>	967	2464	NA
<u>MT6795M</u>	968	2462	NA

 CPU Benchmarks

<u>AMD E2-3200 APU</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Core2 Duo E8135 @ 2.40GHz</u>	972	2460	NA
<u>tn8</u>	972	2458	NA
<u>Intel Core i3-330M @ 2.13GHz</u>	973	2457	6.49
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	974	2456	33.58
<u>MediaTek MT6753T</u>	975	2455	NA
<u>Intel Core i3-2340UE @ 1.30GHz</u>	976	2453	NA
<u>MT6755V/WM</u>	976	2454	NA
<u>Intel Core i3-3229Y @ 1.40GHz</u>	978	2452	NA
<u>Qualcomm Technologies, Inc MSM8937</u>	982	2451	NA
<u>Intel Celeron N2930 @ 1.83GHz</u>	983	2450	NA
<u>Intel Pentium 3558U @ 1.70GHz</u>	984	2449	NA
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	986	2448	32.86
<u>Intel Pentium E5500 @ 2.80GHz</u>	986	2447	61.67
<u>Intel Pentium Extreme Edition 965 @ 3.73GHz</u>	987	2446	NA
<u>AMD Athlon II X2 4300e</u>	990	2443	NA
<u>AMD Phenom II N620 Dual-Core</u>	990	2444	248.09
<u>MediaTek MT6762V/WA</u>	990	2445	NA
<u>AMD E2-9010</u>	991	2441	NA
<u>Intel Celeron 2981U @ 1.60GHz</u>	991	2440	NA
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	991	2442	12.38
<u>AMD Athlon X2 250</u>	993	2438	NA
<u>Intel Atom x5-E3930 @ 1.30GHz</u>	993	2439	NA
<u>AMD A6-4400M APU</u>	995	2435	36.86
<u>Intel Core2 Duo E8235 @ 2.80GHz</u>	995	2436	NA
<u>MediaTek MT6762G</u>	995	2437	NA
<u>AMD Athlon X2 215</u>	996	2434	NA
<u>Qualcomm Technologies, Inc MSM8994</u>	996	2433	NA
<u>Intel Pentium 3556U @ 1.70GHz</u>	997	2432	NA
<u>AMD Athlon II X2 B22</u>	1,000	2431	38.55
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,001	2429	97.23
<u>Intel Core2 Duo E8200 @ 2.66GHz</u>	1,001	2430	20.03
<u>Intel Core i5-540UM @ 1.20GHz</u>	1,002	2428	NA
<u>AMD Athlon II X2 220</u>	1,003	2427	41.44

<u>Pentium Dual-Core T4500 @ 2.30GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	1,004	2424	3.81
<u>Intel Atom E3845 @ 1.91GHz</u>	1,006	2423	NA
<u>AMD A6-7000</u>	1,010	2422	NA
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,010	2421	NA
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,010	2420	9.35
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,011	2419	NA
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,012	2418	10.22
<u>AMD A6 PRO-7050B APU</u>	1,015	2416	NA
<u>AMD Athlon X2 240e</u>	1,015	2415	NA
<u>Intel Core i5-560UM @ 1.33GHz</u>	1,015	2417	NA
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,016	2413	NA
<u>Intel Pentium J2850 @ 2.41GHz</u>	1,016	2414	NA
<u>Intel Pentium E6600 @ 3.06GHz</u>	1,017	2412	20.33
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,018	2411	6.79
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,019	2410	29.16
<u>Intel Celeron 1037U @ 1.80GHz</u>	1,021	2409	NA
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,021	2408	7.62
<u>AMD A4 PRO-7350B</u>	1,024	2407	NA
<u>Intel Xeon 3070 @ 2.66GHz</u>	1,025	2406	5.79
<u>MediaTek MT6750T</u>	1,026	2405	NA
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,028	2404	NA
<u>Intel Celeron U1900 @ 1.99GHz</u>	1,028	2403	NA
<u>AMD A4-3400 APU</u>	1,031	2402	13.23
<u>AMD A6-1450 APU</u>	1,033	2401	NA
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,033	2400	NA
<u>Intel Core2 Duo E8300 @ 2.83GHz</u>	1,034	2399	51.71
<u>AMD Athlon II X2 B24</u>	1,035	2398	42.96
<u>AMD Opteron 1220</u>	1,036	2397	NA
<u>AMD Opteron 2218</u>	1,036	2396	10.75
<u>AMD GX-222GC SOC</u>	1,038	2395	NA
<u>AMD A4-4300M APU</u>	1,040	2393	34.83
<u>AMD Athlon II X2 235e</u>	1,040	2392	61.21
<u>Intel Atom x5-E8000 @ 1.04GHz</u>	1,040	2394	NA

 CPU Benchmarks ▼

<u>AMD Athlon II X2 245</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>AMD Athlon II X2 245</u>	1,046	2388	<u>13.64</u>
<u>AMD PRO A4-4350B</u>	1,046	2389	NA
<u>Intel Core i3-350M @ 2.27GHz</u>	1,050	2387	<u>36.22</u>
<u>Qualcomm MSM 8939 HUAWEI KIW-L24</u>	1,051	2386	NA
<u>AMD A4-3420 APU</u>	1,052	2384	<u>84.20</u>
<u>MediaTek MT6762V/CA</u>	1,052	2385	NA
<u>Qualcomm MSM8992</u>	1,054	2383	NA
<u>Intel Celeron G530T @ 2.00GHz</u>	1,055	2382	<u>62.11</u>
<u>AMD Athlon II X2 250</u>	1,056	2380	<u>27.12</u>
<u>Intel Celeron 2980U @ 1.60GHz</u>	1,056	2381	NA
<u>AMD Athlon II X2 4400e</u>	1,059	2379	NA
<u>AMD A6-9200</u>	1,062	2378	NA
<u>AMD Phenom X4 Quad-Core GS-6560</u>	1,063	2377	NA
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,064	2376	NA
<u>AMD Phenom II N660 Dual-Core</u>	1,065	2375	<u>11.96</u>
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,067	2374	NA
<u>Intel Pentium G630T @ 2.30GHz</u>	1,067	2373	<u>14.22</u>
<u>AMD Phenom II P820 Triple-Core</u>	1,068	2372	NA
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,069	2370	NA
<u>Intel Pentium B980 @ 2.40GHz</u>	1,069	2371	<u>29.85</u>
<u>Intel Xeon 3085 @ 3.00GHz</u>	1,070	2368	NA
<u>Qualcomm MSM 8939 HUAWEI KIW-L21</u>	1,070	2369	NA
<u>Qualcomm MSM8937</u>	1,072	2367	NA
<u>AMD Embedded G-Series GX-215JJ Radeon R2E</u>	1,073	2366	NA
<u>Intel Celeron G530 @ 2.40GHz</u>	1,074	2365	<u>26.86</u>
<u>AMD Athlon II X2 245e</u>	1,075	2364	<u>12.88</u>
<u>AMD A6-5350M APU</u>	1,078	2363	<u>32.54</u>
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,079	2362	<u>18.33</u>
<u>Intel Celeron G540 @ 2.50GHz</u>	1,080	2361	<u>97.94</u>
<u>AMD Phenom 8250e Triple-Core</u>	1,084	2360	<u>23.08</u>
<u>AMD Athlon II X2 260</u>	1,085	2356	<u>57.27</u>
<u>AMD Phenom 8400 Triple-Core</u>	1,085	2358	NA
<u>Intel Pentium 3805U @ 1.90GHz</u>	1,085	2357	NA

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,085	2354	<u>109.66</u>
<u>Qualcomm Technologies, Inc SDM439</u>	1,088	2354	NA
<u>AMD Opteron 1222</u>	1,089	2353	NA
<u>Intel Core i7-640UM @ 1.20GHz</u>	1,090	2352	NA
<u>AMD Athlon II X2 B28</u>	1,091	2349	<u>27.97</u>

<u>Intel Celeron 2002E @ 1.50GHz</u>	1,091	2351	<u>12.68</u>
<u>Intel Pentium E6500 @ 2.93GHz</u>	1,091	2350	<u>32.09</u>
<u>Intel Core2 Duo E8135 @ 2.66GHz</u>	1,092	2348	NA
<u>Intel Core i5-2537M @ 1.40GHz</u>	1,094	2346	NA
<u>Intel Pentium E6700 @ 3.20GHz</u>	1,094	2347	<u>7.30</u>
<u>AMD A9-9420e</u>	1,096	2344	NA
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,096	2345	<u>3.13</u>
<u>AMD Phenom II X2 B57</u>	1,099	2343	NA
<u>Intel Pentium B970 @ 2.30GHz</u>	1,100	2342	<u>21.57</u>
<u>Intel Celeron G550T @ 2.20GHz</u>	1,102	2341	NA
<u>AMD E2-3800 APU</u>	1,103	2340	NA
<u>Samsung J7 Max LTE SWA board based on MT6757V/WL</u>	1,104	2339	NA
<u>AMD Athlon II X2 210e</u>	1,105	2338	NA
<u>AMD Opteron 2220</u>	1,106	2337	<u>1.07</u>
<u>Intel Core2 Duo E7500 @ 2.93GHz</u>	1,106	2336	<u>79.60</u>
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,110	2335	<u>8.28</u>
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,111	2334	NA
<u>Intel Celeron 3215U @ 1.70GHz</u>	1,113	2333	NA
<u>AMD Phenom 8250 Triple-Core</u>	1,114	2332	NA
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,115	2330	NA
<u>Intel Celeron G1820TE @ 2.20GHz</u>	1,115	2331	NA
<u>Intel Celeron J1900 @ 1.99GHz</u>	1,117	2328	NA
<u>Intel Pentium A1018 @ 2.10GHz</u>	1,117	2329	NA
<u>Intel Xeon L5320 @ 1.86GHz</u>	1,118	2327	<u>15.97</u>
<u>Qualcomm Technologies, Inc SDM450</u>	1,118	2326	NA
<u>AMD Phenom 8450 Triple-Core</u>	1,121	2325	<u>50.86</u>
<u>AMD A6-5345M APU</u>	1,122	2324	NA
<u>AMD Phenom II X2 B53</u>	1,123	2323	NA
<u>AMD Phenom II P840 Triple-Core</u>	1,124	2322	NA

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Core i3-370M @ 2.40GHz</u>	1,129	2318	NA
<u>AMD A4-5150M APU</u>	1,129	2319	NA
<u>AMD A8-7050</u>	1,130	2317	<u>76.06</u>
<u>Intel Xeon W3505 @ 2.53GHz</u>	1,134	2316	NA
<u>AMD Phenom 8450e Triple-Core</u>			
<u>Intel Core i3-380M @ 2.53GHz</u>	1,136	2315	<u>22.74</u>
<u>AMD Athlon II X2 255</u>	1,137	2313	<u>12.43</u>
<u>AMD Phenom II N830 Triple-Core</u>	1,137	2314	NA
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,138	2312	NA
<u>AMD Phenom II N870 Triple-Core</u>	1,139	2311	NA
<u>Intel Pentium G640T @ 2.40GHz</u>	1,139	2310	<u>13.56</u>
<u>Intel Core2 Duo E6850 @ 3.00GHz</u>	1,140	2309	<u>22.80</u>
<u>Intel Pentium G840 @ 2.80GHz</u>	1,140	2308	<u>32.59</u>
<u>AMD Phenom 8850 Triple-Core</u>	1,142	2307	NA
<u>AMD A6 Micro-6500T APU</u>	1,146	2306	NA
<u>AMD A4-4000 APU</u>	1,148	2304	<u>8.21</u>
<u>AMD Phenom II X2 550</u>	1,148	2305	<u>6.38</u>
<u>AMD Phenom II X2 B55</u>	1,151	2303	<u>24.01</u>
<u>AMD QC-4000</u>	1,155	2301	NA
<u>Intel Celeron N3350 @ 1.10GHz</u>	1,155	2302	<u>4.19</u>
<u>Intel Core2 Duo E8400 @ 3.00GHz</u>	1,158	2300	<u>8.27</u>
<u>AMD E2-6110 APU</u>	1,160	2299	NA
<u>AMD Phenom II P920 Quad-Core</u>	1,160	2297	<u>17.85</u>
<u>Intel Pentium E5800 @ 3.20GHz</u>	1,160	2298	<u>33.14</u>
<u>MediaTek MT6762V/CB</u>	1,160	2296	NA
<u>AMD Phenom II X2 511</u>	1,163	2295	NA
<u>AMD Phenom II X640 Dual-Core</u>	1,165	2294	NA
<u>AMD A6-9210</u>	1,167	2293	NA
<u>Intel Core i3-2310M @ 2.10GHz</u>	1,171	2292	<u>30.18</u>
<u>Intel Core2 Duo E8335 @ 2.66GHz</u>	1,172	2289	NA
<u>Intel Pentium E6800 @ 3.33GHz</u>	1,172	2290	<u>46.99</u>
<u>Intel Xeon Gold 6133 @ 2.50GHz</u>	1,172	2291	NA
<u>Intel Core2 Duo E7600 @ 3.06GHz</u>	1,173	2288	<u>9.78</u>
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	1,173	2287	<u>2.77</u>

 CPU Benchmarks ▼

<u>Intel Celeron G540T @ 2.10GHz</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>AMD A6-3400M APU</u>	1,179	2284	40.66
<u>Intel Celeron 3755U @ 1.70GHz</u>	1,182	2283	NA
<u>AMD Phenom II P860 Triple-Core</u>	1,183	2281	NA
<u>AMD R-460L APU</u>	1,183	2280	NA
<u>Intel Celeron N3160 @ 1.60GHz</u>	1,183	2282	3.39
<u>Intel Core i3-3217U @ 1.80GHz</u>	1,183	2279	5.69
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	1,187	2278	1.39
<u>AMD Phenom 8750B Triple-Core</u>	1,188	2277	NA
<u>Intel Celeron N3150 @ 1.60GHz</u>	1,189	2276	NA
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	1,191	2275	2.98
<u>Qualcomm Technologies, Inc MSM8956</u>	1,191	2274	NA
<u>Intel Core i7-680UM @ 1.47GHz</u>	1,196	2273	NA
<u>Intel Core i5-430M @ 2.27GHz</u>	1,197	2270	9.21
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,197	2272	NA
<u>MediaTek MT6762V/WB</u>	1,197	2271	NA
<u>AMD Opteron 2222</u>	1,198	2269	63.08
<u>AMD Phenom II X2 545</u>	1,204	2268	27.38
<u>Intel Core i3-2330M @ 2.20GHz</u>	1,204	2267	30.14
<u>AMD Phenom 8650 Triple-Core</u>	1,205	2266	80.93
<u>Intel Atom x5-Z8550 @ 1.44GHz</u>	1,206	2264	NA
<u>Intel Core i3-2328M @ 2.20GHz</u>	1,206	2265	12.97
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,207	2263	2.94
<u>Qualcomm Technologies, Inc MSM8996</u>	1,207	2262	NA
<u>AMD A6-9220C</u>	1,208	2261	NA
<u>AMD A6-3410MX APU</u>	1,209	2260	303.03
<u>AMD Phenom 8600 Triple-Core</u>	1,210	2259	22.84
<u>Intel Core2 Duo E8435 @ 3.06GHz</u>	1,213	2258	20.22
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,213	2257	4.84
<u>AMD A4-4020 APU</u>	1,214	2256	13.34
<u>AMD R-272F APU</u>	1,215	2255	NA
<u>Intel Core2 Duo E8335 @ 2.93GHz</u>	1,216	2254	NA
<u>Intel Pentium G620 @ 2.60GHz</u>	1,218	2253	24.36
<u>Intel Core i5-450M @ 2.40GHz</u>	1,219	2252	38.15

 CPU Benchmarks

<u>AMD A4-5300B APU</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>AMD A4-9125</u>	1,223	2249	NA
<u>AMD Phenom X4 Quad-Core GP-9530</u>	1,228	2248	NA
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	1,228	2247	<u>9.45</u>
<u>AMD Sempron 3850 APU</u>	1,229	2246	<u>15.43</u>
<u>AMD A4-5300B APU</u>	1,230	2245	<u>17.04</u>
<u>AMD A8-3500M APU</u>	1,232	2245	<u>20.56</u>
<u>AMD Athlon II X2 265</u>	1,233	2244	<u>14.88</u>
<u>MediaTek MT6765G</u>	1,234	2243	NA
<u>Intel Celeron J3355 @ 2.00GHz</u>	1,235	2242	NA
<u>Intel Pentium J2900 @ 2.41GHz</u>	1,235	2241	NA
<u>Intel Celeron G550 @ 2.60GHz</u>	1,236	2240	<u>25.22</u>
<u>Intel Xeon @ 2.20GHz</u>	1,237	2239	NA
<u>AMD Athlon II X2 270</u>	1,238	2236	<u>32.18</u>
<u>AMD Phenom II N850 Triple-Core</u>	1,238	2237	<u>49.51</u>
<u>Intel Atom x5-Z8500 @ 1.44GHz</u>	1,238	2235	<u>19.79</u>
<u>Intel Xeon X5260 @ 3.33GHz</u>	1,238	2238	<u>23.80</u>
<u>Intel Pentium G645T @ 2.50GHz</u>	1,241	2234	NA
<u>Intel Core i3-2348M @ 2.30GHz</u>	1,242	2233	NA
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,242	2232	<u>6.21</u>
<u>AMD Athlon II X2 B26</u>	1,245	2230	<u>49.92</u>
<u>Intel Atom C3338 @ 1.50GHz</u>	1,245	2231	NA
<u>AMD A6-5400K APU</u>	1,246	2228	<u>23.96</u>
<u>Intel Celeron 3855U @ 1.60GHz</u>	1,246	2229	NA
<u>Intel Core i3-2350M @ 2.30GHz</u>	1,248	2227	<u>34.65</u>
<u>AMD A6-3420M APU</u>	1,254	2226	NA
<u>Qualcomm Technologies, Inc MSM8992</u>	1,254	2225	NA
<u>AMD A4-9120</u>	1,257	2224	NA
<u>Intel Core i3-3227U @ 1.90GHz</u>	1,257	2223	NA
<u>Intel Pentium G640 @ 2.80GHz</u>	1,258	2222	<u>41.92</u>
<u>AMD A6-5357M APU</u>	1,260	2220	NA
<u>Intel Celeron 2950M @ 2.00GHz</u>	1,260	2219	NA
<u>Intel Core i3-330E @ 2.13GHz</u>	1,260	2221	NA
<u>AMD Phenom II X620 Dual-Core</u>	1,262	2218	NA
<u>Intel Pentium G6950 @ 2.80GHz</u>	1,262	2217	<u>15.98</u>

<u>Intel Core i5-460M @ 2.53GHz</u>	1,271	2211	19.57
<u>Intel Celeron 1020M @ 2.10GHz</u>	1,275	2209	NA
<u>AMD A6-9220</u>	1,276	2208	NA
<u>AMD Sempron 240</u>	1,278	2207	35.39
<u>AMD A4-5000 APU</u>	1,279	2204	NA
<u>AMD A6-9230</u>	1,279	2202	NA
<u>AMD Phenom 9100e Quad-Core</u>	1,279	2206	42.69
<u>AMD Phenom II X2 521</u>	1,279	2205	NA
<u>Unisoc UIS8581E</u>	1,279	2203	NA
<u>AMD Phenom 8850B Triple-Core</u>	1,281	2201	NA
<u>Intel Core i7-660UM @ 1.33GHz</u>	1,284	2200	NA
<u>Qualcomm Technologies, Inc MSM8996pro</u>	1,284	2199	NA
<u>Intel Celeron 3765U @ 1.90GHz</u>	1,286	2197	NA
<u>Intel Celeron 3865U @ 1.80GHz</u>	1,286	2198	NA
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,290	2196	NA
<u>AMD A10 Micro-6700T APU</u>	1,291	2195	NA
<u>Intel Pentium G6960 @ 2.93GHz</u>	1,293	2194	NA
<u>AMD Phenom II X2 555</u>	1,294	2192	4.46
<u>Intel Pentium G630 @ 2.70GHz</u>	1,294	2193	21.57
<u>AMD Phenom X4 Quad-Core GP-9500</u>	1,297	2191	NA
<u>Intel Pentium G850 @ 2.90GHz</u>	1,303	2190	11.98
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,305	2189	NA
<u>Intel Xeon E5310 @ 1.60GHz</u>	1,306	2187	26.65
<u>MediaTek MT6757CD</u>	1,306	2188	NA
<u>Intel Core i5-480M @ 2.67GHz</u>	1,307	2186	16.22
<u>Intel Pentium G2020T @ 2.50GHz</u>	1,308	2185	27.49
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,310	2184	NA
<u>Intel Pentium N3700 @ 1.60GHz</u>	1,313	2183	2.95
<u>AMD A8-4555M APU</u>	1,316	2181	NA

 CPU Benchmarks

▼

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Pentium G645 @ 2.90GHz</u>	1,318	2179	<u>14.06</u>
<u>AMD A4-5300 APU</u>	1,318	2179	<u>48.91</u>
<u>AMD Athlon X2 340 Dual Core</u>	1,319	2177	<u>26.39</u>
<u>AMD Phenom II P940 Quad-Core</u>	1,319	2178	NA
<u>AMD Athlon II X3 400e</u>	1,320	2176	<u>12.29</u>
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,322	2175	<u>12.36</u>
<u>VIA QuadCore C4650@2.0GHz</u>	1,323	2174	NA
<u>Intel Atom T5700 @ 1.70GHz</u>	1,326	2173	NA
<u>Intel Core i3-2370M @ 2.40GHz</u>	1,326	2171	<u>35.85</u>
<u>Intel Core i5 750S @ 2.40GHz</u>	1,326	2170	<u>13.26</u>
<u>Qualcomm Technologies, Inc MSM8976</u>	1,326	2172	NA
<u>AMD Athlon X2 280</u>	1,327	2169	<u>39.63</u>
<u>AMD A4-5050 APU</u>	1,328	2166	NA
<u>AMD A4-6300B APU</u>	1,328	2167	<u>47.51</u>
<u>AMD Phenom II X2 560</u>	1,328	2168	<u>20.43</u>
<u>Intel Pentium J3710 @ 1.60GHz</u>	1,328	2165	NA
<u>Intel Xeon E3120 @ 3.16GHz</u>	1,330	2164	NA
<u>AMD A6-3430MX APU</u>	1,331	2162	NA
<u>AMD Athlon II X3 405e</u>	1,331	2161	<u>16.64</u>
<u>Intel Atom x7-Z8700 @ 1.60GHz</u>	1,331	2160	<u>18.08</u>
<u>MediaTek MT6762V/WR</u>	1,331	2159	NA
<u>Unisoc SC9863a</u>	1,331	2163	NA
<u>Intel Core i5-3339Y @ 1.50GHz</u>	1,332	2158	NA
<u>Intel Pentium 3825U @ 1.90GHz</u>	1,333	2157	NA
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	1,336	2156	<u>22.27</u>
<u>AMD Phenom II X2 B59</u>	1,337	2154	<u>27.83</u>
<u>Intel Xeon L5240 @ 3.00GHz</u>	1,337	2155	<u>42.57</u>
<u>Intel Xeon L3110 @ 3.00GHz</u>	1,338	2153	NA
<u>AMD PRO A6-9500B</u>	1,340	2152	NA
<u>AMD A6-9225</u>	1,342	2151	NA
<u>AMD Phenom 8750 Triple-Core</u>	1,343	2149	NA
<u>ARM Cortex-A57 4 Core 2014 MHz</u>	1,343	2150	NA
<u>AMD A4-5100 APU</u>	1,346	2148	NA
<u>Intel Pentium N3710 @ 1.60GHz</u>	1,350	2147	NA

 CPU Benchmarks

▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i3-2332M @ 2.20GHz</u>	1,358	2145	NA
<u>MT6755V/WS</u>	1,359	2144	NA
<u>Intel Core i3-3217UE @ 1.60GHz</u>	1,362	2143	NA
<u>AMD GX-415GA SOC</u>	1,363	2142	NA
<u>AMD Phenom II X2 570</u>	1,363	2141	NA
<u>Intel Core i3-2312M @ 2.10GHz</u>	1,369	2140	NA
<u>Intel Celeron G1620 @ 2.70GHz</u>	1,372	2139	15.42
<u>Intel Atom x7-Z8750 @ 1.60GHz</u>	1,373	2138	NA
<u>Intel Pentium G860 @ 3.00GHz</u>	1,379	2137	18.89
<u>AMD Athlon 5150 APU</u>	1,380	2136	13.96
<u>Intel Pentium 2020M @ 2.40GHz</u>	1,384	2135	10.33
<u>AMD E1-6050J APU</u>	1,385	2132	NA
<u>AMD Phenom II X2 565</u>	1,385	2134	8.20
<u>Intel Xeon L5310 @ 1.60GHz</u>	1,385	2133	12.31
<u>AMD A6-3500 APU</u>	1,387	2130	19.32
<u>Intel Pentium 4410Y @ 1.50GHz</u>	1,387	2131	8.62
<u>AMD Phenom 8600B Triple-Core</u>	1,390	2128	92.96
<u>Hisilicon Kirin 930</u>	1,390	2129	NA
<u>Qualcomm Technologies, Inc APQ8076</u>	1,391	2127	NA
<u>AMD Phenom II P960 Quad-Core</u>	1,395	2126	35.67
<u>MediaTek MT6762V/WD</u>	1,397	2125	NA
<u>Intel Pentium G6951 @ 2.80GHz</u>	1,401	2124	14.91
<u>Intel Xeon E5320 @ 1.86GHz</u>	1,402	2123	36.19
<u>MT6755V/B</u>	1,404	2122	NA
<u>Intel Celeron 1020E @ 2.20GHz</u>	1,406	2121	NA
<u>AMD A4-6300 APU</u>	1,407	2118	17.84
<u>AMD A9-9400</u>	1,407	2119	NA
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	1,407	2120	NA
<u>Intel Core i7-620LM @ 2.00GHz</u>	1,408	2117	NA
<u>Intel Core2 Duo E8290 @ 2.83GHz</u>	1,408	2116	NA
<u>Intel Core i7-2610UE @ 1.50GHz</u>	1,409	2115	NA
<u>Intel Atom C2558 @ 2.40GHz</u>	1,410	2114	10.37
<u>MediaTek MT6763V/V</u>	1,411	2113	NA
<u>AMD A6-5400B APU</u>	1,412	2111	48.80

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Pentium 3550M @ 2.30GHz</u>			
<u>Intel Atom C2550 @ 2.40GHz</u>	1,422	2109	NA
<u>AMD A8-3520M APU</u>	1,424	2108	<u>25.89</u>
<u>AMD Phenom II X3 740</u>	1,424	2107	<u>16.00</u>
<u>AMD A6-6400K APU</u>	1,426	2105	<u>35.70</u>

<u>Intel Celeron G1610 @ 2.60GHz</u>	1,426	2106	<u>38.54</u>
<u>Intel Xeon E3113 @ 3.00GHz</u>	1,429	2104	<u>145.96</u>
<u>AMD Phenom II X3 700e</u>	1,430	2103	NA
<u>Qualcomm Technologies, Inc APQ8096</u>	1,431	2102	NA
<u>Intel Celeron N4000 @ 1.10GHz</u>	1,437	2101	<u>13.43</u>
<u>Intel Core i3-4020Y @ 1.50GHz</u>	1,437	2100	NA
<u>AMD Athlon X3 440</u>	1,438	2098	<u>16.35</u>
<u>Intel Core i3-530 @ 2.93GHz</u>	1,438	2099	<u>28.07</u>
<u>Intel Celeron 5205U @ 1.90GHz</u>	1,439	2097	<u>13.45</u>
<u>AMD Athlon II X3 415e</u>	1,441	2096	<u>19.21</u>
<u>Intel Core i3-2120T @ 2.60GHz</u>	1,443	2095	<u>53.47</u>
<u>Intel Xeon E5240 @ 3.00GHz</u>	1,448	2093	<u>16.32</u>
<u>MediaTek MT8768WA</u>	1,448	2094	NA
<u>Intel Xeon X5272 @ 3.40GHz</u>	1,451	2092	<u>10.36</u>
<u>AMD A6-8500P</u>	1,452	2091	NA
<u>AMD A4 PRO-7300B APU</u>	1,455	2090	NA
<u>AMD Phenom 9450e Quad-Core</u>	1,455	2089	<u>13.86</u>
<u>AMD A4-6210 APU</u>	1,460	2088	NA
<u>Samsung Exynos 7880</u>	1,462	2087	NA
<u>AMD Opteron 1352</u>	1,464	2086	<u>10.76</u>
<u>Intel Celeron 3867U @ 1.80GHz</u>	1,467	2085	<u>13.71</u>
<u>MediaTek MT8183</u>	1,468	2084	NA
<u>Intel Xeon E7320 @ 2.13GHz</u>	1,469	2083	NA
<u>Qualcomm Technologies, Inc SDA450</u>	1,470	2082	NA
<u>Pentium Dual-Core E6000 @ 3.46GHz</u>	1,472	2081	NA
<u>Intel Celeron 3955U @ 2.00GHz</u>	1,473	2080	NA
<u>MT6757WD</u>	1,474	2079	NA
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	1,475	2078	<u>3.79</u>
<u>AMD A8-3530MX APU</u>	1,477	2077	NA

 CPU Benchmarks

<u>AMD Phenom 9500 Quad-Core</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
AMD A8-3510MX APU	1,483	2073	19.24
Intel Core i5-4300Y @ 1.60GHz	1,483	2072	NA
Intel Pentium G870 @ 3.10GHz	1,483	2074	15.29
AMD Phenom II X3 B75	1,485	2071	29.72
AMD PRO A6-8570E	1,489	2070	NA
AMD Athlon II X3 420e	1,495	2068	12.87
AMD Phenom II X3 710	1,495	2069	17.68
AMD PRO A6-8530B	1,498	2067	NA
AMD A4-7300 APU	1,500	2066	10.72
AMD Phenom 9350e Quad-Core	1,501	2064	0.44
Intel Celeron 2970M @ 2.20GHz	1,501	2065	NA
Intel Core i3-540 @ 3.07GHz	1,502	2063	8.34
Intel Core m3-6Y30 @ 0.90GHz	1,502	2062	5.35
AMD Athlon X2 370K Dual Core	1,504	2061	NA
AMD Phenom II X4 900e	1,505	2060	NA
Qualcomm MSM8996PRO-AB	1,505	2059	NA
Intel Celeron G1620T @ 2.40GHz	1,507	2058	35.88
MediaTek MT6757V	1,507	2057	NA
AMD Opteron 2354	1,509	2056	5.29
Intel Pentium G2010 @ 2.80GHz	1,509	2055	100.68
Apple A8	1,515	2054	NA
AMD Athlon X3 425	1,516	2053	NA
AMD A9-9410	1,517	2052	NA
Intel Pentium 4405Y @ 1.50GHz	1,518	2051	NA
AMD Phenom 9750B Quad-Core	1,520	2050	NA
Intel Xeon X5270 @ 3.50GHz	1,524	2049	NA
AMD A9-9420	1,525	2048	NA
Intel Xeon E5504 @ 2.00GHz	1,529	2047	25.50
Samsung Exynos 7885	1,535	2046	NA
AMD A8-5545M APU	1,536	2045	NA
AMD A6-6420K APU	1,538	2042	10.26
AMD E2-7110 APU	1,538	2043	NA
AMD Phenom II X3 B73	1,538	2044	20.50

 CPU Benchmarks

<u>Intel Pentium G3220T @ 2.60GHz</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
Intel Pentium 2030M @ 2.50GHz	1,542	2039	11.51
AMD A9-9425	1,546	2038	NA
AMD Athlon II X3 425	1,547	2037	57.31
ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz	1,547	2036	NA
MT8788	1,548	2035	NA
AMD Phenom 9600 Quad-Core	1,549	2033	38.78
Intel Xeon E5335 @ 2.00GHz	1,549	2034	87.15
AMD A6-6420B APU	1,550	2032	NA
AMD A6 PRO-7400B	1,555	2031	NA
AMD Opteron X3216 APU	1,556	2030	NA
Intel Core i3-550 @ 3.20GHz	1,557	2029	22.25
Intel Core i5-4200Y @ 1.40GHz	1,558	2028	NA
Intel Celeron G1830 @ 2.80GHz	1,560	2027	18.37
AMD A4-6320 APU	1,563	2026	22.34
AMD Phenom X2 Dual-Core GE-5060	1,566	2025	NA
AMD A8 PRO-7150B APU	1,569	2024	NA
AMD Phenom II X3 720	1,573	2023	14.36
Intel Celeron G1840T @ 2.50GHz	1,576	2022	NA
AMD Embedded G-Series GX-420GI Radeon R7E	1,578	2021	NA
AMD A8-3550MX APU	1,579	2020	NA
ARM phytium FT1500a 4 Core 2000 MHz	1,579	2019	NA
AMD A6-7400K APU	1,581	2018	7.91
Intel Core i3-3110M @ 2.40GHz	1,587	2017	19.84
AMD A10-4655M APU	1,591	2015	NA
Intel Core i5-4220Y @ 1.60GHz	1,591	2016	NA
Intel Pentium G2030T @ 2.60GHz	1,595	2014	24.92
Intel Atom C3538 @ 2.10GHz	1,596	2013	21.28
AMD GX-420CA SOC	1,597	2012	NA
AMD Phenom FX-5000 Quad-Core	1,599	2010	NA
Intel Xeon X3210 @ 2.13GHz	1,599	2011	8.61
Intel Celeron N4000C @ 1.10GHz	1,602	2009	NA
AMD A6-8550	1,604	2007	NA
Intel Pentium 3560M @ 2.40GHz	1,604	2008	NA

<u>Intel Celeron 2000E @ 2.20GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Pentium G2120T @ 2.70GHz</u>	1,613	2004	NA
<u>Intel Celeron G1820T @ 2.40GHz</u>	1,614	2003	38.43
<u>MediaTek MT6765V/CB</u>	1,614	2002	NA
<u>Intel Pentium 4415Y @ 1.60GHz</u>	1,615	2001	10.03
<u>AMD A6-6400B APU</u>	1,616	2000	NA
<u>Intel Core i5 E 520 @ 2.40GHz</u>	1,619	1999	NA
<u>AMD Opteron 1354</u>	1,620	1998	6.81
<u>Qualcomm Technologies, Inc MSM8953</u>	1,621	1997	NA
<u>HiSilicon Kirin 650</u>	1,623	1995	NA
<u>Intel Celeron N4020 @ 1.10GHz</u>	1,623	1996	NA
<u>Intel Core i3-4030Y @ 1.60GHz</u>	1,623	1993	NA
<u>Intel Pentium G3320TE @ 2.30GHz</u>	1,623	1994	NA
<u>AMD GX-424CC SOC</u>	1,625	1991	NA
<u>AMD Phenom II N970 Quad-Core</u>	1,625	1992	10.83
<u>Intel Celeron J4005 @ 2.00GHz</u>	1,626	1989	9.53
<u>Intel Core i3-560 @ 3.33GHz</u>	1,626	1990	9.04
<u>Intel Core M-5Y10 @ 0.80GHz</u>	1,627	1988	NA
<u>AMD Embedded R-Series RX-216GD</u>	1,628	1985	NA
<u>Intel Core i5-2557M @ 1.70GHz</u>	1,628	1987	NA
<u>Qualcomm Technologies, Inc MSM8976SG</u>	1,628	1986	NA
<u>Intel Core i3-3120M @ 2.50GHz</u>	1,630	1984	12.63
<u>Intel Xeon E5405 @ 2.00GHz</u>	1,630	1982	40.81
<u>Samsung Exynos 7904</u>	1,630	1983	NA
<u>MediaTek MT8768CT</u>	1,634	1981	NA
<u>AMD Opteron 2373 EE</u>	1,635	1980	NA
<u>AMD A6-3600 APU</u>	1,636	1979	65.56
<u>MT6765V/WB</u>	1,636	1978	NA
<u>AMD Phenom II N950 Quad-Core</u>	1,637	1977	14.53
<u>Intel Core i3-4005U @ 1.70GHz</u>	1,639	1976	NA
<u>Qualcomm Technologies, Inc SDM630</u>	1,639	1975	NA
<u>Intel Core i7-3689Y @ 1.50GHz</u>	1,642	1974	NA
<u>AMD A6-5200 APU</u>	1,645	1973	NA
<u>Samsung Exynos 7884</u>	1,645	1972	NA

 CPU Benchmarks

<u>AMD A4-7210 APU</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Celeron G1820 @ 2.70GHz</u>	1,647	1969	<u>37.23</u>
<u>AMD Phenom X4 Quad-Core GP-9600</u>	1,649	1968	NA
<u>AMD A8-4500M APU</u>	1,650	1966	<u>23.59</u>
<u>Intel Core i3-4010U @ 1.70GHz</u>	1,650	1967	<u>13.20</u>
<u>MediaTek MT6765V/CA</u>	1,654	1965	NA
<u>Intel Core i7-720QM @ 1.60GHz</u>	1,655	1964	<u>16.56</u>
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,657	1963	NA
<u>AMD Phenom 9550 Quad-Core</u>	1,661	1962	<u>92.54</u>
<u>AMD PRO A6-9500E</u>	1,662	1961	<u>22.46</u>
<u>AMD Phenom 9600B Quad-Core</u>	1,663	1960	<u>41.62</u>
<u>AMD Athlon II X3 435</u>	1,664	1959	<u>55.57</u>
<u>Intel Pentium G2020 @ 2.90GHz</u>	1,664	1958	<u>33.29</u>
<u>Intel Celeron 3965U @ 2.20GHz</u>	1,665	1956	<u>15.56</u>
<u>MediaTek MT6797</u>	1,665	1957	NA
<u>AArch64 rev 4 (aarch64)</u>	1,668	1955	NA
<u>AMD Phenom II X920 Quad-Core</u>	1,669	1954	NA
<u>Intel Core i5-4202Y @ 1.60GHz</u>	1,670	1953	NA
<u>AMD PRO A4-3350B APU</u>	1,671	1952	NA
<u>AMD A8-7100 APU</u>	1,677	1950	NA
<u>MT6765</u>	1,677	1951	NA
<u>AMD A9-9430</u>	1,678	1947	NA
<u>Intel Xeon L5335 @ 2.00GHz</u>	1,678	1948	<u>89.29</u>
<u>MT6763V/WT</u>	1,678	1949	NA
<u>AMD PRO A6-7350B</u>	1,679	1946	NA
<u>Intel Pentium 4425Y @ 1.70GHz</u>	1,679	1945	<u>10.43</u>
<u>AMD A10-7300 APU</u>	1,680	1943	NA
<u>Intel Core i7-640LM @ 2.13GHz</u>	1,680	1944	NA
<u>MediaTek MT8768WT</u>	1,680	1942	NA
<u>AMD A4-6250J APU</u>	1,685	1940	NA
<u>AMD Phenom II X4 910</u>	1,685	1941	<u>16.85</u>
<u>Samsung Exynos 9610</u>	1,686	1939	NA
<u>Intel Core i7-2617M @ 1.50GHz</u>	1,687	1938	NA
<u>AMD Phenom II X4 810</u>	1,688	1937	<u>67.66</u>

 CPU Benchmarks

<u>AMD PRO A6-8570</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>AMD Athlon II X3 440</u>	1,692	1933	<u>94.26</u>
<u>HiSilicon Kirin 659</u>	1,692	1934	NA
<u>AMD Phenom 9650 Quad-Core</u>	1,694	1931	<u>42.41</u>
<u>Intel Core i3-2100T @ 2.50GHz</u>	1,694	1932	<u>28.24</u>
<u>AMD A6-6310 APU</u>	1,695	1930	NA
<u>AMD A6-7310 APU</u>	1,698	1929	NA
<u>AMD Phenom FX-5200 Quad-Core</u>	1,699	1928	NA
<u>Intel Pentium G3250T @ 2.80GHz</u>	1,699	1927	<u>18.88</u>
<u>MT6765V/WA</u>	1,701	1926	NA
<u>AMD Opteron 1356</u>	1,703	1925	<u>18.92</u>
<u>AMD PRO A6-8500B</u>	1,704	1924	NA
<u>Intel Core M-5Y70 @ 1.10GHz</u>	1,705	1923	NA
<u>SAMSUNG Exynos7420</u>	1,705	1922	NA
<u>AMD A4 PRO-3340B</u>	1,706	1921	NA
<u>Intel Core i3-4000M @ 2.40GHz</u>	1,707	1920	<u>29.38</u>
<u>MT6763V/CT</u>	1,708	1919	NA
<u>Intel Pentium G2030 @ 3.00GHz</u>	1,709	1918	<u>58.92</u>
<u>AMD Athlon II X4 600e</u>	1,711	1917	<u>13.14</u>
<u>AMD A10-5745M APU</u>	1,716	1916	NA
<u>Intel Core i3-4158U @ 2.00GHz</u>	1,718	1915	NA
<u>AMD A8-5557M APU</u>	1,719	1914	NA
<u>AMD Phenom 9850 Quad-Core</u>	1,721	1912	<u>13.24</u>
<u>Intel Core i5-520M @ 2.40GHz</u>	1,721	1913	<u>47.78</u>
<u>AMD Phenom X2 Dual-Core GE-6060</u>	1,722	1911	NA
<u>MediaTek MT6797T</u>	1,723	1910	NA
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,732	1909	<u>11.19</u>
<u>AMD Opteron 2356</u>	1,733	1908	<u>41.25</u>
<u>AMD PRO A4-8350B</u>	1,733	1907	<u>59.77</u>
<u>AMD A6-3620 APU</u>	1,741	1906	<u>77.40</u>
<u>HP Hexa-Core 2.0GHz</u>	1,741	1905	<u>3.45</u>
<u>AMD A6-7470K</u>	1,744	1904	<u>14.54</u>
<u>Intel Pentium G3240T @ 2.70GHz</u>	1,755	1902	NA
<u>Intel Pentium G3260T @ 2.90GHz</u>	1,755	1903	<u>19.50</u>

 CPU Benchmarks

<u>AMD Athlon II X3 450</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon L5408 @ 2.13GHz</u>	1,761	1899	NA
<u>Intel Core i5-540M @ 2.53GHz</u>	1,766	1898	36.04
<u>Intel Core i7-740QM @ 1.73GHz</u>	1,766	1897	17.67
<u>AMD A8-6410 APU</u>	1,768	1896	NA
<u>AMD Phenom II N830 3+1</u>	1,768	1895	NA
<u>Intel Core2 Quad Q6600 @ 2.40GHz</u>	1,769	1894	14.66
<u>AMD Athlon II X3 445</u>	1,770	1893	89.88
<u>AMD Athlon II X4 605e</u>	1,771	1892	17.95
<u>AMD R-464L APU</u>	1,773	1891	NA
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	1,778	1890	13.05
<u>AMD Athlon 5350 APU</u>	1,780	1889	13.69
<u>AMD Athlon X3 435</u>	1,781	1887	18.65
<u>Intel Core i7-820QM @ 1.73GHz</u>	1,781	1888	13.81
<u>AMD Athlon X3 455</u>	1,783	1886	NA
<u>AMD Phenom X4 Quad-Core GP-9730</u>	1,784	1885	NA
<u>AMD Athlon X4 530</u>	1,786	1884	NA
<u>Intel Core i3-2100 @ 3.10GHz</u>	1,794	1883	71.78
<u>AMD GX-420MC SOC</u>	1,796	1882	NA
<u>AMD Opteron 1381</u>	1,797	1881	NA
<u>AMD Phenom II X940 Quad-Core</u>	1,797	1880	NA
<u>AMD FX-7500 APU</u>	1,798	1878	NA
<u>AMD Phenom 9750 Quad-Core</u>	1,798	1879	35.99
<u>Qualcomm Technologies, Inc SDM632</u>	1,801	1877	NA
<u>AMD A8-7410 APU</u>	1,803	1875	NA
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,803	1876	36.06
<u>AMD Phenom II X3 B77</u>	1,813	1874	81.32
<u>Intel Core i3-2105 @ 3.10GHz</u>	1,814	1872	15.78
<u>Intel Xeon E5345 @ 2.33GHz</u>	1,814	1873	45.36
<u>AMD A8-6500T APU</u>	1,816	1871	30.29
<u>Intel Core i5-4302Y @ 1.60GHz</u>	1,817	1870	NA
<u>Intel Core i7-610E @ 2.53GHz</u>	1,818	1869	NA
<u>Intel Xeon X3220 @ 2.40GHz</u>	1,819	1868	27.50
<u>AMD Athlon II X3 455</u>	1,820	1867	13.01

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i3-2330E @ 2.20GHz</u>	1,825	1864	NA
<u>AMD Phenom II X4 B15e</u>	1,830	1863	NA
<u>Intel Celeron J4025 @ 2.00GHz</u>	1,837	1862	94.86
<u>AMD A6-9500E</u>	1,841	1861	11.95

<u>AMD A6-9500</u>	1,842	1860	12.28
<u>AMD Phenom 9950 Quad-Core</u>	1,843	1859	18.99
<u>AMD Phenom II X4 805</u>	1,844	1856	10.60
<u>Intel Core i5-560M @ 2.67GHz</u>	1,844	1858	20.50
<u>Intel Pentium G3220 @ 3.00GHz</u>	1,844	1857	14.30
<u>Intel Core i3-2310E @ 2.10GHz</u>	1,845	1853	8.20
<u>Intel Core2 Extreme Q9300 @ 2.53GHz</u>	1,845	1854	NA
<u>Intel Xeon E5506 @ 2.13GHz</u>	1,845	1855	34.80
<u>Intel Celeron G3900TE @ 2.30GHz</u>	1,850	1852	44.05
<u>ARM Cortex-A53 6 Core 1896 MHz</u>	1,851	1851	NA
<u>Intel Pentium 1403 @ 2.60GHz</u>	1,851	1850	NA
<u>MediaTek MT6771V/WM</u>	1,852	1849	NA
<u>Intel Core i3-4110U @ 1.90GHz</u>	1,853	1848	NA
<u>Intel Core i5-4230U @ 1.90GHz</u>	1,853	1847	NA
<u>AMD A10-5750M APU</u>	1,857	1846	19.99
<u>AMD Athlon 5370 APU</u>	1,857	1845	3.10
<u>AMD Phenom II X4 B05e</u>	1,862	1844	NA
<u>AMD Athlon II X4 610e</u>	1,864	1843	26.63
<u>AMD Opteron 2378</u>	1,864	1842	128.65
<u>Intel Pentium G3240 @ 3.10GHz</u>	1,867	1841	22.62
<u>Qualcomm Technologies, Inc SDM460</u>	1,868	1840	NA
<u>AMD Athlon II X4 620</u>	1,873	1838	34.09
<u>Intel Core i3-4030U @ 1.90GHz</u>	1,873	1839	NA
<u>Qualcomm Technologies, Inc SDM636</u>	1,876	1837	NA
<u>Intel Core i7-840QM @ 1.87GHz</u>	1,879	1836	6.48
<u>Intel Core i7-3555LE @ 2.50GHz</u>	1,880	1835	NA
<u>AMD A8-3800 APU</u>	1,882	1833	17.12
<u>Intel Core i5-2515E @ 2.50GHz</u>	1,882	1834	NA
<u>AMD A8-5550M APU</u>	1,885	1831	NA

 CPU Benchmarks

<u>AMD PRO A6-8550B</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Core i5-2510E @ 2.50GHz</u>	1,889	1829	NA
<u>AMD Athlon II X3 460</u>	1,890	1828	63.10
<u>Intel Core M-5Y10c @ 0.80GHz</u>	1,893	1827	6.74
<u>AMD A6-7480</u>	1,895	1826	43.07
<u>Intel Celeron G1850 @ 2.90GHz</u>	1,895	1825	23.69
<u>AMD Opteron 1385</u>	1,898	1824	42.19
<u>Intel Xeon E5420 @ 2.50GHz</u>	1,899	1823	7.60
<u>AMD A10-4600M APU</u>	1,900	1822	19.19
<u>Intel Core i3-2120 @ 3.30GHz</u>	1,901	1820	24.37
<u>Intel Core i7-2637M @ 1.70GHz</u>	1,901	1819	NA
<u>Intel Pentium G2120 @ 3.10GHz</u>	1,901	1821	25.34
<u>AMD Opteron 2419 EE</u>	1,902	1818	NA
<u>Intel Pentium G3250 @ 3.20GHz</u>	1,902	1817	63.42
<u>AMD Phenom II X4 830</u>	1,903	1816	27.20
<u>Intel Pentium G3450 @ 3.40GHz</u>	1,903	1815	82.93
<u>AMD Athlon II X4 615e</u>	1,904	1814	32.27
<u>Intel Core i5-580M @ 2.67GHz</u>	1,905	1812	19.06
<u>Intel Core M-5Y10a @ 0.80GHz</u>	1,905	1813	NA
<u>Intel Core i5-3439Y @ 1.50GHz</u>	1,907	1810	NA
<u>Intel Core i5-4422E @ 1.80GHz</u>	1,907	1811	7.17
<u>AMD A10 PRO-7350B APU</u>	1,910	1809	NA
<u>AMD Opteron X2170 APU</u>	1,911	1808	NA
<u>Intel Pentium G3420T @ 2.70GHz</u>	1,912	1807	11.95
<u>Intel Xeon L5410 @ 2.33GHz</u>	1,916	1806	19.15
<u>AMD Opteron 3320 EE</u>	1,918	1804	3.29
<u>Intel Core i3-4025U @ 1.90GHz</u>	1,918	1805	NA
<u>AMD Phenom II X4 905e</u>	1,919	1803	35.54
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	1,923	1802	4.98
<u>Intel Xeon E5410 @ 2.33GHz</u>	1,923	1801	21.86
<u>Intel Celeron N3450 @ 1.10GHz</u>	1,928	1799	10.42
<u>Intel Xeon E5507 @ 2.27GHz</u>	1,928	1798	4.22
<u>Intel Xeon X3330 @ 2.66GHz</u>	1,928	1800	9.18
<u>Intel Xeon E5603 @ 1.60GHz</u>	1,935	1797	14.99

 CPU Benchmarks

▼

<u>Intel Atom E3940 @ 1.60GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
AMD PRO A6-9500	1,938	1793	26.19
MediaTek MT6768V/CA	1,938	1794	NA
Qualcomm Technologies, Inc SM4250	1,941	1792	NA
Intel Core i5-3317U @ 1.70GHz	1,943	1791	8.64
AMD Phenom II X4 920	1,945	1790	69.73
AMD Phenom 9850B Quad-Core	1,946	1789	NA
Intel Core i3-4120U @ 2.00GHz	1,948	1788	NA
Intel Celeron 4305UE @ 2.00GHz	1,950	1785	NA
Intel Core2 Quad Q9300 @ 2.50GHz	1,950	1786	28.66
MT6797M	1,950	1787	NA
MediaTek MT6797X	1,951	1784	NA
Intel Atom E3900 @ 1.60GHz	1,953	1783	NA
Qualcomm Technologies, Inc SDM665	1,958	1782	NA
Intel Core i7-2677M @ 1.80GHz	1,961	1781	NA
Intel Core i5-2435M @ 2.40GHz	1,964	1780	NA
Intel Celeron N4500 @ 1.10GHz	1,967	1779	NA
Intel Core i3-3220T @ 2.80GHz	1,968	1778	9.07
Intel Core i5-2410M @ 2.30GHz	1,969	1777	46.74
ARM Neoverse-N1 2 Core 0 MHz	1,971	1776	NA
Intel Pentium G3420 @ 3.20GHz	1,975	1775	14.69
Intel Xeon X5355 @ 2.66GHz	1,979	1774	52.10
Intel Core i3-3240T @ 2.90GHz	1,985	1773	NA
AMD Athlon X4 750 Quad Core	1,986	1772	NA
Intel Xeon X3320 @ 2.50GHz	1,986	1771	8.65
AMD Opteron 2427	1,995	1769	36.28
Intel Core i3-2130 @ 3.40GHz	1,995	1770	19.49
AMD A10-5757M APU	1,997	1768	NA
Intel Core2 Quad Q9505 @ 2.83GHz	1,997	1767	10.51
Intel Core i7-2655LE @ 2.20GHz	1,999	1766	NA
Intel Core i7-620M @ 2.67GHz	2,000	1765	20.00
Intel Core i7-920XM @ 2.00GHz	2,001	1764	5.02
AArch64 rev 2 (aarch64)	2,003	1763	NA
AMD Athlon II X4 635	2,005	1762	33.44

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Core i5-2430M @ 2.40GHz</u>			<u>10.58</u>
<u>AMD A6-3650 APU</u>	2,014	1758	<u>13.52</u>
<u>Samsung Exynos 9611</u>	2,014	1759	NA
<u>AMD Phenom II X4 910e</u>	2,016	1756	<u>28.85</u>
<u>Intel Pentium G3450T @ 2.90GHz</u>	2,016	1757	NA
<u>Intel Core i5-655K @ 3.20GHz</u>	2,017	1755	<u>33.63</u>
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	2,018	1754	<u>15.66</u>
<u>AMD A8-3820 APU</u>	2,019	1753	<u>44.91</u>
<u>Intel Core i5-2415M @ 2.30GHz</u>	2,020	1752	NA
<u>AMD Athlon II X4 638 Quad-Core</u>	2,026	1751	<u>76.47</u>
<u>Intel Core i3-5005U @ 2.00GHz</u>	2,027	1748	<u>7.14</u>
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,027	1750	<u>74.24</u>
<u>Intel Xeon E7- 2830 @ 2.13GHz</u>	2,027	1749	<u>1.14</u>
<u>Intel Core i3-2102 @ 3.10GHz</u>	2,029	1747	<u>34.98</u>
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,029	1745	<u>20.30</u>
<u>Intel Xeon L5420 @ 2.50GHz</u>	2,029	1746	<u>73.78</u>
<u>Intel Celeron G3900E @ 2.40GHz</u>	2,034	1743	<u>19.01</u>
<u>Intel Core i5-2450M @ 2.50GHz</u>	2,034	1744	<u>31.76</u>
<u>AMD A6-3670 APU</u>	2,040	1741	<u>3.34</u>
<u>Intel Pentium G3260 @ 3.30GHz</u>	2,040	1742	<u>13.61</u>
<u>MediaTek MT6771V/C</u>	2,040	1740	NA
<u>Intel Pentium G3258 @ 3.20GHz</u>	2,043	1739	<u>18.17</u>
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	2,044	1738	<u>18.59</u>
<u>MediaTek MT6771V/WT</u>	2,044	1737	NA
<u>Intel Core i5-3337U @ 1.80GHz</u>	2,047	1736	<u>9.10</u>
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,050	1735	NA
<u>Intel Core i3-3210 @ 3.20GHz</u>	2,052	1734	<u>8.73</u>
<u>AMD Athlon II X4 630</u>	2,053	1733	<u>42.73</u>
<u>Intel Atom C2758 @ 2.40GHz</u>	2,056	1731	<u>9.57</u>
<u>Intel Core M-5Y31 @ 0.90GHz</u>	2,056	1732	NA
<u>AMD Opteron 4162 EE</u>	2,058	1730	<u>102.97</u>
<u>Intel Pentium G2140 @ 3.30GHz</u>	2,059	1729	<u>45.75</u>
<u>AMD Opteron 3250 HE</u>	2,061	1725	<u>20.82</u>
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	2,061	1727	<u>57.73</u>

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Pentium 4405U @ 2.10GHz</u>	2,061	1726	NA
<u>Qualcomm Technologies, Inc SDM660</u>	2,064	1724	NA
<u>Unisoc ums512</u>	2,065	1723	NA
<u>Intel Core i7-640M @ 2.80GHz</u>	2,071	1722	11.48
<u>AMD Athlon II X4 631 Quad-Core</u>	2,072	1721	59.39
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,072	1720	NA
<u>Intel Xeon X3230 @ 2.66GHz</u>	2,073	1719	5.92
<u>AMD Opteron 2384</u>	2,074	1718	1.78
<u>Apple A9</u>	2,077	1717	NA
<u>AMD Athlon II X4 655</u>	2,078	1716	NA
<u>AMD Opteron 1389</u>	2,079	1715	NA
<u>MediaTek MT6763V/CE</u>	2,082	1714	NA
<u>AMD Phenom II X4 820</u>	2,092	1713	32.21
<u>Intel Core i3-2125 @ 3.30GHz</u>	2,093	1712	13.77
<u>MediaTek MT6769V/CB</u>	2,093	1711	NA
<u>AMD A10-7400P</u>	2,096	1710	NA
<u>Qualcomm Technologies, Inc BENGAL</u>	2,102	1709	NA
<u>AMD Phenom II X4 B93</u>	2,104	1708	NA
<u>Intel Pentium G3440T @ 2.80GHz</u>	2,107	1707	NA
<u>Qualcomm Technologies, Inc SDM670</u>	2,107	1706	NA
<u>AMD Phenom II X4 B25</u>	2,108	1705	NA
<u>Intel Celeron G3930T @ 2.70GHz</u>	2,109	1704	16.47
<u>Qualcomm Technologies, Inc SDM710</u>	2,110	1703	NA
<u>Intel Core i3-5010U @ 2.10GHz</u>	2,113	1702	7.05
<u>AMD Athlon X4 640</u>	2,115	1701	NA
<u>AMD Athlon II X4 640</u>	2,117	1699	34.14
<u>Qualcomm Technologies, Inc TRINKET</u>	2,117	1700	NA
<u>AMD A8-3850 APU</u>	2,124	1698	16.80
<u>AMD FX-9800P</u>	2,125	1697	NA
<u>Intel Pentium G3430 @ 3.30GHz</u>	2,129	1696	23.65
<u>Intel Pentium G3440 @ 3.30GHz</u>	2,129	1695	13.31
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,131	1694	NA
<u>Intel Core i5-4250U @ 1.30GHz</u>	2,133	1693	6.11
<u>Intel Pentium G3460 @ 3.50GHz</u>	2,133	1692	20.06

 CPU Benchmarks

<u>Intel Core i7-3517UE @ 1.70GHz</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
AMD Athlon II X4 641 Quad-Core	2,143	1688	26.84
Intel Core i3-5015U @ 2.10GHz	2,143	1689	NA
MediaTek MT6771V/W	2,146	1687	NA
Intel Atom E3950 @ 1.60GHz	2,151	1686	NA
Samsung Exynos 8890	2,151	1685	NA
AMD A8-7200P	2,156	1684	NA
MT6769V/CT	2,157	1683	NA
AMD Phenom II X4 925	2,158	1682	72.04
Intel Core M-5Y71 @ 1.20GHz	2,158	1680	7.68
Intel Xeon X3350 @ 2.66GHz	2,158	1681	35.97
Qualcomm Technologies, Inc SM6125	2,159	1679	NA
Intel Core i3-3220 @ 3.30GHz	2,163	1678	17.58
MediaTek MT6769V/CU	2,166	1677	NA
Intel Core i7-3517U @ 1.90GHz	2,172	1676	NA
Hisilicon Kirin710	2,173	1675	NA
Intel Atom C2750 @ 2.41GHz	2,174	1674	NA
Intel Core i3-5020U @ 2.20GHz	2,178	1671	4.75
MediaTek MT6769Z	2,178	1673	NA
Qualcomm Technologies, Inc SDA660	2,178	1672	NA
Intel Core m5-6Y54 @ 1.10GHz	2,183	1670	NA
AMD Phenom II X4 B45	2,190	1669	NA
Intel Pentium G4400TE @ 2.40GHz	2,190	1668	34.23
Intel Core2 Quad Q9500 @ 2.83GHz	2,192	1666	44.73
MediaTek MT6769V/WB	2,192	1667	NA
Intel Core i3-21050 @ 3.10GHz	2,193	1663	NA
Intel Core i5-4200U @ 1.60GHz	2,193	1665	NA
Intel Xeon L3426 @ 1.87GHz	2,193	1664	4.91
MediaTek MT6771V/CT	2,196	1662	NA
Intel Xeon X5365 @ 3.00GHz	2,198	1660	34.89
MediaTek MT6769T	2,198	1661	NA
Intel Celeron G3900T @ 2.60GHz	2,199	1659	19.56
Intel Pentium 4415U @ 2.30GHz	2,202	1658	NA
Intel Core i5-650 @ 3.20GHz	2,203	1657	11.60

 CPU Benchmarks

<u>AMD Phenom II X4 973</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon L5430 @ 2.66GHz</u>	2,210	1654	13.99
<u>Intel Core i5-3437U @ 1.90GHz</u>	2,211	1653	NA
<u>AMD Athlon II X4 645</u>	2,213	1652	32.54
<u>Intel Xeon E5430 @ 2.66GHz</u>	2,214	1651	9.63
<u>Intel Celeron G3930TE @ 2.70GHz</u>	2,218	1650	52.82
<u>AMD Phenom II X4 940</u>	2,219	1648	2.22
<u>Intel Xeon X3430 @ 2.40GHz</u>	2,219	1649	69.36
<u>AMD Phenom II X4 945</u>	2,221	1647	37.05
<u>Intel Celeron G3900 @ 2.80GHz</u>	2,223	1646	15.25
<u>AMD A10-6700T APU</u>	2,224	1644	15.07
<u>Intel Celeron G4930T @ 3.00GHz</u>	2,224	1645	52.95
<u>Intel Xeon X3363 @ 2.83GHz</u>	2,225	1643	25.40
<u>AMD A10-9600P</u>	2,228	1642	NA
<u>Intel Xeon X3353 @ 2.66GHz</u>	2,229	1641	30.33
<u>Intel Core i3-3225 @ 3.30GHz</u>	2,230	1638	6.86
<u>Intel Pentium 4417U @ 2.30GHz</u>	2,230	1640	13.85
<u>Intel Xeon X3360 @ 2.83GHz</u>	2,230	1639	55.77
<u>AMD A8-8600P</u>	2,231	1637	NA
<u>AMD A10-8700P</u>	2,236	1636	NA
<u>AMD Phenom II X4 B50</u>	2,237	1635	NA
<u>AMD Phenom II X4 B40</u>	2,238	1634	NA
<u>Intel Celeron J3455E @ 1.50GHz</u>	2,240	1633	NA
<u>AMD PRO A10-8700B</u>	2,242	1631	NA
<u>Intel Core2 Extreme Q6850 @ 3.00GHz</u>	2,242	1630	1.50
<u>Intel Xeon E5440 @ 2.83GHz</u>	2,242	1632	59.01
<u>Intel Core i5-2520M @ 2.50GHz</u>	2,243	1628	53.28
<u>Qualcomm Technologies, Inc BENGALP</u>	2,243	1629	NA
<u>AMD Phenom II X4 840T</u>	2,245	1627	33.99
<u>Intel Celeron 6305 @ 1.80GHz</u>	2,246	1626	NA
<u>AMD Phenom II X4 B95</u>	2,254	1625	36.34
<u>AMD PRO A10-8730B</u>	2,261	1624	NA
<u>AMD Phenom II X4 960T</u>	2,262	1623	38.30
<u>AMD PRO A8-8600B</u>	2,262	1622	NA

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,265	1615	<u>18.98</u>
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	2,267	1618	<u>2.02</u>
<u>Qualcomm Technologies, Inc SM4350</u>	2,267	1619	NA
<u>Intel Celeron G3930 @ 2.90GHz</u>	2,268	1616	<u>17.72</u>
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	2,268	1617	<u>37.91</u>
<u>Qualcomm Technologies, Inc SDM712</u>	2,269	1615	NA
<u>Intel Xeon L3360 @ 2.83GHz</u>	2,273	1614	<u>25.47</u>
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,274	1613	NA
<u>Intel Celeron J3455 @ 1.50GHz</u>	2,275	1612	<u>6.52</u>
<u>Intel Core i3-3240 @ 3.40GHz</u>	2,275	1611	<u>51.69</u>
<u>Intel Core i3-6006U @ 2.00GHz</u>	2,280	1610	NA
<u>AMD Opteron 3260 HE</u>	2,283	1609	NA
<u>Intel Pentium 1403 v2 @ 2.60GHz</u>	2,284	1608	NA
<u>Intel Core i5-4210U @ 1.70GHz</u>	2,288	1607	NA
<u>Intel Celeron G4900T @ 2.90GHz</u>	2,292	1606	<u>54.56</u>
<u>Intel Core i5-2540M @ 2.60GHz</u>	2,300	1605	<u>28.76</u>
<u>AMD Phenom II X4 B70</u>	2,303	1604	NA
<u>Intel Core i5-4350U @ 1.40GHz</u>	2,305	1602	NA
<u>Intel Pentium 5405U @ 2.30GHz</u>	2,305	1603	<u>14.32</u>
<u>AMD FX-7600P</u>	2,306	1601	NA
<u>Intel Core i5-3427U @ 1.80GHz</u>	2,306	1600	<u>5.49</u>
<u>Intel Core i5-8200Y @ 1.30GHz</u>	2,308	1599	<u>7.93</u>
<u>Intel Xeon X3380 @ 3.16GHz</u>	2,308	1598	<u>4.53</u>
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	2,309	1597	NA
<u>AMD Athlon II X4 555</u>	2,310	1596	NA
<u>Intel Xeon L5520 @ 2.27GHz</u>	2,312	1595	<u>28.92</u>
<u>Intel Core i3-3250 @ 3.50GHz</u>	2,318	1594	<u>42.17</u>
<u>AArch64 rev 1 (aarch64)</u>	2,319	1593	NA
<u>AArch64 rev 0 (aarch64)</u>	2,334	1592	NA
<u>Intel Core m5-6Y57 @ 1.10GHz</u>	2,336	1591	NA
<u>AMD Athlon II X4 651 Quad-Core</u>	2,338	1590	<u>15.59</u>
<u>AMD A8-3870K APU</u>	2,339	1589	<u>13.99</u>
<u>Intel Xeon X5472 @ 3.00GHz</u>	2,340	1588	<u>10.40</u>
<u>AMD Phenom II X4 B35</u>	2,341	1587	NA

 CPU Benchmarks

<u>Hisilicon Kirin970</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Pentium 6405U @ 2.40GHz</u>	2,348	1585	<u>14.58</u>
<u>Intel Core i3-6102E @ 1.90GHz</u>	2,349	1583	<u>10.44</u>
<u>Intel Core i5-660 @ 3.33GHz</u>	2,351	1582	<u>110.13</u>
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,351	1581	NA
<u>MT6771V/WL</u>	2,352	1580	NA
<u>AMD Phenom II X4 840</u>	2,353	1579	<u>30.15</u>
<u>Intel Atom C3558 @ 2.20GHz</u>	2,353	1578	<u>27.36</u>
<u>AMD Phenom II X4 B60</u>	2,357	1577	NA
<u>AMD A12-9700P</u>	2,360	1576	NA
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	2,362	1575	<u>7.91</u>
<u>Intel Core i5-2390T @ 2.70GHz</u>	2,364	1574	<u>23.66</u>
<u>AMD Phenom II X4 B55</u>	2,366	1573	NA
<u>Intel Core i7-940XM @ 2.13GHz</u>	2,367	1572	NA
<u>Intel Celeron G3950 @ 3.00GHz</u>	2,369	1571	<u>21.72</u>
<u>Intel Pentium J4205 @ 1.50GHz</u>	2,371	1570	NA
<u>AMD Phenom II X4 977</u>	2,377	1569	NA
<u>AMD PRO A8-9600B</u>	2,379	1568	NA
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,380	1567	NA
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	2,381	1565	<u>11.97</u>
<u>Intel Xeon X5450 @ 3.00GHz</u>	2,381	1566	<u>47.66</u>
<u>AMD Opteron 4170 HE</u>	2,382	1564	<u>59.56</u>
<u>Apple A8X</u>	2,383	1563	NA
<u>AMD Athlon II X4 650</u>	2,390	1562	<u>14.34</u>
<u>AMD PRO A12-8830B</u>	2,392	1561	NA
<u>AMD Phenom II X4 850</u>	2,397	1560	<u>36.89</u>
<u>HiSilicon Kirin 960</u>	2,398	1559	NA
<u>Intel Atom C2750 @ 2.40GHz</u>	2,401	1558	<u>10.35</u>
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,401	1557	NA
<u>Intel Celeron G4920 @ 3.20GHz</u>	2,406	1556	<u>17.19</u>
<u>Qualcomm Technologies, Inc SM6150</u>	2,408	1555	NA
<u>Intel Core i5-661 @ 3.33GHz</u>	2,412	1554	<u>10.49</u>
<u>AMD Athlon II X4 553</u>	2,418	1553	NA
<u>AMD Phenom II X4 955</u>	2,420	1552	<u>13.73</u>

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i3-4100M @ 2.50GHz</u>			
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,424	1549	<u>39.08</u>
<u>Intel Celeron G4900 @ 3.10GHz</u>	2,426	1547	<u>18.81</u>
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,426	1548	<u>15.18</u>
<u>Intel Pentium G3470 @ 3.60GHz</u>	2,428	1546	<u>23.28</u>
<u>Intel Xeon E5472 @ 3.00GHz</u>	2,432	1545	<u>121.35</u>
<u>Intel Core i5-4260U @ 1.40GHz</u>	2,435	1544	NA
<u>Qualcomm Technologies, Inc MSM8998</u>	2,438	1543	NA
<u>Intel Core i7-4610Y @ 1.70GHz</u>	2,446	1542	NA
<u>Intel Xeon X3370 @ 3.00GHz</u>	2,446	1541	<u>61.16</u>
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	2,447	1540	<u>2.85</u>
<u>Intel Core i7-2640M @ 2.80GHz</u>	2,448	1539	<u>20.41</u>
<u>Intel Xeon E5450 @ 3.00GHz</u>	2,449	1538	<u>66.22</u>
<u>HiSilicon Kirin 970</u>	2,455	1537	NA
<u>Intel Core i3-2140 @ 3.50GHz</u>	2,456	1536	NA
<u>Intel Xeon D-1602 @ 2.50GHz</u>	2,459	1535	<u>23.20</u>
<u>Intel Core i5-750 @ 2.67GHz</u>	2,460	1534	<u>27.34</u>
<u>Intel Celeron N4100 @ 1.10GHz</u>	2,461	1533	<u>23.00</u>
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	2,464	1532	<u>9.19</u>
<u>MediaTek MT6779V/CU</u>	2,464	1531	NA
<u>MediaTek MT6779V/CV</u>	2,465	1530	NA
<u>AMD Phenom II X4 B97</u>	2,467	1529	<u>30.85</u>
<u>AMD Athlon II X4 559</u>	2,473	1528	NA
<u>Intel Celeron N4120 @ 1.10GHz</u>	2,477	1527	NA
<u>AMD Opteron 8439 SE</u>	2,479	1526	<u>47.67</u>
<u>Intel Core i5-670 @ 3.47GHz</u>	2,483	1525	<u>6.15</u>
<u>Intel Core i5-4300U @ 1.90GHz</u>	2,484	1524	NA
<u>Intel Xeon L7455 @ 2.13GHz</u>	2,494	1523	NA
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,496	1522	NA
<u>Intel Core i5-5250U @ 1.60GHz</u>	2,498	1521	<u>4.71</u>
<u>Intel Core i3-4330TE @ 2.40GHz</u>	2,500	1518	NA
<u>Intel Core i5-4310U @ 2.00GHz</u>	2,500	1520	NA
<u>Intel Xeon E5606 @ 2.13GHz</u>	2,500	1519	<u>15.92</u>
<u>AMD PRO A12-8800B</u>	2,509	1517	NA

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i3-3245 @ 3.40GHz</u>			
<u>Intel Core i5-5200U @ 2.20GHz</u>	2,518	1514	<u>8.96</u>
<u>Intel Pentium G4500T @ 3.00GHz</u>	2,518	1513	NA
<u>AMD Phenom II X4 B99</u>	2,520	1512	NA
<u>Intel Core i3-7102E @ 2.10GHz</u>	2,521	1511	<u>11.21</u>
<u>Intel Xeon L5530 @ 2.40GHz</u>	2,522	1510	<u>130.94</u>
<u>Intel Core i5-3230M @ 2.60GHz</u>	2,525	1509	<u>25.25</u>
<u>Intel Xeon E5520 @ 2.27GHz</u>	2,527	1508	<u>126.41</u>
<u>AMD A10-9620P</u>	2,529	1507	NA
<u>Intel Xeon X5460 @ 3.16GHz</u>	2,535	1506	<u>76.03</u>
<u>AMD FX-4100 Quad-Core</u>	2,539	1505	<u>64.48</u>
<u>Intel Core i7-4500U @ 1.80GHz</u>	2,543	1504	NA
<u>AMD A8-5500 APU</u>	2,562	1503	<u>43.47</u>
<u>Intel Core i7-3667U @ 2.00GHz</u>	2,564	1502	NA
<u>Intel Core m3-7Y30 @ 1.00GHz</u>	2,564	1501	NA
<u>Apple A9X</u>	2,569	1500	NA
<u>Intel Celeron G4930 @ 3.20GHz</u>	2,575	1499	<u>53.65</u>
<u>AMD Phenom II X4 B65</u>	2,576	1498	NA
<u>AMD FX-770K Quad-Core</u>	2,578	1497	NA
<u>MediaTek MT6779V/CE</u>	2,579	1496	NA
<u>Intel Core i3-4110M @ 2.60GHz</u>	2,580	1495	NA
<u>Intel Core i5-760 @ 2.80GHz</u>	2,583	1494	<u>23.69</u>
<u>Qualcomm Technologies, Inc SM7150</u>	2,584	1493	NA
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,585	1492	<u>9.20</u>
<u>Intel Core i7-4510U @ 2.00GHz</u>	2,591	1491	NA
<u>AMD A8 PRO-7600B APU</u>	2,593	1490	NA
<u>Intel Xeon E5530 @ 2.40GHz</u>	2,603	1489	<u>33.61</u>
<u>Intel Pentium G4400 @ 3.30GHz</u>	2,606	1488	<u>14.48</u>
<u>Intel Pentium Silver N5000 @ 1.10GHz</u>	2,608	1487	<u>16.20</u>
<u>Samsung Exynos 8895</u>	2,610	1486	NA
<u>Intel Core i3-5157U @ 2.50GHz</u>	2,613	1485	NA
<u>Intel Core i3-6100U @ 2.30GHz</u>	2,615	1484	<u>4.93</u>
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,623	1482	<u>47.71</u>
<u>Intel Core i5-3610ME @ 2.70GHz</u>	2,623	1483	NA

CPU Benchmarks

<u>AMD A12-9720P</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon X3440 @ 2.53GHz</u>	2,628	1479	15.28
<u>Intel Core i5-680 @ 3.60GHz</u>	2,629	1478	52.64
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	2,632	1477	1.64
<u>AMD FirePro A320 APU</u>	2,634	1476	NA
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,636	1475	26.37
<u>AMD Phenom II X4 970</u>	2,637	1473	19.09
<u>Intel Core i3-6157U @ 2.40GHz</u>	2,637	1474	NA
<u>AMD 3020e</u>	2,639	1472	NA
<u>Intel Core i7-3687U @ 2.10GHz</u>	2,640	1470	NA
<u>Intel Xeon E5-2609 @ 2.40GHz</u>	2,640	1471	18.38
<u>Intel Xeon E5540 @ 2.53GHz</u>	2,644	1469	17.63
<u>Intel Core i3-3250T @ 3.00GHz</u>	2,650	1468	NA
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,655	1467	37.95
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	2,661	1466	8.19
<u>AMD A8-5500B APU</u>	2,663	1465	54.30
<u>AMD Athlon X4 740 Quad Core</u>	2,677	1464	9.66
<u>AMD 3015e</u>	2,678	1463	NA
<u>Intel Core i5-4402E @ 1.60GHz</u>	2,681	1462	NA
<u>Intel Xeon E5607 @ 2.27GHz</u>	2,686	1461	153.95
<u>Intel Xeon X5470 @ 3.33GHz</u>	2,689	1460	14.94
<u>AMD PRO A12-9800B</u>	2,696	1459	NA
<u>AMD FX-4130 Quad-Core</u>	2,699	1458	32.13
<u>Intel Xeon X3460 @ 2.80GHz</u>	2,705	1457	57.56
<u>Intel Xeon X5492 @ 3.40GHz</u>	2,705	1456	1.94
<u>Intel Pentium Silver N5030 @ 1.10GHz</u>	2,708	1455	NA
<u>AMD RX-427BB</u>	2,711	1454	NA
<u>Intel Core i7-7Y75 @ 1.30GHz</u>	2,713	1453	NA
<u>Intel Celeron G4950 @ 3.30GHz</u>	2,714	1452	16.44
<u>Intel Celeron J4115 @ 1.80GHz</u>	2,715	1450	NA
<u>Intel Core i3-7100U @ 2.40GHz</u>	2,715	1451	5.88
<u>AMD A6-9400</u>	2,717	1449	NA
<u>Intel Core i7-4600U @ 2.10GHz</u>	2,720	1448	NA
<u>Intel Core i7-920 @ 2.67GHz</u>	2,723	1447	10.93

 CPU Benchmarks

<u>Intel Core i5-4258U @ 2.40GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Core i7-5500U @ 2.40GHz</u>	2,728	1444	NA
<u>Intel Core i5-5300U @ 2.30GHz</u>	2,732	1443	9.42
<u>Intel Core i5-4278U @ 2.60GHz</u>	2,734	1442	NA
<u>Intel Core m3-7Y32 @ 1.10GHz</u>	2,742	1441	NA
<u>AMD A10-5700 APU</u>	2,747	1440	45.82
<u>AMD PRO A10-8750B</u>	2,751	1439	NA
<u>Intel Xeon E5-2603 v2 @ 1.80GHz</u>	2,751	1438	17.56
<u>AMD A8-6500 APU</u>	2,754	1436	33.17
<u>Intel Core 860 @ 2.80GHz</u>	2,754	1437	10.06
<u>Intel Core i5-5350U @ 1.80GHz</u>	2,755	1435	NA
<u>AMD RX-425BB</u>	2,756	1434	NA
<u>Intel Xeon W3520 @ 2.67GHz</u>	2,756	1433	147.01
<u>AMD A8-5600K APU</u>	2,761	1432	55.27
<u>Intel Celeron G5900 @ 3.40GHz</u>	2,768	1431	40.33
<u>AMD A8-8650</u>	2,774	1430	NA
<u>Intel Core2 Extreme X9775 @ 3.20GHz</u>	2,780	1429	1.54
<u>Intel Pentium G4500 @ 3.50GHz</u>	2,781	1428	11.17
<u>Intel Xeon X3450 @ 2.67GHz</u>	2,782	1427	99.40
<u>AMD FX-8800P</u>	2,785	1426	NA
<u>AMD Athlon X4 750K Quad Core</u>	2,786	1424	36.19
<u>Intel Core i7-870S @ 2.67GHz</u>	2,786	1425	NA
<u>AMD A8-6500B APU</u>	2,789	1422	55.84
<u>AMD Opteron 6172</u>	2,789	1423	14.68
<u>Qualcomm Technologies, Inc SDMMAGPIE</u>	2,790	1421	NA
<u>Intel Core i5-4200M @ 2.50GHz</u>	2,791	1420	31.37
<u>Intel Core i7-880 @ 3.07GHz</u>	2,803	1419	4.81
<u>Qualcomm Technologies, Inc SM7125</u>	2,809	1418	NA
<u>Qualcomm Technologies, Inc SDM720G</u>	2,822	1417	NA
<u>AMD A10-6800B APU</u>	2,824	1416	22.06
<u>AMD Opteron 3350 HE</u>	2,825	1415	7.70
<u>AMD Opteron 6128</u>	2,826	1414	10.50
<u>AMD Phenom II X4 980</u>	2,829	1413	21.76
<u>Intel Core i7-8500Y @ 1.50GHz</u>	2,832	1412	7.21

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i5-7Y54 @ 1.20GHz</u>			
<u>Qualcomm Technologies, Inc ATOLL-AB</u>	2,838	1409	NA
<u>Intel Celeron G5920 @ 3.50GHz</u>	2,840	1408	<u>16.32</u>
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	2,845	1407	NA
<u>MT6853V/NZA</u>	2,851	1406	NA
<u>Intel Core i5-2500T @ 2.30GHz</u>	2,852	1405	<u>31.70</u>
<u>AMD FX-7600P APU</u>	2,856	1404	NA
<u>Intel Celeron G5905 @ 3.50GHz</u>	2,862	1403	<u>40.00</u>
<u>Intel Core i7-930 @ 2.80GHz</u>	2,864	1402	<u>37.69</u>
<u>Intel Core i5-7Y57 @ 1.20GHz</u>	2,867	1401	NA
<u>Intel Core i7-3520M @ 2.90GHz</u>	2,868	1400	<u>23.51</u>
<u>AMD Opteron 4184</u>	2,872	1399	<u>5.76</u>
<u>Intel Xeon E5-2403 v2 @ 1.80GHz</u>	2,873	1398	<u>5.20</u>
<u>Intel Core i7-860 @ 2.80GHz</u>	2,874	1397	<u>65.34</u>
<u>Qualcomm Technologies, Inc SDM765G 5G</u>	2,875	1396	NA
<u>Intel Core i3-4130T @ 2.90GHz</u>	2,878	1395	<u>11.58</u>
<u>Intel Core i3-4150T @ 3.00GHz</u>	2,887	1394	<u>13.13</u>
<u>Intel Core i3-4350T @ 3.10GHz</u>	2,888	1393	NA
<u>Intel Core i7-3540M @ 3.00GHz</u>	2,888	1392	<u>6.72</u>
<u>Intel Xeon W3540 @ 2.93GHz</u>	2,890	1391	<u>145.10</u>
<u>AMD A10-5800B APU</u>	2,897	1390	<u>64.40</u>
<u>Qualcomm Technologies, Inc SDM730G AIE</u>	2,897	1389	NA
<u>AMD Athlon X4 830</u>	2,901	1388	NA
<u>Intel Core i7-5550U @ 2.00GHz</u>	2,908	1387	NA
<u>Intel Core i5-4308U @ 2.80GHz</u>	2,913	1386	NA
<u>Qualcomm Technologies, Inc LAGOON</u>	2,920	1385	NA
<u>Intel Core i5-8210Y @ 1.60GHz</u>	2,921	1384	NA
<u>MediaTek MT6785V/CC</u>	2,924	1383	NA
<u>AMD A8-7650K</u>	2,925	1382	<u>19.67</u>
<u>AMD Phenom II X6 1035T</u>	2,925	1381	<u>15.48</u>
<u>AMD A10-5800K APU</u>	2,931	1380	<u>10.39</u>
<u>Qualcomm Technologies, Inc LITO</u>	2,931	1379	NA
<u>Intel Core i5-3360M @ 2.80GHz</u>	2,933	1378	<u>37.59</u>
<u>Intel Core i5-4210M @ 2.60GHz</u>	2,934	1377	<u>9.46</u>

<u>AMD A10-6790K APU</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>Intel Core i5-3470T @ 2.90GHz</u>	2,939	1374	<u>10.89</u>
<u>AMD FX-4300 Quad-Core</u>	2,940	1373	<u>37.68</u>
<u>AMD Athlon X4 760K Quad Core</u>	2,945	1371	<u>49.13</u>
<u>Intel Pentium G4520 @ 3.60GHz</u>	2,945	1372	<u>12.53</u>

<u>AMD A10-9630P</u>	2,947	1370	NA
<u>MediaTek MT6785V/CD</u>	2,948	1369	NA
<u>Intel Core i5-4210H @ 2.90GHz</u>	2,949	1368	NA
<u>Intel Core i7-4560U @ 1.60GHz</u>	2,950	1367	NA
<u>Intel Xeon X5550 @ 2.67GHz</u>	2,957	1366	<u>71.90</u>
<u>Intel Pentium G4560T @ 2.90GHz</u>	2,962	1365	<u>7.98</u>
<u>Intel Core i3-7130U @ 2.70GHz</u>	2,968	1364	<u>6.45</u>
<u>AMD FX-670K Quad-Core</u>	2,969	1363	NA
<u>Intel Celeron J4105 @ 1.50GHz</u>	2,970	1362	<u>27.76</u>
<u>AMD Phenom II X6 1045T</u>	2,972	1361	<u>27.51</u>
<u>Qualcomm Technologies, Inc SDMMAGPIEP</u>	2,977	1360	NA
<u>AMD A8-6600K APU</u>	2,978	1358	<u>30.08</u>
<u>Intel Core i7-4558U @ 2.80GHz</u>	2,978	1357	NA
<u>Intel Xeon E5-2637 @ 3.00GHz</u>	2,978	1359	<u>14.58</u>
<u>Intel Xeon W3530 @ 2.80GHz</u>	2,979	1356	<u>165.58</u>
<u>Intel Core i5-2405S @ 2.50GHz</u>	2,980	1355	<u>14.33</u>
<u>Intel Core i7-5600U @ 2.60GHz</u>	2,984	1354	NA
<u>AMD PRO A8-8670E</u>	2,989	1353	NA
<u>Intel Core i5-4300M @ 2.60GHz</u>	2,995	1352	NA
<u>AMD Athlon Silver 3050e</u>	3,010	1351	NA
<u>AMD PRO A12-8870E</u>	3,014	1350	NA
<u>AMD Opteron 6128 HE</u>	3,015	1349	NA
<u>Intel Core i5-3380M @ 2.90GHz</u>	3,015	1348	NA
<u>Hisilicon Kirin810</u>	3,019	1347	NA
<u>Intel Core m3-8100Y @ 1.10GHz</u>	3,022	1346	<u>10.75</u>
<u>AMD A8-7670K</u>	3,028	1345	<u>33.66</u>
<u>Intel Core i5-6200U @ 2.30GHz</u>	3,029	1344	NA
<u>Intel Celeron J4125 @ 2.00GHz</u>	3,036	1343	NA
<u>Intel Xeon X5560 @ 2.80GHz</u>	3,045	1342	<u>203.14</u>

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Qualcomm Technologies, Inc SM7250</u>	3,059	1340	NA
<u>AMD Opteron 2435</u>	3,061	1339	204.32
<u>Intel Core i5-24050S @ 2.50GHz</u>	3,061	1338	NA
<u>Intel Core i5-5257U @ 2.70GHz</u>	3,062	1337	NA
<u>ZHAOXIN KaiXian KX-U6580@2.5GHz</u>	3,066	1336	NA
<u>Intel Core i7-870 @ 2.93GHz</u>	3,071	1335	15.44
<u>AMD FX-9830P</u>	3,072	1334	NA
<u>AMD Opteron X3418 APU</u>	3,074	1333	NA
<u>Intel Core i7-940 @ 2.93GHz</u>	3,075	1332	29.57
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,091	1331	20.61
<u>Intel Pentium Silver J5005 @ 1.50GHz</u>	3,091	1330	14.78
<u>AMD FX-870K Quad Core</u>	3,094	1329	NA
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,096	1327	NA
<u>Intel Core i7-950 @ 3.07GHz</u>	3,096	1328	11.99
<u>Intel Core i3-4330T @ 3.00GHz</u>	3,098	1326	NA
<u>Qualcomm Technologies, Inc SM7225</u>	3,104	1325	NA
<u>Intel Core i5-2400S @ 2.50GHz</u>	3,110	1324	18.08
<u>Intel Pentium Gold G5400T @ 3.10GHz</u>	3,119	1323	19.62
<u>AMD FX-4170 Quad-Core</u>	3,121	1322	24.25
<u>AMD PRO A10-8770E</u>	3,121	1321	NA
<u>AMD A10-7800 APU</u>	3,124	1320	20.84
<u>AMD A10-6700 APU</u>	3,127	1317	27.91
<u>AMD PRO A10-9700E</u>	3,127	1318	22.50
<u>Intel Core i7-875K @ 2.93GHz</u>	3,127	1319	8.36
<u>Intel Core i5-6260U @ 1.80GHz</u>	3,132	1316	6.28
<u>AMD A10-7700K APU</u>	3,133	1315	17.41
<u>AMD FX-4200 Quad-Core</u>	3,134	1314	52.27
<u>Intel Core i5-4570TE @ 2.70GHz</u>	3,135	1312	15.68
<u>Intel Xeon W3550 @ 3.07GHz</u>	3,135	1313	62.76
<u>AMD A12-9800</u>	3,137	1310	22.69
<u>Intel Core i3-4170T @ 3.20GHz</u>	3,137	1311	14.94
<u>Intel Core i3-6100H @ 2.70GHz</u>	3,140	1309	NA
<u>AMD A10-6800K APU</u>	3,145	1308	9.18
<u>Intel Xeon X5570 @ 2.93GHz</u>	3,148	1307	13.69

<u>AMD A10-9700E</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>Intel Pentium G4600T @ 3.00GHz</u>	3,157	1304	<u>17.81</u>
<u>Intel Xeon X3470 @ 2.93GHz</u>	3,158	1303	<u>31.66</u>
<u>Samsung Exynos 9810</u>	3,159	1302	NA
<u>Intel Core i5-6198DU @ 2.30GHz</u>	3,162	1301	NA
<u>Intel Core i3-4350 @ 3.60GHz</u>	3,163	1300	<u>18.61</u>
<u>Intel Core i3-4360T @ 3.20GHz</u>	3,164	1299	NA
<u>AMD FX-4320</u>	3,167	1298	NA
<u>Intel Core i5-4310M @ 2.70GHz</u>	3,168	1297	NA
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,170	1296	NA
<u>AMD A12-9730P</u>	3,172	1295	NA
<u>AMD Phenom II X6 1055T</u>	3,178	1294	<u>32.10</u>
<u>AMD PRO A12-9800E</u>	3,186	1293	<u>18.85</u>
<u>Intel Core i5-4330M @ 2.80GHz</u>	3,187	1292	<u>11.59</u>
<u>AMD A10 PRO-7800B APU</u>	3,194	1291	NA
<u>AMD Athlon Silver 3050U</u>	3,195	1290	NA
<u>Samsung Exynos 9820</u>	3,213	1289	NA
<u>AMD PRO A8-8650B</u>	3,216	1288	NA
<u>AMD A8-7600 APU</u>	3,217	1287	<u>45.83</u>
<u>Intel Core i7-2715QE @ 2.10GHz</u>	3,221	1286	NA
<u>Intel Xeon L5638 @ 2.00GHz</u>	3,225	1285	<u>46.14</u>
<u>Intel Core i7-4600M @ 2.90GHz</u>	3,228	1284	NA
<u>Intel Core i7-2635QM @ 2.00GHz</u>	3,232	1283	NA
<u>Intel Pentium Gold G5500T @ 3.20GHz</u>	3,234	1281	<u>43.13</u>
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,234	1282	<u>75.80</u>
<u>MT6853V/TNZA</u>	3,235	1280	NA
<u>AMD Phenom II X6 1065T</u>	3,236	1279	NA
<u>Intel Core i7-960 @ 3.20GHz</u>	3,239	1278	<u>11.99</u>
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,240	1276	<u>16.21</u>
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,240	1277	<u>25.12</u>
<u>Intel Core i3-4570T @ 2.90GHz</u>	3,244	1275	NA
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,245	1274	NA
<u>AMD FX-4330</u>	3,248	1273	NA
<u>Intel Core i3-4370T @ 3.30GHz</u>	3,250	1272	<u>23.55</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i5-4400E @ 2.70GHz</u>	3,259	1270	<u>18.26</u>
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,260	1269	NA
<u>AMD Opteron 4365 EE</u>	3,263	1268	NA
<u>AMD FX-4350 Quad-Core</u>	3,265	1267	<u>24.36</u>
<u>Intel Core i7-2675QM @ 2.20GHz</u>	3,274	1266	NA
<u>Intel Core i7-6500U @ 2.50GHz</u>	3,279	1265	<u>8.34</u>
<u>AMD A10-7860K</u>	3,280	1263	<u>21.87</u>
<u>Intel Core i3-6100TE @ 2.70GHz</u>	3,280	1264	NA
<u>Intel Core i7-965 @ 3.20GHz</u>	3,288	1262	<u>23.49</u>
<u>AMD Opteron X3421 APU</u>	3,289	1261	NA
<u>Intel Core i7-975 @ 3.33GHz</u>	3,292	1259	<u>41.17</u>
<u>Intel Xeon W3565 @ 3.20GHz</u>	3,292	1260	<u>54.91</u>
<u>Intel Core i7-6498DU @ 2.50GHz</u>	3,293	1258	NA
<u>AMD A8-9600</u>	3,294	1257	<u>28.16</u>
<u>Intel Xeon L5609 @ 1.87GHz</u>	3,298	1256	NA
<u>AMD A10-8750</u>	3,299	1255	NA
<u>AMD Athlon X4 840</u>	3,302	1254	<u>33.69</u>
<u>AMD Embedded R-Series RX-421BD</u>	3,302	1253	NA
<u>Intel Core i7-4578U @ 3.00GHz</u>	3,305	1251	NA
<u>Intel Core i7-4610M @ 3.00GHz</u>	3,305	1252	NA
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,315	1250	NA
<u>MediaTek MT6853T</u>	3,316	1249	NA
<u>Intel Xeon D-1520 @ 2.20GHz</u>	3,324	1248	NA
<u>AMD FX-4150 Quad-Core</u>	3,327	1247	NA
<u>AMD Ryzen Embedded R1305G</u>	3,329	1246	NA
<u>AMD Phenom II X6 1405T</u>	3,335	1245	NA
<u>AMD PRO A8-9600</u>	3,347	1244	<u>28.13</u>
<u>Intel Core i3-4150 @ 3.50GHz</u>	3,348	1243	<u>14.97</u>
<u>Intel Core i5-6267U @ 2.90GHz</u>	3,348	1242	NA
<u>Intel Xeon W3570 @ 3.20GHz</u>	3,354	1241	<u>7.14</u>
<u>Intel Core i5-2300 @ 2.80GHz</u>	3,358	1240	<u>111.98</u>
<u>AMD FX-B4150 Quad-Core</u>	3,369	1239	<u>37.57</u>
<u>Intel Core i5-L16G7 @ 1.40GHz</u>	3,372	1238	<u>12.00</u>
<u>AMD Opteron 6136</u>	3,381	1237	<u>74.15</u>

 CPU Benchmarks

<u>Samsung Exynos 9825</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon E5-4603 @ 2.00GHz</u>	3,391	1234	<u>35.30</u>
<u>Intel Core i5-4340M @ 2.90GHz</u>	3,398	1233	NA
<u>Intel Core i5-7200U @ 2.50GHz</u>	3,399	1232	<u>6.81</u>
<u>Intel Core i7-6560U @ 2.20GHz</u>	3,400	1231	NA
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,404	1230	NA
<u>AMD A10 PRO-7850B APU</u>	3,406	1229	<u>23.01</u>
<u>Intel Core i5-2500S @ 2.70GHz</u>	3,408	1228	<u>61.59</u>
<u>AMD A12-9800E</u>	3,410	1227	<u>11.48</u>
<u>AMD A10-7850K APU</u>	3,415	1226	<u>5.47</u>
<u>AMD Athlon X4 870K</u>	3,425	1225	<u>42.81</u>
<u>AMD Embedded R-Series RX-418GD Radeon R6</u>	3,426	1224	NA
<u>Intel Core i5-5287U @ 2.90GHz</u>	3,428	1223	NA
<u>Intel Core i3-7100H @ 3.00GHz</u>	3,430	1222	<u>15.25</u>
<u>Intel Core i3-10110Y @ 1.00GHz</u>	3,444	1221	<u>12.00</u>
<u>Intel Xeon X5698 @ 4.40GHz</u>	3,447	1220	NA
<u>AMD Athlon X4 860K</u>	3,449	1219	<u>30.01</u>
<u>Intel Core i3-4160 @ 3.60GHz</u>	3,460	1218	<u>22.98</u>
<u>Intel Core i7-5557U @ 3.10GHz</u>	3,465	1217	<u>5.72</u>
<u>Intel Xeon W3580 @ 3.33GHz</u>	3,465	1216	<u>16.15</u>
<u>Intel Pentium Gold G5420 @ 3.80GHz</u>	3,473	1215	<u>19.30</u>
<u>AMD Opteron 6164 HE</u>	3,478	1214	NA
<u>AMD PRO A10-8770</u>	3,479	1213	NA
<u>Intel Xeon E5-1603 @ 2.80GHz</u>	3,484	1212	<u>233.05</u>
<u>Intel Core i3-7167U @ 2.80GHz</u>	3,489	1211	NA
<u>AMD A10-9700</u>	3,492	1210	<u>29.10</u>
<u>AMD A10-7870K</u>	3,498	1209	<u>15.41</u>
<u>Intel Core i7-6600U @ 2.60GHz</u>	3,514	1208	NA
<u>Intel Xeon E5-2418L @ 2.00GHz</u>	3,518	1207	NA
<u>AMD A10-8850</u>	3,525	1206	NA
<u>AMD A8-7680</u>	3,531	1205	<u>70.50</u>
<u>Intel Core i5-2310 @ 2.90GHz</u>	3,531	1204	<u>101.21</u>
<u>Intel Pentium G4560 @ 3.50GHz</u>	3,531	1203	<u>47.09</u>
<u>AMD A10-7890K</u>	3,535	1202	<u>29.41</u>

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i3-4330 @ 3.50GHz</u>	3,552	1199	<u>14.26</u>
<u>MT6875</u>	3,561	1199	NA
<u>AMD Opteron 6176 SE</u>	3,564	1198	<u>14.26</u>
<u>Intel Core i5-4460T @ 1.90GHz</u>	3,571	1197	NA
<u>Intel Pentium G4600 @ 3.60GHz</u>	3,579	1196	<u>36.38</u>
<u>AMD PRO A10-9700</u>	3,583	1195	<u>21.20</u>
<u>Intel Core i3-4340 @ 3.60GHz</u>	3,584	1194	<u>19.91</u>
<u>Intel Xeon E3-1265L @ 2.40GHz</u>	3,589	1193	<u>3.91</u>
<u>Qualcomm Technologies, Inc SM8150 Plus</u>	3,595	1192	NA
<u>AMD Phenom II X6 1090T</u>	3,605	1191	<u>22.81</u>
<u>Intel Core i7-6650U @ 2.20GHz</u>	3,610	1189	NA
<u>Intel Pentium Gold G6400T @ 3.40GHz</u>	3,610	1190	<u>56.40</u>
<u>AMD Athlon X4 880K</u>	3,612	1188	<u>36.12</u>
<u>Intel Core i3-4170 @ 3.70GHz</u>	3,620	1187	<u>14.48</u>
<u>MediaTek MT6873</u>	3,621	1186	NA
<u>AMD Athlon X4 950</u>	3,628	1185	<u>27.28</u>
<u>Intel Core i5-2320 @ 3.00GHz</u>	3,628	1184	<u>14.52</u>
<u>Intel Core i7-7600U @ 2.80GHz</u>	3,630	1183	NA
<u>Snapdragon 8cx @ 2.84 GHz</u>	3,634	1182	NA
<u>AMD FX-6100 Six-Core</u>	3,651	1181	<u>39.67</u>
<u>Intel Core i3-4360 @ 3.70GHz</u>	3,657	1180	<u>13.55</u>
<u>AMD A9-9820</u>	3,662	1179	NA
<u>Intel Xeon E5-2609 v2 @ 2.50GHz</u>	3,666	1178	<u>45.83</u>
<u>Intel Pentium Silver J5040 @ 2.00GHz</u>	3,667	1177	NA
<u>Intel Core i3-8130U @ 2.20GHz</u>	3,671	1176	<u>13.06</u>
<u>Intel Core i7-7500U @ 2.70GHz</u>	3,671	1175	<u>8.00</u>
<u>Intel Core i3-6100T @ 3.20GHz</u>	3,672	1174	<u>27.21</u>
<u>Intel Core i3-4370 @ 3.80GHz</u>	3,682	1173	<u>12.31</u>
<u>Intel Pentium Gold G5500 @ 3.80GHz</u>	3,689	1172	<u>36.02</u>
<u>AMD Phenom II X6 1100T</u>	3,691	1171	<u>14.88</u>
<u>AMD Ryzen 3 2200U</u>	3,695	1170	NA
<u>AMD Opteron 6174</u>	3,697	1169	<u>1.10</u>
<u>Intel Xeon E5630 @ 2.53GHz</u>	3,698	1168	<u>12.24</u>
<u>Intel Core i7-2710QE @ 2.10GHz</u>	3,704	1167	NA

 CPU Benchmarks

<u>Intel Pentium Gold G5600 @ 3.90GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
AMD Opteron 4332 HE	3,715	1164	100.44
<u>Intel Pentium Gold G5420T @ 3.20GHz</u>	3,716	1163	58.06
<u>Intel Pentium Gold G5400 @ 3.70GHz</u>	3,718	1162	53.13
<u>AMD Opteron 3280</u>	3,720	1161	37.95
<u>Intel Core i5-7300U @ 2.60GHz</u>	3,724	1160	5.01
<u>AMD Athlon X4 845</u>	3,742	1159	70.43
<u>ZHAOXIN KaiXian KX-U6780A@2.7GHz</u>	3,744	1158	NA
<u>Intel Xeon E3-1225 @ 3.10GHz</u>	3,749	1157	88.43
<u>AMD PRO A10-8850B</u>	3,752	1156	NA
<u>Intel Core i5-3335S @ 2.70GHz</u>	3,754	1155	NA
<u>Intel Pentium N6415 @ 1.20GHz</u>	3,760	1154	47.00
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	3,760	1153	20.89
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	3,777	1152	327.61
<u>Intel Core i5-2380P @ 3.10GHz</u>	3,797	1151	8.82
<u>Qualcomm Technologies, Inc SM8150P</u>	3,801	1150	NA
<u>Intel Core i5-3330S @ 2.70GHz</u>	3,812	1149	19.07
<u>Intel Core i5-2400 @ 3.10GHz</u>	3,815	1148	25.44
<u>Intel Core i7-2670QM @ 2.20GHz</u>	3,815	1147	29.58
<u>Intel Core i7-6567U @ 3.30GHz</u>	3,817	1146	NA
<u>Intel Pentium G4620 @ 3.70GHz</u>	3,818	1145	33.60
<u>Intel Core i3-8145U @ 2.10GHz</u>	3,821	1144	13.60
<u>AMD Ryzen Embedded V1202B</u>	3,823	1143	NA
<u>Intel Pentium Silver N6000 @ 1.10GHz</u>	3,827	1142	NA
<u>Intel Core i7-2840QM @ 2.40GHz</u>	3,842	1141	NA
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,844	1140	12.64
<u>AMD FX-8100 Eight-Core</u>	3,847	1139	27.87
<u>AMD PRO A12-8870</u>	3,848	1138	NA
<u>AMD PRO A12-9800</u>	3,852	1137	22.79
<u>Hisilicon Kirin980</u>	3,856	1136	NA
<u>Intel Core i3-7100T @ 3.40GHz</u>	3,861	1135	10.66
<u>Qualcomm Technologies, Inc SM8150</u>	3,876	1134	NA
<u>Intel Core i7-6660U @ 2.40GHz</u>	3,885	1133	9.36
<u>AMD FX-6120 Six-Core</u>	3,886	1132	38.87

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Xeon E3-1260L @ 2.40GHz</u>			
<u>Intel Core i7-985 @ 3.47GHz</u>	3,928	1129	NA
<u>Intel Core i7-7560U @ 2.40GHz</u>	3,939	1128	NA
<u>Intel Xeon E5-2603 v3 @ 1.60GHz</u>	3,948	1127	<u>14.62</u>
<u>AMD Opteron 4334</u>	3,949	1126	<u>6.43</u>
<u>AMD Ryzen 3 3200U</u>	3,964	1125	NA
<u>AMD Ryzen Embedded R1505G</u>	3,969	1124	NA
<u>AMD Opteron 3365</u>	3,973	1122	NA
<u>Intel Core i5-7260U @ 2.20GHz</u>	3,973	1123	<u>8.11</u>
<u>Intel Core i5-2450P @ 3.20GHz</u>	3,974	1121	<u>44.16</u>
<u>Intel Core i5-3340S @ 2.80GHz</u>	3,974	1120	<u>39.74</u>
<u>Intel Core i5-4430S @ 2.70GHz</u>	3,984	1119	<u>24.90</u>
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,985	1118	<u>34.06</u>
<u>AMD FX-6200 Six-Core</u>	3,999	1117	<u>13.33</u>
<u>Intel Pentium Gold G6500T @ 3.50GHz</u>	4,005	1116	<u>53.40</u>
<u>Microsoft ARM SQ1 @ 3.0 GHz</u>	4,014	1115	NA
<u>Intel Xeon E5640 @ 2.67GHz</u>	4,018	1114	<u>105.76</u>
<u>AMD Athlon 300U</u>	4,030	1113	NA
<u>Intel Core i5-4590T @ 2.00GHz</u>	4,032	1112	<u>19.20</u>
<u>Intel Xeon E5-2407 v2 @ 2.40GHz</u>	4,034	1111	<u>16.20</u>
<u>Intel Core i3-6300T @ 3.30GHz</u>	4,040	1109	<u>23.26</u>
<u>Intel Core i7-2720QM @ 2.20GHz</u>	4,040	1110	<u>22.45</u>
<u>AMD Opteron 6212</u>	4,046	1107	<u>202.80</u>
<u>Intel Core i3-10110U @ 2.10GHz</u>	4,046	1108	<u>7.93</u>
<u>AMD A8-7500</u>	4,048	1106	NA
<u>Intel Core i5-3330 @ 3.00GHz</u>	4,050	1105	<u>34.71</u>
<u>AMD Opteron 6234</u>	4,072	1104	<u>9.03</u>
<u>Intel Celeron J6413 @ 1.80GHz</u>	4,075	1103	NA
<u>Intel Core i5-2500 @ 3.30GHz</u>	4,076	1102	<u>18.47</u>
<u>Intel Core i5-3475S @ 2.90GHz</u>	4,081	1101	<u>28.44</u>
<u>Intel Core i5-2500K @ 3.30GHz</u>	4,094	1100	<u>9.43</u>
<u>Intel Core i3-6098P @ 3.60GHz</u>	4,096	1099	<u>30.63</u>
<u>Intel Pentium Gold G5620 @ 4.00GHz</u>	4,102	1098	<u>20.81</u>
<u>Intel Core i5-7267U @ 3.10GHz</u>	4,106	1097	NA

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Core i3-8145UE @ 2.20GHz</u>			
<u>AMD FX-6300 Six-Core</u>	4,135	1094	<u>34.49</u>
<u>AMD Athlon PRO 200GE</u>	4,139	1093	NA
<u>AMD Ryzen 3 3250U</u>	4,146	1092	NA
<u>Intel Core i5-7287U @ 3.30GHz</u>	4,149	1091	NA
<u>Intel Core i3-7300T @ 3.50GHz</u>	4,159	1090	<u>22.90</u>
<u>Intel Pentium Gold G5600F @ 3.90GHz</u>	4,160	1089	NA
<u>Hisilicon Kirin985</u>	4,162	1088	NA
<u>Intel Core i3-6100 @ 3.70GHz</u>	4,165	1087	<u>24.44</u>
<u>Intel Core i5-3570T @ 2.30GHz</u>	4,168	1086	NA
<u>AMD Athlon 200GE</u>	4,170	1085	<u>53.56</u>
<u>Intel Pentium Gold G6400 @ 4.00GHz</u>	4,171	1084	<u>64.17</u>
<u>Intel Core i5-2550K @ 3.40GHz</u>	4,180	1083	<u>59.76</u>
<u>Intel Core i5-4440S @ 2.80GHz</u>	4,181	1082	<u>9.03</u>
<u>AMD Ryzen Embedded V1500B</u>	4,194	1081	NA
<u>Apple A11 Bionic</u>	4,197	1080	NA
<u>Intel Core i7-7660U @ 2.50GHz</u>	4,207	1079	NA
<u>Intel Core i7-7567U @ 3.50GHz</u>	4,210	1078	<u>5.74</u>
<u>Intel Pentium Gold G6500 @ 4.10GHz</u>	4,213	1077	<u>43.44</u>
<u>Intel Core i5-3350P @ 3.10GHz</u>	4,214	1076	<u>28.10</u>
<u>AMD Athlon Gold 3150U</u>	4,224	1075	NA
<u>Intel Core i5-3340 @ 3.10GHz</u>	4,225	1074	<u>24.56</u>
<u>Intel Core i5-7360U @ 2.30GHz</u>	4,233	1073	NA
<u>Intel Xeon E5-2648L @ 1.80GHz</u>	4,235	1072	NA
<u>Intel Core i5-3450S @ 2.80GHz</u>	4,252	1071	<u>44.75</u>
<u>Intel Core i7-2960XM @ 2.70GHz</u>	4,252	1070	<u>10.37</u>
<u>Intel Core i7-4770TE @ 2.30GHz</u>	4,257	1069	NA
<u>Intel Core i7-2820QM @ 2.30GHz</u>	4,270	1068	<u>25.41</u>
<u>Intel Atom C3958 @ 2.00GHz</u>	4,281	1067	<u>9.53</u>
<u>Hisilicon Kirin990</u>	4,288	1066	NA
<u>Intel Core i3-7100 @ 3.90GHz</u>	4,291	1065	<u>30.66</u>
<u>AMD Ryzen 3 PRO 2100GE</u>	4,308	1064	NA
<u>Intel Xeon E5-1607 v2 @ 3.00GHz</u>	4,314	1063	<u>172.90</u>
<u>Intel Core i5-3470S @ 2.90GHz</u>	4,324	1062	<u>19.00</u>

 CPU Benchmarks

<u>Intel Core i5-4670T @ 2.30GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
AMD FX-6130 Six-Core	4,353	1059	NA
Intel Core i3-8109U @ 3.00GHz	4,354	1058	9.20
Intel Core i7-2600S @ 2.80GHz	4,355	1057	11.46
Intel Core i5-6400T @ 2.20GHz	4,358	1056	16.77
Intel Core i3-1000NG4 @ 1.10GHz	4,361	1055	NA
Intel Core i3-8121U @ 2.20GHz	4,369	1054	15.07
Intel Core i7-2920XM @ 2.50GHz	4,370	1053	36.42
AMD Ryzen Embedded R1606G	4,371	1052	NA
AMD Opteron 4386	4,378	1051	55.43
Intel Xeon E5-2609 v3 @ 1.90GHz	4,391	1049	12.85
Qualcomm Technologies, Inc SM8350	4,391	1050	NA
Intel Core i3-6300 @ 3.80GHz	4,406	1047	14.69
Intel Core i7-2760QM @ 2.40GHz	4,406	1048	31.92
Intel Core i5-4690T @ 2.50GHz	4,410	1046	NA
Intel Xeon L5639 @ 2.13GHz	4,419	1045	NA
Intel Core i7-3612QM @ 2.10GHz	4,438	1044	NA
Intel Core i5-3550S @ 3.00GHz	4,440	1043	13.88
Intel Core i3-6320 @ 3.90GHz	4,441	1042	8.18
Renoir based on Qualcomm Technologies, Inc SM7350	4,442	1041	NA
Intel Core i5-3450 @ 3.10GHz	4,443	1040	22.22
AMD Athlon 3000G	4,454	1039	81.00
AMD FX-6330 Six-Core	4,455	1038	NA
AMD FX-6350 Six-Core	4,460	1037	30.13
Intel Pentium Gold G6600 @ 4.20GHz	4,463	1036	51.90
Intel Core i5-4460S @ 2.90GHz	4,472	1035	6.78
Samsung Exynos 2100	4,480	1034	NA
AMD Opteron 4280	4,504	1033	90.07
Apple A12 Bionic	4,517	1032	NA
Intel Xeon E5-1603 v3 @ 2.80GHz	4,517	1031	350.70
Intel Core i5-6442EQ @ 1.90GHz	4,519	1030	18.08
Intel Xeon X5647 @ 2.93GHz	4,522	1029	226.91
Intel Core i7-2860QM @ 2.50GHz	4,523	1028	24.85
AMD FX-8120 Eight-Core	4,533	1027	28.69

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Xeon X5667 @ 3.07GHz</u>	4,545	1024	NA
<u>AMD Athlon Silver 3050GE</u>	4,545	1024	NA
<u>Intel Core i7-3632QM @ 2.20GHz</u>	4,560	1023	<u>25.62</u>
<u>Intel Core i5-3570S @ 3.10GHz</u>	4,582	1021	<u>43.64</u>
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	4,582	1022	<u>30.96</u>
<u>Intel Xeon L5640 @ 2.27GHz</u>	4,591	1020	<u>51.04</u>
<u>Intel Core i7-3635QM @ 2.40GHz</u>	4,622	1019	NA
<u>AMD Athlon 240GE</u>	4,634	1017	<u>20.97</u>
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	4,634	1018	<u>103.00</u>
<u>Qualcomm Snapdragon 8350</u>	4,635	1016	NA
<u>Intel Core i5-3470 @ 3.20GHz</u>	4,645	1015	<u>37.77</u>
<u>AMD Opteron 4284</u>	4,665	1014	<u>77.77</u>
<u>Intel Core i5-6300HQ @ 2.30GHz</u>	4,671	1013	NA
<u>Intel Atom C3758 @ 2.20GHz</u>	4,675	1012	<u>24.22</u>
<u>Intel Core i5-4440 @ 3.10GHz</u>	4,679	1011	<u>16.71</u>
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	4,684	1010	<u>11.71</u>
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,695	1009	<u>33.57</u>
<u>AMD Athlon Silver PRO 3125GE</u>	4,701	1008	NA
<u>Intel Core i5-4430 @ 3.00GHz</u>	4,711	1007	<u>31.41</u>
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	4,712	1006	<u>9.44</u>
<u>Intel Core i5-7400T @ 2.40GHz</u>	4,719	1005	<u>14.27</u>
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	4,725	1004	<u>20.19</u>
<u>Intel Core i5-4470S @ 3.00GHz</u>	4,742	1003	NA
<u>AMD Opteron 6220</u>	4,753	1002	<u>18.64</u>
<u>Hisilicon Kirin9000</u>	4,760	1001	NA
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	4,764	1000	<u>10.62</u>
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,765	999	NA
<u>Intel Core i7-3610QE @ 2.30GHz</u>	4,767	998	NA
<u>Intel Core i3-7300 @ 4.00GHz</u>	4,769	997	<u>18.37</u>
<u>Intel Core i5-3550 @ 3.30GHz</u>	4,774	996	<u>15.71</u>
<u>Intel Core i7-3612QE @ 2.10GHz</u>	4,783	995	NA
<u>Intel Xeon D-1518 @ 2.20GHz</u>	4,784	994	NA
<u>Intel Core i5-4460 @ 3.20GHz</u>	4,801	993	<u>40.03</u>
<u>Intel Core i5-6500T @ 2.50GHz</u>	4,808	992	<u>18.71</u>

 CPU Benchmarks ▼

<u>Intel Xeon E5-1603 v4 @ 2.80GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Core i5-7442EQ @ 2.10GHz</u>	4,834	989	19.34
<u>Intel Xeon E3-1505L v5 @ 2.00GHz</u>	4,838	988	NA
<u>Intel Core i3-7320 @ 4.10GHz</u>	4,856	987	26.57
<u>AMD Opteron 6366 HE</u>	4,858	986	162.00
<u>Intel Core i3-7350K @ 4.20GHz</u>	4,870	985	24.35
<u>Intel Core i5-3570 @ 3.40GHz</u>	4,872	984	35.63
<u>Intel Xeon Bronze 3104 @ 1.70GHz</u>	4,887	983	20.92
<u>AMD Athlon 300GE</u>	4,905	982	NA
<u>Star based on Qualcomm Technologies, Inc SM8350</u>	4,907	981	NA
<u>Intel Core i5-10210Y @ 1.00GHz</u>	4,918	980	NA
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,920	979	54.25
<u>Intel Core i7-4765T @ 2.00GHz</u>	4,924	978	20.31
<u>Intel Core i5-4570S @ 2.90GHz</u>	4,926	977	23.41
<u>Intel Xeon E5649 @ 2.53GHz</u>	4,936	976	52.79
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	4,941	975	NA
<u>AMD FX-8140 Eight-Core</u>	4,953	974	33.27
<u>AMD FX-8320E Eight-Core</u>	4,968	973	27.91
<u>Intel Xeon E3-1230 @ 3.20GHz</u>	4,984	972	11.92
<u>Intel Xeon E5-1607 v3 @ 3.10GHz</u>	4,987	971	NA
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	4,988	970	5.64
<u>Venus based on Qualcomm Technologies, Inc SM8350</u>	4,993	969	NA
<u>Intel Xeon E3-1235L v5 @ 2.00GHz</u>	5,013	968	NA
<u>Intel Xeon E5-2430L v2 @ 2.40GHz</u>	5,014	967	NA
<u>Intel Xeon E5645 @ 2.40GHz</u>	5,024	966	125.62
<u>AMD FX-8150 Eight-Core</u>	5,027	965	39.27
<u>Intel Core i5-4670K CPT @ 3.40GHz</u>	5,034	964	NA
<u>Apple A13 Bionic</u>	5,054	963	NA
<u>Intel Core i5-5575R @ 2.80GHz</u>	5,062	961	NA
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,062	962	12.66
<u>Intel Xeon E3-1240L v3 @ 2.00GHz</u>	5,062	960	NA
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	5,074	959	14.62
<u>Intel Xeon Bronze 3204 @ 1.90GHz</u>	5,080	958	22.58
<u>Qualcomm Technologies, Inc SM8250</u>	5,084	957	NA

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	5,115	954	<u>9.36</u>
<u>AMD FX-8370E Eight-Core</u>	5,116	953	<u>12.79</u>
<u>Intel Core i7-3610QM @ 2.30GHz</u>	5,117	952	<u>20.47</u>
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,121	951	NA
<u>Intel Xeon X5672 @ 3.20GHz</u>	5,123	950	<u>113.88</u>
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	5,125	949	NA
<u>AMD Opteron 6272</u>	5,146	948	<u>26.58</u>
<u>Intel Xeon W-2102 @ 2.90GHz</u>	5,149	947	<u>17.94</u>
<u>Intel Core i5-6440HQ @ 2.60GHz</u>	5,151	946	NA
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,154	945	<u>38.18</u>
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,162	944	<u>52.65</u>
<u>Intel Core i7-3615QM @ 2.30GHz</u>	5,168	943	NA
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,174	942	NA
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	5,176	941	<u>13.62</u>
<u>Intel Core i5-4670S @ 3.10GHz</u>	5,178	940	<u>24.31</u>
<u>Intel Xeon X5677 @ 3.47GHz</u>	5,184	939	<u>47.13</u>
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	5,193	938	NA
<u>Haydn based on Qualcomm Technologies, Inc SM8350</u>	5,201	937	NA
<u>AMD Opteron 6328</u>	5,210	936	<u>3.16</u>
<u>AMD FX-8310 Eight-Core</u>	5,211	935	<u>27.71</u>
<u>Intel Core i3-1005G1 @ 1.20GHz</u>	5,218	934	<u>18.57</u>
<u>Intel Core i7-6822EQ @ 2.00GHz</u>	5,241	933	NA
<u>AMD FX-8300 Eight-Core</u>	5,246	932	<u>31.22</u>
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	5,257	931	<u>22.00</u>
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	5,259	930	<u>9.19</u>
<u>Intel Xeon E3-1225 v3 @ 3.20GHz</u>	5,265	929	<u>87.76</u>
<u>Intel Xeon E5-2430L @ 2.00GHz</u>	5,273	928	<u>163.36</u>
<u>Intel Core i7-4860EQ @ 1.80GHz</u>	5,280	927	NA
<u>AMD Opteron 6274</u>	5,286	926	<u>5.97</u>
<u>Intel Core i7-10510Y @ 1.20GHz</u>	5,289	925	<u>13.12</u>
<u>Intel Xeon E5-2630L @ 2.00GHz</u>	5,305	924	NA
<u>Intel Core i3-8100T @ 3.10GHz</u>	5,311	922	<u>37.77</u>
<u>Intel Core i5-4590 @ 3.30GHz</u>	5,311	923	<u>40.23</u>

 CPU Benchmarks ▼

<u>Intel Core i7-2600 @ 3.40GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Core i5-6500TE @ 2.30GHz</u>	5,329	919	<u>23.11</u>
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	5,331	918	<u>28.36</u>
<u>Intel Xeon E3-1268L v3 @ 2.30GHz</u>	5,333	917	NA
<u>Intel Core i5-4670R @ 3.00GHz</u>	5,335	916	<u>19.33</u>
<u>Intel Xeon X5687 @ 3.60GHz</u>	5,351	915	<u>35.68</u>
<u>Intel Xeon E3-1270 @ 3.40GHz</u>	5,365	914	<u>17.59</u>
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,368	913	NA
<u>Intel Core i5-7500T @ 2.70GHz</u>	5,376	912	<u>14.35</u>
<u>Intel Core i5-4670 @ 3.40GHz</u>	5,384	911	<u>17.17</u>
<u>Intel Xeon E3-1226 v3 @ 3.30GHz</u>	5,385	910	<u>52.80</u>
<u>Intel Core i7-4785T @ 2.20GHz</u>	5,388	909	NA
<u>AMD FX-8320 Eight-Core</u>	5,392	908	<u>30.80</u>
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,403	907	<u>15.04</u>
<u>Intel Core i5-8365UE @ 1.60GHz</u>	5,408	906	<u>18.21</u>
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	5,415	905	<u>14.33</u>
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	5,433	904	<u>7.25</u>
<u>Intel Xeon E5-1607 v4 @ 3.10GHz</u>	5,438	903	<u>135.98</u>
<u>Intel Core i5-760S @ 2.53GHz</u>	5,440	902	NA
<u>AMD Ryzen 3 2300U</u>	5,450	901	NA
<u>Intel Core i7-2600K @ 3.40GHz</u>	5,460	900	<u>11.15</u>
<u>AMD Ryzen Embedded V1404I</u>	5,491	899	NA
<u>Intel Core i5-4670K @ 3.40GHz</u>	5,493	898	<u>15.70</u>
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	5,505	897	<u>14.37</u>
<u>Intel Core i5-7400 @ 3.00GHz</u>	5,510	896	<u>30.61</u>
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	5,510	895	<u>15.39</u>
<u>Intel Core i5-6402P @ 2.80GHz</u>	5,515	894	<u>29.03</u>
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	5,521	893	<u>2.27</u>
<u>Intel Core i5-5675C @ 3.10GHz</u>	5,529	892	<u>17.84</u>
<u>Intel Core i5-7440HQ @ 2.80GHz</u>	5,565	891	NA
<u>AMD Opteron 6376</u>	5,572	890	<u>2.64</u>
<u>Intel Pentium Gold 7505 @ 2.00GHz</u>	5,574	889	NA
<u>Intel Core i5-4690K @ 3.50GHz</u>	5,592	888	<u>13.24</u>
<u>Intel Core i5-4690 @ 3.50GHz</u>	5,593	887	<u>31.61</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i5-5675R @ 3.10GHz</u>	5,609	884	<u>17.00</u>
<u>Intel Core i7-3770T @ 2.50GHz</u>	5,617	883	<u>41.76</u>
<u>Intel Core i7-2700K @ 3.50GHz</u>	5,620	880	<u>25.20</u>
<u>Intel Core i7-3820QM @ 2.70GHz</u>	5,620	882	<u>20.43</u>
<u>Intel Core i7-4722HQ @ 2.40GHz</u>	5,620	881	NA
<u>AMD Opteron 6238</u>	5,625	879	<u>16.08</u>
<u>Intel Xeon D-1559 @ 1.50GHz</u>	5,647	878	NA
<u>Intel Core i5-6600T @ 2.70GHz</u>	5,649	877	<u>19.48</u>
<u>Intel Core i5-1030NG7 @ 1.10GHz</u>	5,651	876	NA
<u>Intel Core i5-6500 @ 3.20GHz</u>	5,656	874	<u>13.34</u>
<u>Intel Core i7-3740QM @ 2.70GHz</u>	5,656	875	<u>25.94</u>
<u>Intel Core i3-9100T @ 3.10GHz</u>	5,660	873	<u>46.40</u>
<u>Intel Xeon E3-1205 v6 @ 3.00GHz</u>	5,682	872	<u>29.44</u>
<u>Intel Core i7-3720QM @ 2.60GHz</u>	5,684	871	<u>29.01</u>
<u>Intel Core i7-3940XM @ 3.00GHz</u>	5,697	870	<u>16.56</u>
<u>Intel Core i7-4720HQ @ 2.60GHz</u>	5,701	869	NA
<u>Intel Core i3-9100TE @ 2.20GHz</u>	5,705	868	<u>46.76</u>
<u>Intel Core i5-7440EQ @ 2.90GHz</u>	5,711	867	<u>22.84</u>
<u>Intel Core i7-3920XM @ 2.90GHz</u>	5,757	866	<u>5.25</u>
<u>Intel Xeon E5-2440 @ 2.40GHz</u>	5,766	865	<u>7.78</u>
<u>Intel Xeon E5-2450L @ 1.80GHz</u>	5,769	864	<u>88.76</u>
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	5,775	863	<u>21.27</u>
<u>AMD Opteron 4274 HE</u>	5,776	862	<u>144.44</u>
<u>Intel Xeon X5650 @ 2.67GHz</u>	5,787	861	<u>27.84</u>
<u>Intel Core i7-3820 @ 3.60GHz</u>	5,790	860	<u>19.30</u>
<u>Intel Core i3-8300T @ 3.20GHz</u>	5,827	859	<u>36.66</u>
<u>Intel Xeon E5-1410 v2 @ 2.80GHz</u>	5,842	858	<u>304.26</u>
<u>Intel Xeon E3-1225 v5 @ 3.30GHz</u>	5,848	857	<u>23.79</u>
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,865	856	<u>17.87</u>
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	5,867	855	<u>24.80</u>
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	5,878	854	<u>30.28</u>
<u>AMD Ryzen 3 3300U</u>	5,886	853	NA
<u>AMD Opteron 6378</u>	5,889	852	<u>15.14</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i7-5700EQ @ 2.60GHz</u>	5,905	849	85.92
<u>Intel Xeon E5-2650L @ 1.80GHz</u>	5,929	849	85.92
<u>Intel Xeon D-1521 @ 2.40GHz</u>	5,931	848	NA
<u>AMD FX-8350 Eight-Core</u>	5,936	847	24.32
<u>Intel Core i7-3840QM @ 2.80GHz</u>	5,944	846	10.83
<u>Intel Xeon E3-1275L v3 @ 2.70GHz</u>	5,949	845	NA
<u>Intel Core i7-8550U @ 1.80GHz</u>	5,951	844	NA
<u>Intel Core i7-5700HQ @ 2.70GHz</u>	5,966	843	NA
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,974	842	37.37
<u>Intel Core i5-8250U @ 1.60GHz</u>	5,979	841	NA
<u>Intel Core i5-8265UC @ 1.60GHz</u>	5,988	840	NA
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	5,988	839	13.80
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	5,993	838	10.21
<u>Intel Core i5-7600T @ 2.80GHz</u>	6,021	837	21.46
<u>Intel Xeon E3-1240L v5 @ 2.10GHz</u>	6,025	836	21.67
<u>Intel Core i7-4770T @ 2.50GHz</u>	6,026	835	15.06
<u>AMD FX-9370 Eight-Core</u>	6,032	834	30.18
<u>Intel Xeon E3-1220 v6 @ 3.00GHz</u>	6,048	833	28.94
<u>AMD Ryzen 3 PRO 3300U</u>	6,060	832	NA
<u>Intel Core i5-7500 @ 3.40GHz</u>	6,064	831	27.57
<u>AMD Opteron 6344</u>	6,069	830	16.01
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	6,073	829	4.15
<u>Intel Xeon E3-1505L v6 @ 2.20GHz</u>	6,088	828	NA
<u>Intel Core i7-5675C @ 3.10GHz</u>	6,089	827	NA
<u>Intel Core i5-6600 @ 3.30GHz</u>	6,105	826	23.29
<u>Intel Core i7-1185GRE @ 2.80GHz</u>	6,107	825	NA
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	6,122	824	35.59
<u>Intel Xeon E3-1245 V2 @ 3.40GHz</u>	6,127	823	16.67
<u>Intel Core i3-8100 @ 3.60GHz</u>	6,129	822	21.21
<u>Intel Core i5-8265U @ 1.60GHz</u>	6,133	821	12.27
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	6,134	820	56.08
<u>Intel Xeon X5670 @ 2.93GHz</u>	6,159	819	131.04
<u>AMD FX-8370 Eight-Core</u>	6,183	818	13.92
<u>Intel Core i7-8565UC @ 1.80GHz</u>	6,187	817	NA

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	6,206	814	<u>24.83</u>
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	6,213	813	<u>17.76</u>
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,215	812	<u>32.20</u>
<u>Intel Xeon E-2104G @ 3.20GHz</u>	6,216	811	NA
<u>AMD Ryzen 3 PRO 2300U</u>			
<u>Intel Core i7-4770HQ @ 2.20GHz</u>	6,236	810	NA
<u>AMD Ryzen 3 PRO 2200GE</u>	6,238	809	NA
<u>Intel Xeon X5660 @ 2.80GHz</u>	6,252	808	<u>62.44</u>
<u>AMD Ryzen 3 1200</u>	6,266	807	<u>45.44</u>
<u>Intel Core i3-8300 @ 3.70GHz</u>	6,283	806	<u>38.32</u>
<u>Intel Core i5-6600K @ 3.50GHz</u>	6,287	805	<u>30.10</u>
<u>Intel Xeon E5-4617 @ 2.90GHz</u>	6,298	804	<u>175.52</u>
<u>Intel Core i7-4760HQ @ 2.10GHz</u>	6,300	803	NA
<u>AMD Ryzen 3 2200GE</u>	6,304	802	NA
<u>Intel Xeon E3-1240 V2 @ 3.40GHz</u>	6,305	801	<u>18.28</u>
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,317	800	<u>21.27</u>
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	6,317	799	<u>54.22</u>
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	6,325	798	<u>13.75</u>
<u>Intel Core i3-1115G4 @ 3.00GHz</u>	6,331	797	<u>22.53</u>
<u>Intel Core i7-4790T @ 2.70GHz</u>	6,332	796	<u>31.68</u>
<u>Intel Xeon E-2254ML @ 1.70GHz</u>	6,333	795	NA
<u>Intel Xeon E5-2630L v2 @ 2.40GHz</u>	6,337	794	<u>34.07</u>
<u>Intel Xeon E3-1225 v6 @ 3.30GHz</u>	6,343	793	<u>27.46</u>
<u>AMD Opteron 6276</u>	6,351	792	<u>90.74</u>
<u>Intel Xeon W-2104 @ 3.20GHz</u>	6,362	791	<u>24.95</u>
<u>Intel Core i7-3770 @ 3.40GHz</u>	6,365	790	<u>40.76</u>
<u>AMD Ryzen 3 PRO 1200</u>	6,376	789	NA
<u>Intel Core i7-8565U @ 1.80GHz</u>	6,381	788	<u>10.64</u>
<u>Intel Xeon X5675 @ 3.07GHz</u>	6,384	787	<u>67.20</u>
<u>AMD Opteron 6282 SE</u>	6,385	786	<u>10.13</u>
<u>Intel Xeon E3-1265L v3 @ 2.50GHz</u>	6,394	785	<u>9.14</u>
<u>Intel Xeon E3-1275 V2 @ 3.50GHz</u>	6,398	784	<u>8.54</u>
<u>Intel Core i5-8365U @ 1.60GHz</u>	6,402	783	<u>12.25</u>
<u>Intel Xeon E5-2608L v3 @ 2.00GHz</u>	6,415	782	<u>14.55</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i3-8100B @ 3.60GHz</u>	6,423	779	<u>10.31</u>
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	6,423	779	<u>10.31</u>
<u>Intel Xeon E3-1286L v3 @ 3.20GHz</u>	6,450	778	<u>8.33</u>
<u>Intel Xeon E5-4610 @ 2.40GHz</u>	6,460	777	<u>5.28</u>
<u>Intel Core i7-4770R @ 3.20GHz</u>	6,464	776	NA
<u>Intel Xeon W3670 @ 3.20GHz</u>	6,484	775	<u>12.97</u>
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,488	774	NA
<u>Intel Xeon E5-2420 v2 @ 2.20GHz</u>	6,492	773	<u>38.20</u>
<u>Intel Xeon E3-1265L v4 @ 2.30GHz</u>	6,493	771	NA
<u>Intel Xeon E3-1280 V2 @ 3.60GHz</u>	6,493	772	<u>12.37</u>
<u>Intel Core i5-10210U @ 1.60GHz</u>	6,494	770	<u>11.81</u>
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	6,496	769	NA
<u>Intel Core i5-7640X @ 4.00GHz</u>	6,497	768	<u>29.53</u>
<u>Intel Core i7-8650U @ 1.90GHz</u>	6,500	767	<u>6.20</u>
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	6,509	766	<u>5.93</u>
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	6,514	765	<u>24.21</u>
<u>Intel Core i7-6700HQ @ 2.60GHz</u>	6,515	764	<u>17.24</u>
<u>Intel Xeon Bronze 3106 @ 1.70GHz</u>	6,532	763	<u>19.79</u>
<u>Intel Core i7-8665U @ 1.90GHz</u>	6,533	762	<u>9.27</u>
<u>Intel Core i7-4820K @ 3.70GHz</u>	6,541	761	<u>21.81</u>
<u>Intel Xeon E5-1620 v2 @ 3.70GHz</u>	6,548	760	<u>20.92</u>
<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	6,551	759	<u>7.40</u>
<u>Intel Xeon E5-1428L v2 @ 2.20GHz</u>	6,566	758	<u>234.50</u>
<u>Intel Core i7-8665UE @ 1.70GHz</u>	6,587	757	<u>16.10</u>
<u>Intel Xeon Platinum 8151 @ 3.40GHz</u>	6,591	756	NA
<u>Intel Xeon E3-1268L v5 @ 2.40GHz</u>	6,600	755	<u>14.46</u>
<u>AMD Ryzen 3 PRO 2200G</u>	6,622	754	NA
<u>Intel Xeon Silver 4112 @ 2.60GHz</u>	6,625	753	<u>13.12</u>
<u>Intel Xeon E5-2623 v4 @ 2.60GHz</u>	6,644	752	<u>12.10</u>
<u>Intel Core i5-7600 @ 3.50GHz</u>	6,657	751	<u>27.89</u>
<u>Intel Xeon E5-2637 v2 @ 3.50GHz</u>	6,666	750	<u>111.11</u>
<u>AMD Ryzen 5 2500U</u>	6,672	749	NA
<u>Intel Xeon X5680 @ 3.33GHz</u>	6,690	748	<u>74.33</u>
<u>AMD Ryzen 5 PRO 2500U</u>	6,697	747	NA

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i3-9100 @ 3.60GHz</u>	6,732	744	<u>15.04</u>
<u>Intel Xeon W3680 @ 3.33GHz</u>	6,732	744	<u>15.04</u>
<u>Intel Core i7-980X @ 3.33GHz</u>	6,737	743	<u>6.13</u>
<u>AMD Ryzen 3 2200G</u>	6,764	742	<u>28.19</u>
<u>Intel Core i7-970 @ 3.20GHz</u>	6,774	741	<u>14.04</u>
<u>Intel Xeon E5-2448L v2 @ 1.80GHz</u>	6,774	740	<u>4.76</u>
<u>Intel Core i3-9100F @ 3.60GHz</u>	6,778	739	<u>36.84</u>
<u>Intel Xeon D-1528 @ 1.90GHz</u>	6,806	738	NA
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	6,808	737	<u>13.16</u>
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	6,813	736	NA
<u>Intel Core i7-4930MX @ 3.00GHz</u>	6,821	735	<u>6.22</u>
<u>AMD Ryzen 7 2700U</u>	6,823	734	NA
<u>Intel Xeon E5-4620 @ 2.20GHz</u>	6,830	733	<u>50.89</u>
<u>Intel Core i7-4770S @ 3.10GHz</u>	6,836	732	<u>7.60</u>
<u>Intel Xeon E3-1285L v3 @ 3.10GHz</u>	6,848	731	<u>7.62</u>
<u>AMD Ryzen Embedded V1605B</u>	6,864	730	NA
<u>Intel Core i7-5850HQ @ 2.70GHz</u>	6,866	729	<u>15.82</u>
<u>Intel Core i5-7600K @ 3.80GHz</u>	6,879	728	<u>28.67</u>
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	6,884	727	<u>27.65</u>
<u>Intel Core i3-8350K @ 4.00GHz</u>	6,885	726	<u>37.24</u>
<u>Intel Xeon X5690 @ 3.47GHz</u>	6,901	725	<u>26.54</u>
<u>AMD Ryzen 3 1300X</u>	6,902	724	<u>21.19</u>
<u>Intel Core i7-6820HQ @ 2.70GHz</u>	6,902	723	NA
<u>Intel Xeon E3-1285 v3 @ 3.60GHz</u>	6,919	722	NA
<u>Intel Core i7-6820EQ @ 2.80GHz</u>	6,924	721	NA
<u>AMD Opteron 6287 SE</u>	6,925	720	NA
<u>Intel Xeon E5-2440 v2 @ 1.90GHz</u>	6,927	719	<u>13.86</u>
<u>Intel Core i7-6700TE @ 2.40GHz</u>	6,935	718	NA
<u>AMD Ryzen 5 PRO 3500U</u>	6,938	717	NA
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	6,956	716	<u>13.91</u>
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,964	715	<u>18.42</u>
<u>Intel Xeon E3-1240 v3 @ 3.40GHz</u>	6,966	714	<u>10.41</u>
<u>Intel Core i7-4790S @ 3.20GHz</u>	6,968	713	<u>10.68</u>
<u>AMD Ryzen 5 3450U</u>	6,971	712	NA

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Core i7-10510U @ 1.80GHz</u>	6,978	709	<u>17.03</u>
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	6,980	709	<u>17.03</u>
<u>Intel Xeon D-1540 @ 2.00GHz</u>	6,982	708	NA
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,986	707	<u>5.53</u>
<u>Intel Core i7-980 @ 3.33GHz</u>	6,994	706	<u>6.36</u>
<u>Intel Core i5-8279U @ 2.40GHz</u>	7,014	705	<u>21.92</u>
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	7,016	704	<u>9.37</u>
<u>AMD Opteron 6386 SE</u>	7,017	703	<u>51.94</u>
<u>Intel Core i7-4771 @ 3.50GHz</u>	7,029	702	<u>11.12</u>
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	7,033	701	<u>23.52</u>
<u>Intel Core i7-4770 @ 3.40GHz</u>	7,034	700	<u>24.68</u>
<u>Intel Core i5-10310U @ 1.70GHz</u>	7,036	698	<u>23.69</u>
<u>Intel Core i7-5850EQ @ 2.70GHz</u>	7,036	699	<u>16.17</u>
<u>Intel Xeon E-2124 @ 3.30GHz</u>	7,036	697	<u>33.36</u>
<u>Intel Core i7-6820HK @ 2.70GHz</u>	7,041	696	<u>18.63</u>
<u>Intel Core i7-4940MX @ 3.10GHz</u>	7,047	695	<u>10.07</u>
<u>AMD Ryzen 3 PRO 3200G</u>	7,057	694	NA
<u>Intel Core i7-7820EQ @ 3.00GHz</u>	7,059	693	<u>18.67</u>
<u>Intel Core i5-8305G @ 2.80GHz</u>	7,073	692	NA
<u>Intel Core i7-4770K @ 3.50GHz</u>	7,078	691	<u>21.45</u>
<u>Intel Core i7-995X @ 3.60GHz</u>	7,079	690	NA
<u>Intel Xeon X5679 @ 3.20GHz</u>	7,095	689	NA
<u>Intel Xeon E3-1505M v5 @ 2.80GHz</u>	7,100	688	NA
<u>AMD Ryzen 3 PRO 3200GE</u>	7,113	687	NA
<u>Intel Xeon D-1557 @ 1.50GHz</u>	7,118	686	<u>10.26</u>
<u>Intel Core i7-10610U @ 1.80GHz</u>	7,124	685	<u>17.42</u>
<u>Intel Xeon E3-1241 v3 @ 3.50GHz</u>	7,126	684	<u>8.65</u>
<u>Intel Xeon W3690 @ 3.47GHz</u>	7,145	683	<u>38.83</u>
<u>AMD Ryzen 7 PRO 2700U</u>	7,146	682	NA
<u>AMD Ryzen 5 3500U</u>	7,149	681	NA
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,150	680	NA
<u>Intel Xeon D-1539 @ 1.60GHz</u>	7,175	679	<u>14.76</u>
<u>Intel Xeon D-1537 @ 1.70GHz</u>	7,176	678	<u>12.57</u>
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	7,177	677	<u>12.27</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>			
<u>Intel Core i7-7820HQ @ 2.90GHz</u>	7,195	674	<u>19.03</u>
<u>Intel Core i7-4790 @ 3.60GHz</u>	7,198	673	<u>30.44</u>
<u>Intel Xeon E3-1281 v3 @ 3.70GHz</u>	7,210	672	<u>13.20</u>
<u>Intel Core i7-6770HQ @ 2.60GHz</u>	7,220	671	<u>9.04</u>
<u>AMD Ryzen 3 3200G</u>	7,229	669	<u>72.30</u>
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	7,229	670	<u>5.93</u>
<u>Intel Core i7-990X @ 3.47GHz</u>	7,255	668	<u>9.18</u>
<u>Intel Core i3-9300 @ 3.70GHz</u>	7,267	667	<u>45.72</u>
<u>AMD Opteron 6281</u>	7,279	666	NA
<u>Intel Core i7-6700T @ 2.80GHz</u>	7,289	665	<u>6.37</u>
<u>Intel Xeon E5-2650 @ 2.00GHz</u>	7,294	664	<u>205.30</u>
<u>Intel Xeon E5-4640 @ 2.40GHz</u>	7,308	663	<u>2.68</u>
<u>Intel Xeon E5-2430 v2 @ 2.50GHz</u>	7,319	662	<u>24.40</u>
<u>Intel Xeon E5-2450 @ 2.10GHz</u>	7,321	661	<u>250.80</u>
<u>AMD Opteron 6380</u>	7,336	660	<u>7.34</u>
<u>Intel Core i3-9320 @ 3.70GHz</u>	7,358	659	<u>45.42</u>
<u>AMD Ryzen 7 3700U</u>	7,362	658	NA
<u>Intel Xeon @ 2.00GHz</u>	7,363	657	NA
<u>Intel Xeon E3-1271 v3 @ 3.60GHz</u>	7,366	656	<u>36.83</u>
<u>Intel Xeon E5-1620 v4 @ 3.50GHz</u>	7,367	655	<u>15.68</u>
<u>Intel Xeon E3-1276 v3 @ 3.60GHz</u>	7,381	654	<u>7.79</u>
<u>Intel Core i5-8400T @ 1.70GHz</u>	7,382	653	<u>30.78</u>
<u>Intel Xeon E5-2623 v3 @ 3.00GHz</u>	7,382	652	<u>29.53</u>
<u>AMD Ryzen 7 3780U</u>	7,386	651	NA
<u>Intel Core i3-9350KF @ 4.00GHz</u>	7,399	650	<u>44.61</u>
<u>Intel Xeon E5-2667 @ 2.90GHz</u>	7,400	649	<u>53.49</u>
<u>Intel Xeon E3-1286 v3 @ 3.70GHz</u>	7,418	648	<u>8.84</u>
<u>Intel Xeon E5-1630 v4 @ 3.70GHz</u>	7,428	647	NA
<u>Intel Core i7-6920HQ @ 2.90GHz</u>	7,431	646	<u>13.08</u>
<u>AMD Ryzen 3 3200GE</u>	7,434	645	NA
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	7,437	644	<u>39.15</u>
<u>AMD Ryzen 7 PRO 3700U</u>	7,446	643	NA
<u>Intel Xeon E3-1535M v5 @ 2.90GHz</u>	7,447	642	<u>11.95</u>

CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Xeon E5-1630 v3 @ 3.70GHz</u>	7,457	639	<u>40.06</u>
<u>Intel Xeon E-2224G @ 3.50GHz</u>	7,466	639	<u>26.23</u>
<u>Intel Xeon E5-2650L v2 @ 1.70GHz</u>	7,475	638	<u>39.51</u>
<u>AMD Ryzen 5 PRO 2400GE</u>	7,494	637	NA
<u>Intel Core i3-10100T @ 3.00GHz</u>	7,517	636	<u>61.61</u>
<u>AMD Ryzen 5 2600H</u>	7,537	635	NA
<u>Intel Xeon E-2124G @ 3.40GHz</u>	7,549	634	<u>32.82</u>
<u>Intel Core i5-8300H @ 2.30GHz</u>	7,555	633	<u>30.22</u>
<u>AMD Athlon Gold PRO 3150GE</u>	7,578	632	NA
<u>Intel Core i5-9300HF @ 2.40GHz</u>	7,607	631	<u>30.43</u>
<u>Intel Xeon E3-1285 v4 @ 3.50GHz</u>	7,614	630	NA
<u>AMD Ryzen 7 2800H</u>	7,656	629	NA
<u>Intel Xeon E3-1270L v4 @ 3.00GHz</u>	7,662	628	NA
<u>Intel Core i7-1060NG7 @ 1.20GHz</u>	7,666	627	NA
<u>AMD Ryzen 5 3550U</u>	7,681	626	NA
<u>AMD Ryzen 3 2300X</u>	7,692	625	<u>43.19</u>
<u>AMD Athlon Gold PRO 3150G</u>	7,702	624	NA
<u>AMD Ryzen 3 4300U</u>	7,709	623	NA
<u>AMD Ryzen 3 PRO 1300</u>	7,717	622	NA
<u>Intel Xeon E3-1575M v5 @ 3.00GHz</u>	7,721	621	<u>6.40</u>
<u>Intel Xeon D-2123IT @ 2.20GHz</u>	7,731	620	<u>36.30</u>
<u>Intel Xeon E3-1260L v5 @ 2.90GHz</u>	7,757	619	<u>10.54</u>
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,757	618	NA
<u>Intel Core i7-5950HQ @ 2.90GHz</u>	7,759	617	NA
<u>Intel Core i3-9350K @ 4.00GHz</u>	7,760	616	<u>42.17</u>
<u>Intel Core i7-5775C @ 3.30GHz</u>	7,769	615	<u>11.94</u>
<u>Intel Xeon E5-2640 v2 @ 2.00GHz</u>	7,784	614	<u>40.13</u>
<u>Intel Core i5-9400T @ 1.80GHz</u>	7,785	613	<u>42.77</u>
<u>AMD Ryzen 5 1400</u>	7,811	612	<u>25.80</u>
<u>Intel Core i7-7820HK @ 2.90GHz</u>	7,814	611	<u>20.67</u>
<u>Intel Core i5-8500T @ 2.10GHz</u>	7,830	610	<u>31.63</u>
<u>Intel Core i5-8257U @ 1.40GHz</u>	7,836	609	<u>24.49</u>
<u>Intel Core i7-8705G @ 3.10GHz</u>	7,853	608	<u>5.12</u>
<u>Intel Core i7-7920HQ @ 3.10GHz</u>	7,856	607	<u>13.83</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Core i5-8260U @ 1.60GHz</u>	7,886	604	<u>31.54</u>
<u>Intel Core i5-9300H @ 2.40GHz</u>	7,892	603	<u>14.67</u>
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,918	602	NA
<u>Intel Core i7-8709G @ 3.10GHz</u>	7,921	601	NA
<u>Intel Core i5-1035G1 @ 1.00GHz</u>	7,923	600	<u>26.68</u>
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,936	599	<u>32.39</u>
<u>Intel Xeon E3-1285L v4 @ 3.40GHz</u>	7,939	598	NA
<u>AMD Ryzen 5 2400GE</u>	7,948	597	NA
<u>AMD Ryzen 5 3580U</u>	7,958	596	NA
<u>Intel Xeon D-1531 @ 2.20GHz</u>	7,967	595	<u>22.89</u>
<u>Intel Xeon E5-2637 v3 @ 3.50GHz</u>	7,995	594	<u>7.27</u>
<u>Intel Xeon E3-1585L v5 @ 3.00GHz</u>	8,021	593	<u>18.02</u>
<u>AMD Opteron 6348</u>	8,030	592	<u>13.06</u>
<u>Intel Xeon E3-1245 v5 @ 3.50GHz</u>	8,038	591	<u>23.28</u>
<u>Intel Core i7-6700 @ 3.40GHz</u>	8,043	590	<u>23.59</u>
<u>Intel Core i5-8269U @ 2.60GHz</u>	8,055	589	<u>25.17</u>
<u>Intel Core i7-4790K @ 4.00GHz</u>	8,061	588	<u>29.86</u>
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	8,086	587	<u>16.42</u>
<u>AMD Ryzen 5 3550H</u>	8,092	586	NA
<u>Intel Core i7-8706G @ 3.10GHz</u>	8,136	585	NA
<u>Intel Core i7-3970X @ 3.50GHz</u>	8,152	584	<u>5.96</u>
<u>Intel Core i7-3930K @ 3.20GHz</u>	8,161	583	<u>17.74</u>
<u>Intel Xeon E5-2660 @ 2.20GHz</u>	8,169	582	<u>82.56</u>
<u>Intel Core i5-8400H @ 2.50GHz</u>	8,175	581	<u>32.70</u>
<u>AMD Ryzen Embedded V1756B</u>	8,180	580	NA
<u>Intel Core i5-9500T @ 2.20GHz</u>	8,181	579	<u>42.61</u>
<u>AMD Ryzen 5 PRO 3400GE</u>	8,188	578	NA
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,205	577	<u>200.71</u>
<u>Intel Xeon E3-1240 v5 @ 3.50GHz</u>	8,234	576	<u>9.56</u>
<u>Intel Xeon E-2134 @ 3.50GHz</u>	8,253	575	<u>30.23</u>
<u>Intel Xeon E3-1230 v6 @ 3.50GHz</u>	8,266	574	<u>30.73</u>
<u>Intel Core i5-9400H @ 2.50GHz</u>	8,267	573	<u>33.07</u>
<u>Intel Core i5-8259U @ 2.30GHz</u>	8,269	572	<u>13.62</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Core i5-1035G4 @ 1.10GHz</u>			<u>16.98</u>
<u>Intel Xeon E3-1280 v5 @ 3.70GHz</u>	8,320	569	<u>21.06</u>
<u>AMD Ryzen Embedded V1807B</u>	8,342	567	NA
<u>Intel Core i3-10300T @ 3.00GHz</u>	8,342	568	<u>58.33</u>
<u>Intel Xeon E3-1270 v5 @ 3.60GHz</u>	8,343	566	<u>9.09</u>
<u>AMD Ryzen 7 3750H</u>	8,368	565	NA
<u>Intel Xeon E3-1275 v5 @ 3.60GHz</u>	8,389	564	<u>20.36</u>
<u>Intel Core i5-1035G7 @ 1.20GHz</u>	8,403	563	<u>26.26</u>
<u>Intel Xeon E3-1585 v5 @ 3.50GHz</u>	8,408	562	<u>15.12</u>
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	8,410	561	<u>4.15</u>
<u>Intel Xeon E5-4650L @ 2.60GHz</u>	8,415	560	<u>143.53</u>
<u>Intel Core i7-8557U @ 1.70GHz</u>	8,429	559	<u>19.56</u>
<u>Intel Xeon E5-2665 @ 2.40GHz</u>	8,463	558	<u>18.60</u>
<u>AMD Ryzen 5 PRO 2400G</u>	8,488	557	NA
<u>Intel Core i5-10200H @ 2.40GHz</u>	8,525	556	<u>34.10</u>
<u>Intel Xeon E3-1245 v6 @ 3.70GHz</u>	8,533	555	<u>26.28</u>
<u>Intel Xeon E5-4650 @ 2.70GHz</u>	8,574	554	<u>9.04</u>
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	8,598	553	<u>6.79</u>
<u>Intel Xeon E5-2648L v2 @ 1.90GHz</u>	8,611	552	<u>9.11</u>
<u>Intel Core i7-7700 @ 3.60GHz</u>	8,618	551	<u>22.98</u>
<u>Intel Core i7-3960X @ 3.30GHz</u>	8,631	550	<u>7.81</u>
<u>Intel Xeon W-2123 @ 3.60GHz</u>	8,645	549	<u>21.97</u>
<u>Intel Xeon W-2223 @ 3.60GHz</u>	8,663	548	<u>25.18</u>
<u>Apple A14 Bionic</u>	8,684	547	NA
<u>Intel Core i5-8600T @ 2.30GHz</u>	8,701	546	<u>43.51</u>
<u>Intel Core i3-10100F @ 3.60GHz</u>	8,724	545	<u>59.76</u>
<u>AMD Ryzen 5 2400G</u>	8,730	544	<u>14.02</u>
<u>Intel Core i3-10105 @ 3.70GHz</u>	8,737	543	<u>71.62</u>
<u>Intel Core i7-8809G @ 3.10GHz</u>	8,776	542	NA
<u>Intel Core i5-10300H @ 2.50GHz</u>	8,793	541	<u>35.17</u>
<u>Intel Xeon E3-1240 v6 @ 3.70GHz</u>	8,809	540	<u>30.59</u>
<u>Intel Core i3-10100 @ 3.60GHz</u>	8,859	539	<u>77.04</u>
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	8,867	538	<u>22.23</u>
<u>Intel Core i7-1065G7 @ 1.30GHz</u>	8,872	537	<u>20.83</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i7-8559U @ 2.70GHz</u>	8,879	535	<u>24.83</u>
<u>Intel Xeon E3-1275 v6 @ 3.80GHz</u>	8,889	534	<u>24.83</u>
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	8,928	533	<u>48.55</u>
<u>Intel Core i7-6700K @ 4.00GHz</u>	8,974	532	<u>29.73</u>
<u>Intel Xeon E3-1270 v6 @ 3.80GHz</u>	8,991	531	<u>25.35</u>
<u>AMD Ryzen 5 3400GE</u>	8,994	530	NA
<u>Intel Core i3-1125G4 @ 2.00GHz</u>	8,996	529	NA
<u>Intel Xeon E5-2630L v3 @ 1.80GHz</u>	9,006	528	<u>19.16</u>
<u>Intel Core i5-10400H @ 2.60GHz</u>	9,013	527	<u>36.05</u>
<u>Intel Xeon E5-2620 v4 @ 2.10GHz</u>	9,036	526	<u>22.89</u>
<u>AMD Ryzen 5 3350G</u>	9,038	525	NA
<u>AMD Ryzen 5 1500X</u>	9,055	524	<u>16.07</u>
<u>Intel Xeon E5-4648 v3 @ 1.70GHz</u>	9,061	523	NA
<u>Intel Xeon E5-2629 v3 @ 2.40GHz</u>	9,062	522	<u>18.13</u>
<u>Intel Xeon D-1548 @ 2.00GHz</u>	9,075	521	<u>16.35</u>
<u>Intel Xeon E3-1280 v6 @ 3.90GHz</u>	9,087	520	<u>16.82</u>
<u>Intel Core i7-9850HL @ 1.90GHz</u>	9,112	519	<u>23.07</u>
<u>Intel Core i7-10810U @ 1.10GHz</u>	9,121	518	<u>20.59</u>
<u>Intel Core i3-10105F @ 3.70GHz</u>	9,156	517	NA
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	9,163	516	<u>14.54</u>
<u>Intel Core i5-9600T @ 2.30GHz</u>	9,167	515	<u>43.04</u>
<u>Intel Xeon E5-2651 v2 @ 1.80GHz</u>	9,195	514	NA
<u>Intel Core i5-9500TE @ 2.20GHz</u>	9,212	513	<u>47.98</u>
<u>Intel Core i5-8400 @ 2.80GHz</u>	9,218	512	<u>41.09</u>
<u>Intel Xeon D-1587 @ 1.70GHz</u>	9,223	511	NA
<u>Intel Xeon D-1567 @ 2.10GHz</u>	9,236	510	NA
<u>Intel Core i7-8569U @ 2.80GHz</u>	9,251	509	<u>21.46</u>
<u>Intel Xeon E3-1285 v6 @ 4.10GHz</u>	9,276	508	<u>17.15</u>
<u>Intel Xeon Silver 4108 @ 1.80GHz</u>	9,302	507	<u>21.14</u>
<u>Intel Core i7-4930K @ 3.40GHz</u>	9,315	506	<u>23.35</u>
<u>Intel Xeon E5-4627 v2 @ 3.30GHz</u>	9,320	505	<u>18.68</u>
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	9,327	504	<u>34.04</u>
<u>Intel Core i3-10300 @ 3.70GHz</u>	9,344	503	<u>38.63</u>
<u>AMD Ryzen 5 3400G</u>	9,372	502	<u>32.32</u>

🏠 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Xeon E5-4655 v3 @ 2.90GHz</u>	9,427	497	<u>10.06</u>
<u>Intel Xeon Gold 5222 @ 3.80GHz</u>	9,428	499	<u>7.39</u>
<u>AMD Ryzen 5 PRO 1500</u>	9,434	498	NA
<u>Intel Xeon E-2144G @ 3.60GHz</u>	9,447	497	<u>30.46</u>
<u>Intel Core i5-9400 @ 2.90GHz</u>	9,499	496	<u>37.11</u>
<u>Intel Xeon E-2174G @ 3.80GHz</u>	9,502	495	<u>26.25</u>
<u>AMD Ryzen 5 2500X</u>	9,517	494	NA
<u>Intel Core i5-9400F @ 2.90GHz</u>	9,542	493	<u>56.87</u>
<u>Intel Xeon D-1541 @ 2.10GHz</u>	9,544	492	NA
<u>Intel Core i5-8500B @ 3.00GHz</u>	9,551	491	<u>49.74</u>
<u>Intel Core i5-8500 @ 3.00GHz</u>	9,556	490	<u>47.78</u>
<u>AMD Ryzen 5 PRO 3350G</u>	9,583	489	NA
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	9,613	488	<u>17.01</u>
<u>Intel Xeon E-2274G @ 4.00GHz</u>	9,639	487	<u>28.86</u>
<u>AMD Ryzen 5 PRO 3350GE</u>	9,643	486	NA
<u>Intel Core i5-1038NG7 @ 2.00GHz</u>	9,661	485	<u>30.19</u>
<u>AMD Ryzen 5 3350GE</u>	9,684	484	NA
<u>Intel Core i7-7700K @ 4.20GHz</u>	9,701	483	<u>22.56</u>
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,762	482	<u>44.38</u>
<u>Intel Core i5-9500 @ 3.00GHz</u>	9,765	481	<u>32.55</u>
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	9,769	480	NA
<u>Intel Core i7-5820K @ 3.30GHz</u>	9,809	479	<u>49.05</u>
<u>Intel Xeon E-2234 @ 3.60GHz</u>	9,818	478	<u>33.28</u>
<u>Intel Core i5-8600 @ 3.10GHz</u>	9,847	476	<u>40.36</u>
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	9,847	477	<u>6.41</u>
<u>Intel Core i7-4960X @ 3.60GHz</u>	9,949	474	<u>12.92</u>
<u>Intel Xeon E5-2628L v3 @ 2.00GHz</u>	9,949	475	NA
<u>Intel Xeon E-2244G @ 3.80GHz</u>	9,986	473	<u>36.71</u>
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	9,994	472	<u>34.47</u>
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	9,997	471	<u>66.65</u>
<u>Intel Xeon E5-2650 v4 @ 2.20GHz</u>	10,066	470	<u>13.44</u>
<u>Intel Core i5-1135G7 @ 2.40GHz</u>	10,077	469	<u>32.61</u>
<u>Intel Xeon E5-2630 v3 @ 2.40GHz</u>	10,088	468	<u>83.93</u>
<u>Intel Core i7-10710U @ 1.10GHz</u>	10,093	467	<u>15.65</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i3-10320 @ 3.80GHz</u>			
<u>Intel Core i5-8600K @ 3.60GHz</u>	10,145	464	<u>40.59</u>
<u>Intel Core i5-10400T @ 2.00GHz</u>	10,154	463	<u>55.79</u>
<u>Intel Xeon Silver 4110 @ 2.10GHz</u>	10,160	462	<u>24.19</u>
<u>Intel Core i7-8750H @ 2.20GHz</u>	10,178	461	<u>25.77</u>
<u>Intel Core i7-8750H @ 2.20GHz</u>			
<u>Intel Xeon W-2125 @ 4.00GHz</u>	10,187	460	<u>8.15</u>
<u>Intel Core i7-5930K @ 3.50GHz</u>	10,254	459	<u>36.63</u>
<u>Intel Core i5-9500F @ 3.00GHz</u>	10,269	458	<u>51.23</u>
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	10,280	457	<u>2.85</u>
<u>Intel Xeon E5-1660 v2 @ 3.70GHz</u>	10,299	456	<u>54.53</u>
<u>Intel Core i7-1068NG7 @ 2.30GHz</u>	10,335	455	<u>24.26</u>
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,336	454	<u>13.89</u>
<u>Intel Xeon Silver 4109T @ 2.00GHz</u>	10,348	453	<u>20.65</u>
<u>Intel Xeon E5-4640 v3 @ 1.90GHz</u>	10,372	452	NA
<u>AMD Ryzen 5 PRO 1600</u>	10,401	451	NA
<u>Intel Xeon E5-2618L v3 @ 2.30GHz</u>	10,464	450	<u>10.16</u>
<u>Intel Core i7-8850H @ 2.60GHz</u>	10,469	449	<u>26.50</u>
<u>Intel Xeon E5-2660 v2 @ 2.20GHz</u>	10,482	448	<u>36.15</u>
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,523	447	<u>4.21</u>
<u>Intel Core i5-1130G7 @ 1.10GHz</u>	10,537	446	<u>34.10</u>
<u>Intel Core i7-6800K @ 3.40GHz</u>	10,553	445	<u>23.83</u>
<u>Intel Core i7-9700T @ 2.00GHz</u>	10,561	444	<u>32.70</u>
<u>Intel Core i5-9600 @ 3.10GHz</u>	10,589	443	<u>40.73</u>
<u>Intel Core i7-1165G7 @ 2.80GHz</u>	10,607	442	<u>24.90</u>
<u>Intel Core i5-1145G7 @ 2.60GHz</u>	10,641	441	NA
<u>AMD Ryzen 3 5300U</u>	10,642	440	NA
<u>Intel Core i7-9700TE @ 1.80GHz</u>	10,667	439	<u>33.02</u>
<u>Intel Xeon E5-4620 v3 @ 2.00GHz</u>	10,681	438	<u>152.42</u>
<u>Intel Core i5-10500T @ 2.30GHz</u>	10,780	436	<u>56.14</u>
<u>Intel Core i7-8700T @ 2.40GHz</u>	10,780	437	<u>37.30</u>
<u>Intel Core i5-9600K @ 3.70GHz</u>	10,830	435	<u>49.69</u>
<u>Intel Xeon E5-4650 v3 @ 2.10GHz</u>	10,838	434	<u>2.82</u>
<u>AMD Ryzen 3 PRO 4350G</u>	10,849	433	NA
<u>Intel Core i5-9600KF @ 3.70GHz</u>	10,860	432	<u>57.16</u>

 CPU Benchmarks ▼

<u>CPU Name</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon E5-2630L v4 @ 1.80GHz</u>	10,908	429	NA
<u>Intel Core i5-1140G7 @ 1.10GHz</u>	10,922	428	36.11
<u>Intel Core i9-8950HK @ 2.90GHz</u>	10,933	427	18.75
<u>AMD Ryzen 3 4300G</u>	10,987	426	NA
<u>Intel Core i7-1160G7 @ 1.20GHz</u>	10,997	425	25.82
<u>AMD Ryzen 3 PRO 4200GE</u>	11,006	424	NA
<u>Intel Xeon E-2176M @ 2.70GHz</u>	11,069	423	24.60
<u>Intel Xeon E5-2628L v4 @ 1.90GHz</u>	11,079	422	8.12
<u>Intel Xeon E-2186M @ 2.90GHz</u>	11,088	421	17.80
<u>Intel Xeon E-2226G @ 3.40GHz</u>	11,127	420	35.49
<u>Intel Xeon Silver 4208 @ 2.10GHz</u>	11,163	419	25.66
<u>Intel Xeon E5-2640 v3 @ 2.60GHz</u>	11,206	418	60.61
<u>Intel Xeon E5-1650 v4 @ 3.60GHz</u>	11,208	417	64.03
<u>Intel Xeon W-2225 @ 4.10GHz</u>	11,226	416	25.28
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	11,261	415	17.10
<u>AMD Ryzen 5 4500U</u>	11,269	414	NA
<u>Intel Core i7-1185G7 @ 3.00GHz</u>	11,272	413	26.46
<u>Intel Core i7-6850K @ 3.60GHz</u>	11,295	412	28.24
<u>AMD Ryzen 3 PRO 4200G</u>	11,315	411	NA
<u>Intel Core i7-9750H @ 2.60GHz</u>	11,326	410	5.09
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	11,328	409	66.37
<u>Intel Xeon E5-4627 v3 @ 2.60GHz</u>	11,344	408	4.73
<u>Apple A12X Bionic</u>	11,352	407	NA
<u>AMD Ryzen 3 PRO 4350GE</u>	11,420	406	NA
<u>Intel Xeon D-2146NT @ 2.30GHz</u>	11,438	405	17.84
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	11,482	404	11.49
<u>Intel Xeon E5-4669 v4 @ 2.20GHz</u>	11,523	403	NA
<u>Intel Xeon E5-2648L v4 @ 1.80GHz</u>	11,547	402	NA
<u>Intel Core i7-9850H @ 2.60GHz</u>	11,570	401	8.86
<u>Intel Xeon E5-1660 v3 @ 3.00GHz</u>	11,617	400	29.12
<u>Intel Core i7-1185G7E @ 2.80GHz</u>	11,645	399	27.02
<u>Intel Xeon D-1577 @ 1.30GHz</u>	11,645	398	9.90
<u>Intel Core i7-9750HF @ 2.60GHz</u>	11,648	397	29.49

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Xeon E5-2630 v4 @ 2.20GHz</u>			
<u>AMD Ryzen 3 3100</u>	11,736	394	<u>57.25</u>
<u>AMD Ryzen 3 4300GE</u>	11,769	393	NA
<u>Intel Xeon E5-2663 v3 @ 2.80GHz</u>	11,777	392	NA
<u>Intel Xeon E5-2649 v3 @ 2.30GHz</u>	11,796	391	NA
<u>Intel Core i5-11300H @ 3.10GHz</u>	11,863	390	<u>38.39</u>
<u>Intel Core i7-9700E @ 2.60GHz</u>	11,869	389	<u>36.75</u>
<u>Intel Core i5-10600T @ 2.40GHz</u>	11,871	388	<u>55.73</u>
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,907	387	<u>3.47</u>
<u>Intel Xeon E5-2650L v4 @ 1.70GHz</u>	11,918	386	<u>60.82</u>
<u>Intel Xeon E5-2673 v2 @ 3.30GHz</u>	11,919	385	NA
<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	11,960	384	NA
<u>Intel Xeon E-2278GEL @ 2.00GHz</u>	12,024	383	<u>24.34</u>
<u>Intel Xeon E5-2618L v4 @ 2.20GHz</u>	12,041	382	<u>17.71</u>
<u>AMD Ryzen 5 PRO 4500U</u>	12,049	381	NA
<u>Intel Xeon E5-2692 v2 @ 2.20GHz</u>	12,119	380	NA
<u>Intel Xeon D-2141I @ 2.20GHz</u>	12,177	379	<u>21.94</u>
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	12,201	378	<u>22.60</u>
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	12,215	377	<u>4.16</u>
<u>Intel Xeon E-2276M @ 2.80GHz</u>	12,252	376	<u>27.23</u>
<u>Intel Core i5-10500H @ 2.50GHz</u>	12,254	375	<u>49.02</u>
<u>Intel Xeon W-2133 @ 3.60GHz</u>	12,357	374	<u>20.03</u>
<u>AMD Ryzen 5 1600</u>	12,366	373	<u>71.89</u>
<u>AMD Ryzen 3 5400U</u>	12,367	372	NA
<u>Intel Xeon E5-1680 v2 @ 3.00GHz</u>	12,412	371	NA
<u>Intel Core i5-10400 @ 2.90GHz</u>	12,437	370	<u>63.78</u>
<u>Intel Core i7-8700B @ 3.20GHz</u>	12,470	369	<u>41.15</u>
<u>Intel Xeon E5-4657L v2 @ 2.40GHz</u>	12,495	368	<u>86.60</u>
<u>Intel Core i5-10400F @ 2.90GHz</u>	12,529	367	<u>82.98</u>
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	12,531	366	<u>104.43</u>
<u>Intel Core i7-10850H @ 2.70GHz</u>	12,558	365	<u>31.79</u>
<u>Intel Core i7-10750H @ 2.60GHz</u>	12,572	364	NA
<u>Intel Core i7-5960X @ 3.00GHz</u>	12,662	363	<u>37.02</u>
<u>AMD EPYC 3201</u>	12,677	362	NA

 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i7-7800X @ 3.50GHz</u>			
<u>AMD Ryzen 3 3300X</u>	12,744	359	<u>49.03</u>
<u>Intel Xeon Silver 4114 @ 2.20GHz</u>	12,800	358	<u>21.37</u>
<u>AMD Ryzen 5 3500</u>	12,853	357	NA
<u>Intel Core i7-11370H @ 3.30GHz</u>	12,864	356	<u>30.20</u>
<u>Intel Xeon E5-2685 v3 @ 2.60GHz</u>	12,944	355	NA
<u>Intel Xeon E5-4627 v4 @ 2.60GHz</u>	12,969	354	<u>12.97</u>
<u>AMD Ryzen 5 PRO 4650U</u>	12,995	353	NA
<u>AMD Ryzen 5 1600X</u>	13,052	352	<u>64.52</u>
<u>Intel Core i7-8700 @ 3.20GHz</u>	13,077	351	<u>43.64</u>
<u>Intel Xeon E5-1680 v3 @ 3.20GHz</u>	13,081	350	<u>22.17</u>
<u>Intel Xeon D-2143IT @ 2.20GHz</u>	13,107	349	<u>23.16</u>
<u>Intel Xeon E5-2660 v3 @ 2.60GHz</u>	13,111	348	<u>37.46</u>
<u>Intel Xeon W-10855M @ 2.80GHz</u>	13,159	347	<u>29.24</u>
<u>Intel Core i7-10700T @ 2.00GHz</u>	13,183	346	<u>40.81</u>
<u>AMD Ryzen 5 2600</u>	13,220	345	<u>94.44</u>
<u>Intel Core i5-10500 @ 3.10GHz</u>	13,269	344	<u>55.30</u>
<u>Intel Xeon E-2276G @ 3.80GHz</u>	13,375	343	<u>36.95</u>
<u>Intel Xeon E5-2695 v2 @ 2.40GHz</u>	13,382	342	<u>38.23</u>
<u>AMD Ryzen 5 3500X</u>	13,385	341	<u>55.78</u>
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	13,389	340	<u>29.76</u>
<u>Intel Xeon E-2146G @ 3.50GHz</u>	13,401	339	<u>40.49</u>
<u>Intel Core i7-11375H @ 3.30GHz</u>	13,485	338	<u>27.98</u>
<u>Intel Core i7-9700 @ 3.00GHz</u>	13,486	337	<u>48.02</u>
<u>Intel Xeon E5-2658 v3 @ 2.20GHz</u>	13,487	336	NA
<u>Intel Xeon E-2136 @ 3.30GHz</u>	13,506	335	<u>42.47</u>
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	13,519	334	<u>9.02</u>
<u>Intel Core i7-9700F @ 3.00GHz</u>	13,570	333	<u>50.26</u>
<u>AMD Ryzen 5 PRO 2600</u>	13,575	332	NA
<u>Intel Xeon E-2176G @ 3.70GHz</u>	13,727	331	<u>32.30</u>
<u>AMD Ryzen 5 4600U</u>	13,729	330	NA
<u>AMD Ryzen 7 4700U</u>	13,800	329	NA
<u>AMD Ryzen 5 5500U</u>	13,858	328	NA
<u>Intel Core i7-8700K @ 3.70GHz</u>	13,903	327	<u>41.01</u>

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (higher is better)	<u>Rank</u> (lower is better)	<u>CPU Value</u> (higher is better)
<u>Intel Core i5-10600 @ 3.30GHz</u>			<u>19.22</u>
<u>Intel Xeon E5-2673 v3 @ 2.40GHz</u>	13,936	324	<u>19.91</u>
<u>Intel Core i7-6900K @ 3.20GHz</u>	13,955	323	<u>24.48</u>
<u>Intel Xeon E-2186G @ 3.80GHz</u>	13,976	322	<u>28.12</u>
<u>Intel Xeon W-1250 @ 3.30GHz</u>	13,978	321	<u>49.22</u>
<u>Intel Xeon E5-2670 v3 @ 2.30GHz</u>	13,981	320	<u>39.95</u>
<u>Intel Core i9-9900T @ 2.10GHz</u>	13,993	319	<u>31.87</u>
<u>Intel Xeon E-2246G @ 3.60GHz</u>	14,018	318	<u>45.07</u>
<u>AMD Ryzen 5 2600X</u>	14,091	317	<u>60.29</u>
<u>Intel Xeon W-2135 @ 3.70GHz</u>	14,114	316	<u>14.01</u>
<u>Intel Xeon E5-2667 v4 @ 3.20GHz</u>	14,148	315	<u>14.76</u>
<u>Intel Xeon E5-2658 v4 @ 2.30GHz</u>	14,168	314	NA
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	14,191	313	NA
<u>AMD EPYC 3251</u>	14,225	312	<u>45.16</u>
<u>Intel Xeon E5-4660 v3 @ 2.10GHz</u>	14,256	311	<u>2.97</u>
<u>Intel Xeon Silver 4210 @ 2.20GHz</u>	14,263	310	<u>29.11</u>
<u>Intel Xeon Gold 6128 @ 3.40GHz</u>	14,273	309	<u>8.39</u>
<u>Intel Xeon E-2236 @ 3.40GHz</u>	14,332	308	<u>44.11</u>
<u>Intel Xeon E5-2660 v4 @ 2.00GHz</u>	14,342	307	<u>22.59</u>
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	14,344	306	<u>7.21</u>
<u>Intel Xeon W-2235 @ 3.80GHz</u>	14,351	305	NA
<u>Intel Xeon E-2286G @ 4.00GHz</u>	14,368	304	<u>21.13</u>
<u>Intel Xeon Silver 4123 @ 3.00GHz</u>	14,405	303	NA
<u>Intel Xeon E5-2676 v3 @ 2.40GHz</u>	14,407	302	NA
<u>Intel Xeon Silver 4215 @ 2.50GHz</u>	14,439	301	<u>16.69</u>
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	14,451	300	<u>2.96</u>
<u>AMD Ryzen 5 4600HS</u>	14,508	299	NA
<u>Intel Core i7-9700K @ 3.60GHz</u>	14,547	298	<u>46.93</u>
<u>Intel Core i5-10600K @ 4.10GHz</u>	14,592	297	<u>67.29</u>
<u>Intel Core i5-10600KF @ 4.10GHz</u>	14,610	296	<u>73.05</u>
<u>AMD Ryzen 7 PRO 1700</u>	14,613	295	NA
<u>Intel Core i7-9700KF @ 3.60GHz</u>	14,629	294	<u>45.81</u>
<u>AMD Ryzen 7 2700E</u>	14,657	293	NA
<u>AMD Ryzen 7 1700</u>	14,673	292	<u>39.66</u>

 CPU Benchmarks

<u>Intel Core i7-8086K @ 4.00GHz</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
Intel Xeon E5-2687W v3 @ 3.10GHz	14,761	289	4.92
AMD Ryzen 5 5600U	14,784	288	NA
Intel Xeon Silver 4116 @ 2.10GHz	14,785	287	15.61
AMD Ryzen 5 PRO 4400GE	14,795	286	NA
Intel Xeon E5-1681 v3 @ 2.90GHz	14,820	285	NA
AMD Ryzen 5 4600H	14,835	283	NA
Intel Xeon E5-2678 v3 @ 2.50GHz	14,835	284	87.27
AMD Ryzen 7 PRO 2700	14,917	281	NA
Intel Xeon E5-2699A v4 @ 2.40GHz	14,917	282	3.02
AMD EPYC 7301	14,991	280	9.99
Apple M1 8 Core 3200 MHz	15,025	279	NA
Intel Core i9-9980HK @ 2.40GHz	15,059	278	25.83
Intel Xeon D-2166NT @ 2.00GHz	15,105	277	15.03
Intel Xeon Silver 4210R @ 2.40GHz	15,121	276	29.51
Intel Xeon Silver 4116T @ 2.10GHz	15,187	275	13.66
Intel Xeon Silver 4214Y @ 2.20GHz	15,248	274	19.85
Intel Core i9-10880H @ 2.30GHz	15,390	273	NA
Intel Xeon E5-4667 v3 @ 2.00GHz	15,397	272	2.69
Intel Xeon E5-2680 v3 @ 2.50GHz	15,433	271	78.85
AMD EPYC 7251	15,542	270	40.92
AMD Ryzen 7 1700X	15,542	269	48.60
Intel Core i7-10870H @ 2.20GHz	15,548	268	37.29
AMD Ryzen 7 PRO 4750U	15,583	267	NA
Intel Xeon Gold 5118 @ 2.30GHz	15,591	266	12.00
Intel Xeon E-2286M @ 2.40GHz	15,697	265	9.70
AMD Ryzen 7 2700	15,706	264	42.45
AMD Ryzen 7 PRO 1700X	15,735	263	NA
AMD Ryzen 5 4600G	15,770	262	NA
Intel Xeon Gold 5117 @ 2.00GHz	15,816	261	NA
Intel Core i7-10875H @ 2.30GHz	15,973	260	35.50
Intel Xeon E5-2695 v3 @ 2.30GHz	16,032	259	37.28
Intel Xeon Gold 5215 @ 2.50GHz	16,058	258	12.36
AMD Ryzen 5 PRO 4650GE	16,070	257	NA

 CPU Benchmarks ▼

<u>CPU Name</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon E5-2669 v3 @ 2.30GHz</u>			
<u>Intel Xeon Silver 4214 @ 2.20GHz</u>	16,140	254	<u>24.87</u>
<u>AMD Ryzen Embedded V2748</u>	16,186	253	NA
<u>Intel Xeon E5-2690 v3 @ 2.60GHz</u>	16,249	252	<u>32.50</u>
<u>AMD Ryzen 7 1800X</u>	16,299	251	<u>65.20</u>
<u>AMD Ryzen 7 5700U</u>	16,307	250	NA
<u>Intel Core i7-10700TE @ 2.00GHz</u>	16,332	249	<u>49.49</u>
<u>AMD Ryzen 5 4600GE</u>	16,377	248	NA
<u>AMD Ryzen 5 PRO 4400G</u>	16,456	247	NA
<u>Intel Core i9-10900T @ 1.90GHz</u>	16,480	246	<u>37.54</u>
<u>Intel Xeon W-2140B @ 3.20GHz</u>	16,505	245	NA
<u>Intel Xeon Gold 6134 @ 3.20GHz</u>	16,513	244	<u>7.42</u>
<u>AMD Ryzen 5 PRO 4650G</u>	16,534	243	<u>44.69</u>
<u>Intel Core i9-10980HK @ 2.40GHz</u>	16,628	242	<u>28.52</u>
<u>AMD EPYC 7232P</u>	16,658	241	<u>33.45</u>
<u>Intel Xeon E5-2689 v4 @ 3.10GHz</u>	16,706	240	NA
<u>AMD Ryzen Threadripper 1900X</u>	16,734	239	<u>79.83</u>
<u>Intel Xeon E5-2686 v4 @ 2.30GHz</u>	16,745	238	NA
<u>AMD Ryzen 7 PRO 2700X</u>	16,846	237	NA
<u>Intel Core i7-10700F @ 2.90GHz</u>	16,973	236	<u>63.10</u>
<u>Intel Xeon Gold 5120 @ 2.20GHz</u>	16,990	235	<u>10.88</u>
<u>Intel Core i9-9900 @ 3.10GHz</u>	17,091	234	<u>44.98</u>
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,117	233	<u>10.13</u>
<u>Intel Xeon W-10885M @ 2.40GHz</u>	17,124	232	<u>27.49</u>
<u>Intel Xeon W-3223 @ 3.50GHz</u>	17,139	231	<u>21.07</u>
<u>Intel Xeon E5-4669 v3 @ 2.10GHz</u>	17,209	230	<u>3.19</u>
<u>Intel Xeon E-2278GE @ 3.30GHz</u>	17,210	229	<u>34.84</u>
<u>Intel Core i7-7820X @ 3.60GHz</u>	17,331	228	<u>26.66</u>
<u>AMD Ryzen 7 4800U</u>	17,345	227	NA
<u>Intel Core i7-10700 @ 2.90GHz</u>	17,373	226	<u>63.18</u>
<u>AMD Ryzen Embedded V2718</u>	17,506	225	NA
<u>Intel Xeon E5-2673 v4 @ 2.30GHz</u>	17,533	224	<u>8.99</u>
<u>Intel Xeon Gold 5120T @ 2.20GHz</u>	17,540	223	<u>10.16</u>
<u>Intel Core i5-11500 @ 2.70GHz</u>	17,543	222	<u>76.28</u>

 CPU Benchmarks

<u>AMD Ryzen 7 2700X</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon E5-2686 v3 @ 2.00GHz</u>	17,678	219	NA
<u>AMD 4700S</u>	17,756	218	NA
<u>Intel Core i5-11400F @ 2.60GHz</u>	17,761	217	<u>84.58</u>
<u>Intel Xeon E5-2687W v4 @ 3.00GHz</u>	17,791	216	<u>8.18</u>
<u>Intel Xeon E5-2680R v4 @ 2.40GHz</u>	17,795	215	NA
<u>Intel Xeon W-1270 @ 3.40GHz</u>	17,830	214	<u>49.25</u>
<u>AMD Ryzen 5 3600</u>	17,865	213	<u>72.34</u>
<u>Intel Core i9-10900TE @ 1.80GHz</u>	17,888	212	<u>40.29</u>
<u>Intel Xeon E-2288G @ 3.70GHz</u>	17,984	211	<u>33.36</u>
<u>Intel Xeon E5-2697 v3 @ 2.60GHz</u>	17,994	210	<u>21.68</u>
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	18,017	209	<u>36.11</u>
<u>AMD Ryzen 5 PRO 3600</u>	18,037	208	NA
<u>Intel Xeon D-2187NT @ 2.00GHz</u>	18,070	207	<u>9.08</u>
<u>Intel Xeon W-2145 @ 3.70GHz</u>	18,163	206	<u>11.14</u>
<u>AMD Ryzen 7 Extreme Edition</u>	18,187	205	NA
<u>Intel Xeon E5-2680 v4 @ 2.40GHz</u>	18,225	204	<u>40.64</u>
<u>AMD Ryzen 5 3600X</u>	18,328	203	<u>63.86</u>
<u>AMD Ryzen 5 5600H</u>	18,344	202	NA
<u>Intel Xeon D-2183IT @ 2.20GHz</u>	18,385	201	<u>10.42</u>
<u>Intel Core i7-9800X @ 3.80GHz</u>	18,405	200	<u>43.82</u>
<u>Intel Xeon W-1290T @ 1.90GHz</u>	18,409	199	<u>37.27</u>
<u>Intel Xeon Silver 4216 @ 2.10GHz</u>	18,561	198	<u>19.48</u>
<u>Intel Xeon Gold 6130 @ 2.10GHz</u>	18,634	197	<u>15.53</u>
<u>Intel Xeon Gold 6144 @ 3.50GHz</u>	18,656	196	<u>5.86</u>
<u>AMD Ryzen 5 3600XT</u>	18,845	195	<u>52.06</u>
<u>Intel Core i9-9900KF @ 3.60GHz</u>	18,849	194	<u>49.87</u>
<u>Intel Core i9-9900K @ 3.60GHz</u>	18,859	193	<u>49.89</u>
<u>Intel Xeon Silver 4214R @ 2.40GHz</u>	18,940	192	<u>27.25</u>
<u>Intel Core i5-11600 @ 2.80GHz</u>	18,967	191	NA
<u>Intel Xeon E5-2676 v4 @ 2.40GHz</u>	18,978	190	NA
<u>Intel Xeon E5-2697A v4 @ 2.60GHz</u>	18,996	189	NA
<u>AMD Ryzen 9 4900H</u>	19,028	188	NA
<u>AMD Ryzen 7 4800HS</u>	19,040	187	NA

🏠 CPU Benchmarks ▼

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Xeon W-1270P @ 3.80GHz</u>			<u>31.04</u>
<u>Intel Xeon Gold 6126 @ 2.60GHz</u>	19,223	184	<u>11.18</u>
<u>AMD Ryzen 7 4800H</u>	19,228	183	NA
<u>Intel Core i7-7900X @ 3.30GHz</u>	19,358	182	NA
<u>Intel Xeon Gold 6137 @ 3.90GHz</u>	19,365	181	NA
<u>Intel Xeon W-2245 @ 3.90GHz</u>	19,462	180	<u>26.66</u>
<u>Intel Core i7-10700K @ 3.80GHz</u>	19,498	179	<u>60.60</u>
<u>Intel Xeon E5-2698 v3 @ 2.30GHz</u>	19,552	177	<u>5.74</u>
<u>Intel Xeon Gold 6132 @ 2.60GHz</u>	19,552	178	<u>9.14</u>
<u>Intel Core i9-9900KS @ 4.00GHz</u>	19,560	176	<u>9.95</u>
<u>AMD EPYC 7351P</u>	19,589	175	<u>14.20</u>
<u>Intel Core i5-11600K @ 3.90GHz</u>	19,701	174	<u>77.26</u>
<u>AMD Ryzen 9 4900HS</u>	19,710	173	NA
<u>Intel Xeon Gold 6226 @ 2.70GHz</u>	19,810	172	<u>12.19</u>
<u>AMD Ryzen 7 4700G</u>	19,814	171	NA
<u>AMD Ryzen 5 5600G</u>	19,835	170	NA
<u>AMD Ryzen 7 PRO 4750GE</u>	19,852	169	NA
<u>Intel Core i5-11600KF @ 3.90GHz</u>	19,949	168	<u>39.36</u>
<u>AMD Ryzen 7 5800U</u>	19,997	167	NA
<u>Intel Xeon E5-2695 v4 @ 2.10GHz</u>	20,096	166	<u>2.80</u>
<u>Intel Xeon W-2150B @ 3.00GHz</u>	20,172	165	NA
<u>Intel Xeon E5-2682 v4 @ 2.50GHz</u>	20,274	164	NA
<u>Intel Xeon E5-2696 v3 @ 2.30GHz</u>	20,305	163	<u>8.13</u>
<u>Intel Xeon E5-2699 v3 @ 2.30GHz</u>	20,397	162	<u>63.76</u>
<u>AMD Ryzen 7 PRO 5850U</u>	20,460	161	NA
<u>Intel Core i9-9820X @ 3.30GHz</u>	20,524	160	<u>30.54</u>
<u>Intel Xeon E5-2697 v4 @ 2.30GHz</u>	20,556	159	<u>7.92</u>
<u>AMD Ryzen 7 4700GE</u>	20,648	158	NA
<u>AMD EPYC 7451</u>	20,738	157	<u>8.16</u>
<u>AMD Ryzen 7 PRO 4750G</u>	20,758	156	<u>71.83</u>
<u>Intel Xeon E5-2690 v4 @ 2.60GHz</u>	20,779	155	<u>38.86</u>
<u>Intel Xeon E5-2697R v4 @ 2.30GHz</u>	20,843	154	NA
<u>AMD Ryzen 7 PRO 4700G</u>	20,848	153	NA
<u>Intel Core i7-11700F @ 2.50GHz</u>	20,850	152	<u>59.57</u>

🏠 CPU Benchmarks ▼

<u>AMD EPYC 7262</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Core i9-10900 @ 2.80GHz</u>	20,955	149	55.73
<u>Intel Core i7-11700 @ 2.50GHz</u>	20,990	148	61.74
<u>Intel Xeon W-2155 @ 3.30GHz</u>	21,137	147	13.81
<u>AMD EPYC 7281</u>	21,230	146	16.56
<u>AMD Ryzen 7 5800HS</u>	21,337	145	NA
<u>Intel Core i9-7900X @ 3.30GHz</u>	21,502	144	13.46
<u>Intel Core i9-9900X @ 3.50GHz</u>	21,701	143	39.46
<u>Intel Xeon Gold 6130T @ 2.10GHz</u>	21,803	142	10.97
<u>AMD EPYC 7551</u>	21,806	141	5.87
<u>Intel Xeon Gold 6136 @ 3.00GHz</u>	21,835	140	8.22
<u>Intel Xeon W-1290 @ 3.20GHz</u>	21,859	139	44.25
<u>Intel Xeon E5-2696 v4 @ 2.20GHz</u>	21,965	138	7.88
<u>Intel Core i9-10910 @ 3.60GHz</u>	22,063	137	NA
<u>Intel Xeon E5-2698 v4 @ 2.20GHz</u>	22,091	136	6.09
<u>Intel Xeon Gold 5218 @ 2.30GHz</u>	22,117	135	18.22
<u>Intel Xeon W-1290E @ 3.50GHz</u>	22,138	134	44.28
<u>AMD Ryzen 7 5800H</u>	22,188	133	NA
<u>AMD Ryzen 5 5600X</u>	22,210	132	61.70
<u>Intel Xeon Gold 6152 @ 2.10GHz</u>	22,291	131	6.16
<u>AMD EPYC 7F32</u>	22,303	130	NA
<u>AMD Ryzen 7 5700G</u>	22,341	129	NA
<u>AMD Ryzen 7 PRO 3700</u>	22,350	128	67.73
<u>Intel Xeon W-2255 @ 3.70GHz</u>	22,680	127	29.15
<u>Intel Xeon Gold 6140 @ 2.30GHz</u>	22,733	126	7.94
<u>AMD Ryzen 7 3700X</u>	22,803	125	73.80
<u>Intel Core i9-10900X @ 3.70GHz</u>	22,838	124	41.75
<u>Intel Xeon Gold 5218R @ 2.10GHz</u>	22,849	123	16.09
<u>Intel Core i9-11900 @ 2.50GHz</u>	22,867	122	34.30
<u>Intel Xeon W-2175 @ 2.50GHz</u>	22,912	121	58.01
<u>AMD Ryzen Threadripper 1920X</u>	23,033	120	57.58
<u>AMD Ryzen 9 5980HS</u>	23,078	119	NA
<u>AMD Ryzen 9 5900HS</u>	23,105	118	NA
<u>Intel Xeon Platinum 8176 @ 2.10GHz</u>	23,179	117	2.66

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Core i9-11900F @ 2.50GHz</u>			
<u>Intel Xeon W-2170B @ 2.50GHz</u>	23,300	114	NA
<u>AMD Ryzen 7 3800X</u>	23,336	113	<u>60.62</u>
<u>Intel Core i9-10850K @ 3.60GHz</u>	23,375	112	<u>60.71</u>
<u>Intel Core i9-7920X @ 2.90GHz</u>	23,470	111	<u>52.74</u>
<u>Intel Xeon W-1290P @ 3.70GHz</u>	23,545	110	<u>39.77</u>
<u>AMD EPYC 7351</u>	23,566	109	<u>23.22</u>
<u>Intel Xeon E5-2679 v4 @ 2.50GHz</u>	23,639	108	<u>8.75</u>
<u>AMD Ryzen 9 5900HX</u>	23,763	107	NA
<u>Intel Core i9-10900KF @ 3.70GHz</u>	23,767	106	<u>54.14</u>
<u>AMD Ryzen 7 3800XT</u>	23,949	105	<u>56.09</u>
<u>Intel Core i9-10900K @ 3.70GHz</u>	23,975	104	<u>49.95</u>
<u>Intel Xeon Gold 6138 @ 2.00GHz</u>	24,115	103	<u>9.00</u>
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	24,133	102	<u>7.50</u>
<u>Intel Xeon E5-2699 v4 @ 2.20GHz</u>	24,272	101	<u>34.67</u>
<u>Intel Xeon Gold 6246 @ 3.30GHz</u>	24,446	100	<u>7.10</u>
<u>Intel Core i7-11700KF @ 3.60GHz</u>	24,657	99	<u>65.93</u>
<u>Intel Xeon Gold 6143 @ 2.80GHz</u>	24,786	98	NA
<u>Intel Xeon Gold 6138T @ 2.00GHz</u>	24,800	97	<u>9.04</u>
<u>Intel Core i9-11900KF @ 3.50GHz</u>	24,827	96	<u>45.98</u>
<u>AMD EPYC 7501</u>	24,925	95	<u>6.96</u>
<u>Intel Core i9-9920X @ 3.50GHz</u>	25,197	94	<u>31.69</u>
<u>Intel Xeon Silver 4310 @ 2.10GHz</u>	25,218	93	<u>50.33</u>
<u>Intel Core i7-11700K @ 3.60GHz</u>	25,298	92	<u>65.71</u>
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	25,326	91	<u>12.95</u>
<u>Intel Xeon W-3235 @ 3.30GHz</u>	25,371	90	<u>16.52</u>
<u>Intel Xeon Platinum 8167M @ 2.00GHz</u>	25,396	89	NA
<u>Intel Xeon Platinum 8124M @ 3.00GHz</u>	25,456	88	NA
<u>Intel Xeon Gold 6226R @ 2.90GHz</u>	25,570	87	<u>18.40</u>
<u>AMD Ryzen Threadripper 2920X</u>	25,608	86	<u>41.80</u>
<u>Intel Xeon Gold 5220 @ 2.20GHz</u>	25,740	85	<u>15.70</u>
<u>Intel Core i9-11900K @ 3.50GHz</u>	25,836	84	<u>41.54</u>
<u>AMD EPYC 7551P</u>	25,933	83	<u>18.97</u>
<u>Intel Xeon W-2265 @ 3.50GHz</u>	26,039	82	<u>27.58</u>

 CPU Benchmarks

<u>AMD Ryzen 7 5800</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
<u>Intel Xeon Gold 6154 @ 3.00GHz</u>	26,298	79	7.19
<u>AMD EPYC 7401P</u>	26,392	78	31.26
<u>AMD EPYC 7272</u>	26,446	77	36.82
<u>Intel Core i9-10920X @ 3.50GHz</u>	26,463	76	37.80
<u>AMD Ryzen Threadripper 2990X</u>	26,469	75	NA
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	26,485	74	5.90
<u>Intel Xeon Platinum 8175M @ 2.50GHz</u>	26,659	73	NA
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,892	72	18.05
<u>Intel Xeon Gold 6208U @ 2.90GHz</u>	26,901	71	23.16
<u>AMD Ryzen Threadripper 1950X</u>	27,016	70	18.69
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	27,131	69	13.17
<u>Intel Core i9-7960X @ 2.80GHz</u>	27,198	68	40.29
<u>Intel Xeon W-2195 @ 2.30GHz</u>	27,325	67	7.55
<u>Intel Xeon W-2275 @ 3.30GHz</u>	27,348	66	24.59
<u>Intel Xeon Platinum 8173M @ 2.00GHz</u>	27,377	65	NA
<u>AMD EPYC 7571</u>	27,445	64	NA
<u>Intel Xeon Gold 6212U @ 2.40GHz</u>	27,470	63	13.73
<u>Intel Xeon Gold 6238 @ 2.10GHz</u>	27,617	62	10.57
<u>Intel Core i9-9940X @ 3.30GHz</u>	28,288	61	46.21
<u>AMD EPYC 7371</u>	28,356	60	15.67
<u>AMD Ryzen 7 5800X</u>	28,620	59	66.71
<u>Intel Core i9-10940X @ 3.30GHz</u>	29,106	58	36.38
<u>AMD Ryzen Threadripper 2970WX</u>	29,165	57	36.46
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	29,356	56	8.17
<u>Intel Core i9-7980XE @ 2.60GHz</u>	29,464	55	25.64
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	30,103	54	5.01
<u>Intel Xeon W-3265 @ 2.70GHz</u>	30,105	53	6.61
<u>Intel Xeon Gold 6246R @ 3.40GHz</u>	30,145	52	8.61
<u>Intel Xeon Gold 5317 @ 3.00GHz</u>	30,555	51	32.16
<u>AMD Ryzen Threadripper 2950X</u>	30,758	50	38.45
<u>AMD Ryzen 9 3900</u>	30,923	49	68.72
<u>Intel Core i9-9960X @ 3.10GHz</u>	31,049	48	22.18
<u>Intel Xeon Gold 6248 @ 2.50GHz</u>	31,285	47	11.15

 CPU Benchmarks

<u>CPU Name</u>	<u>CPU Mark</u> (Higher is better)	<u>Rank</u> (Lower is better)	<u>CPU Value</u> (Higher is better)
<u>Intel Xeon Platinum 8259CL @ 2.50GHz</u>			
<u>Intel Xeon W-3245 @ 3.20GHz</u>	31,652	44	<u>14.80</u>
<u>Intel Xeon W-2295 @ 3.00GHz</u>	31,730	43	<u>23.80</u>
<u>AMD Ryzen 9 PRO 3900</u>	31,800	42	NA
<u>Intel Xeon W-3175X @ 3.10GHz</u>	31,814	41	<u>10.26</u>
<u>Intel Core i9-9990XE @ 4.00GHz</u>	31,941	40	NA
<u>Intel Core i9-9980XE @ 3.00GHz</u>	32,402	39	<u>29.48</u>
<u>Intel Xeon Gold 6252 @ 2.10GHz</u>	32,410	38	<u>8.23</u>
<u>AMD Ryzen Threadripper 2990WX</u>	32,422	37	<u>22.64</u>
<u>AMD Ryzen 9 3900X</u>	32,901	36	<u>56.76</u>
<u>AMD Ryzen 9 3900XT</u>	32,993	35	<u>45.61</u>
<u>AMD EPYC 7302P</u>	33,210	34	<u>23.72</u>
<u>Intel Xeon Platinum 8168 @ 2.70GHz</u>	33,503	33	<u>5.69</u>
<u>AMD Ryzen Threadripper PRO 3945WX</u>	33,916	32	NA
<u>Intel Xeon Platinum 8260M @ 2.30GHz</u>	33,970	31	<u>4.41</u>
<u>Intel Core i9-10980XE @ 3.00GHz</u>	34,130	30	<u>35.22</u>
<u>AMD EPYC 7302</u>	34,259	29	<u>23.82</u>
<u>Intel Xeon Gold 6242R @ 3.10GHz</u>	35,955	28	<u>13.89</u>
<u>Intel Xeon Platinum 8280 @ 2.70GHz</u>	37,575	27	<u>4.07</u>
<u>Intel Xeon Gold 6248R @ 3.00GHz</u>	38,521	26	<u>12.45</u>
<u>AMD Ryzen 9 5900</u>	38,761	25	NA
<u>AMD Ryzen 9 3950X</u>	39,232	24	<u>48.20</u>
<u>AMD Ryzen 9 5900X</u>	39,475	23	<u>56.47</u>
<u>Intel Xeon W-3275M @ 2.50GHz</u>	39,943	22	<u>5.36</u>
<u>AMD EPYC 7F52</u>	40,468	21	<u>13.05</u>
<u>AMD EPYC 7402P</u>	40,754	20	<u>28.38</u>
<u>AMD Ryzen Threadripper PRO 3955WX</u>	40,814	19	<u>35.52</u>
<u>AMD EPYC 7452</u>	45,056	18	<u>15.43</u>
<u>AMD EPYC 7402</u>	45,684	17	<u>25.10</u>
<u>AMD Ryzen 9 5950X</u>	46,129	16	<u>42.48</u>
<u>AMD EPYC 7502P</u>	46,180	15	<u>17.86</u>
<u>AMD EPYC 7502</u>	53,591	14	<u>20.18</u>
<u>AMD Ryzen Threadripper 3960X</u>	54,934	13	<u>40.69</u>
<u>AMD EPYC 7542</u>	56,809	12	<u>13.53</u>

 CPU Benchmarks

<u>AMD EPYC 7R32</u>	CPU Mark (Higher is better)	Rank (Lower is better)	CPU Value (Higher is better)
AMD EPYC 7742	64,071	9	10.78
AMD Ryzen Threadripper 3970X	64,221	8	27.98
AMD EPYC 7702P	68,213	7	14.67
AMD EPYC 7702	71,686	6	16.25

AMD EPYC 7643	77,101	5	NA
AMD Ryzen Threadripper 3990X	80,773	4	19.01
AMD EPYC 7713	85,887	3	NA
AMD Ryzen Threadripper PRO 3995WX	85,934	2	15.66
AMD EPYC 7763	87,767	1	NA

* - Last price seen from our affiliates.



Software

- [BurnInTest](#)
- [PerformanceTest](#)
- [OSForensics](#)
- [MemTest86](#)
- [WirelessMon](#)
- [Zoom Search Engine](#)
- [Free Software](#)

Hardware

- [USB3.0 Loopback Plugs](#)
- [USB2.0 Loopback Plugs](#)
- [PCIe Test Cards](#)
- [USB Power Delivery Tester](#)
- [Serial and Parallel Loopback Plugs](#)
- [USB Short Circuit Testers](#)

Benchmarks

- [CPU Benchmarks](#)
- [Video Card Benchmarks](#)
- [Hard Drive Benchmarks](#)
- [RAM Benchmarks](#)
- [PC Systems Benchmarks](#)
- [Android Benchmarks](#)
- [iOS / iPhone Benchmarks](#)

About Us

- [Company](#)
- [Contact Us](#)
- [The Press Room](#)

Services

- [Store](#)
- [Support](#)
- [Forums](#)

International

- [Disclaimer](#)
- [Refunds](#)
- [Privacy](#)
- [Social](#)